

CVM ADE Comprehensive Clinical Detail Listing:

Cumulative Date Range: 1/1/1987 thru 4/30/2013

Drug Listing: N;O;P;Q;R;S

[Drug:] Naloxone

Parenteral, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Drug:] Naproxen

Oral, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Narasin

Defect, Not Applicable

[Sign:] Pd-granules/powder, Abn

Number of times reported: [10]

[Sign:] Pd-contamination

Number of times reported: [4]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Drug:] Narasin

Missing, Chicken

[Sign:] Ineffect, Coccidia

Number of times reported: [3]

[Sign:] Lesion(s)

Number of times reported: [2]

[Drug:] Narasin

Oral, Chicken

[Sign:] Ineffect, Coccidia

Number of times reported: [15]

[Sign:] Death

Number of times reported: [12]

[Sign:] Death(slaughtered)

Number of times reported: [2]

[Sign:] Death(tx Failure)

Number of times reported: [2]

[Sign:] Ineffect, Weight Inc

Number of times reported: [2]

[Sign:] Inflam, Skin

Number of times reported: [2]

[Sign:] Pr-gi, Lesion(s)

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Diarrhea, Watery

Number of times reported: [1]

[Sign:] Egg Production Down

Number of times reported: [1]

[Sign:] Elimination Abn

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Lesion(s)

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Meat, abn Color

Number of times reported: [1]

[Sign:] Paresis

Number of times reported: [1]

[Sign:] Pr-gi, Parasitism

Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Septicemia

Number of times reported: [1]

[Drug:] Narasin

Oral, Horse

[Sign:] Death

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Distention, Abdomen

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-pericardial Effusio

Number of times reported: [1]

[Drug:] Narasin

Oral, Pig

[Sign:] Death(euthanized)

Number of times reported: [3]

[Sign:] Death

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Lameness

Number of times reported: [2]

[Sign:] Ulcer(s), Stomach

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Congestion

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Moribund

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Sign:] Pneumonia

Number of times reported: [1]

[Sign:] Septicemia

Number of times reported: [1]

[Drug:] Narasin

Oral, Sheep

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Drug:] Narasin

Oral, Turkey

[Sign:] Death

Number of times reported: [1]

[Drug:] Narasin

Unknown, Chicken

[Sign:] Ineffect, Coccidia

Number of times reported: [1]

[Drug:] Narasin

Unknown, Human

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Irritation, Pharynx/th

Number of times reported: [1]

[Sign:] Rhinitis

Number of times reported: [1]

[Drug:] Narasin, Nicarbazin

Defect, Not Applicable

[Sign:] Pd-granules/powder, Abn

Number of times reported: [6]

[Sign:] Pd-product Defect

Number of times reported: [3]

[Sign:] Pd-potency, Hi

Number of times reported: [1]

[Drug:] Narasin, Nicarbazin

Oral, Cattle

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Drug:] Narasin, Nicarbazin

Oral, Chicken

[Sign:] Death

Number of times reported: [22]

[Sign:] Egg Abn

Number of times reported: [14]

[Sign:] Egg Production Down

Number of times reported: [13]

[Sign:] Ineffect, Coccidia

Number of times reported: [11]

[Sign:] Off Feed

Number of times reported: [4]

[Sign:] Death(euthanized)

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Enteritis

Number of times reported: [3]

[Sign:] Gi, Abnormal

Number of times reported: [3]

[Sign:] Recumbency

Number of times reported: [3]

[Sign:] Respiratory Disorder

Number of times reported: [3]

[Sign:] Tech Error, Mixing

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]
[Sign:] Inflammation, Skin
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Death(slaughtered)
Number of times reported: [1]
[Sign:] Death(tx Failure)
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Fertility, Reduced
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hatching Abn
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Moribund
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Pre-crop, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)

Number of times reported: [1]

[Sign:] Septicemia

Number of times reported: [1]

[Sign:] Skin, Necrosis

Number of times reported: [1]

[Sign:] Sore(s)

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Tox

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Narasin, Nicarbazin

Oral, Sheep

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Narasin, Nicarbazin

Oral, Turkey

[Sign:] Death

Number of times reported: [3]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Tech Error Administrat

Number of times reported: [1]

[Sign:] Tech Error, Mixing

Number of times reported: [1]

[Drug:] N-butyl Chloride

Ophthalmic, Human

[Sign:] Pain

Number of times reported: [1]

[Drug:] N-butyl Chloride

Oral, Cat

[Sign:] Vomiting

Number of times reported: [10]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [3]

[Sign:] Hypersalivation

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Hyperactivity

Number of times reported: [2]

[Sign:] Vomiting, Bloody

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Gagging

Number of times reported: [1]

[Sign:] Regurgitation

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] N-butyl Chloride

Oral, Dog

[Sign:] Vomiting
Number of times reported: [7]

[Sign:] Anorexia
Number of times reported: [4]

[Sign:] Death
Number of times reported: [4]

[Sign:] Depression/lethargy
Number of times reported: [3]

[Sign:] Dehydration
Number of times reported: [2]

[Sign:] Diarrhea, Bloody
Number of times reported: [2]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Bloat
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] N-butyl Chloride

Unknown, Dog

[Sign:] Death
Number of times reported: [1]

[Sign:] Unknown
Number of times reported: [1]

[Drug:] N-butylscopolammonium

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking
Number of times reported: [2]
[Sign:] Pd-contamination
Number of times reported: [1]
[Sign:] Pd-missing, Cap
Number of times reported: [1]
[Sign:] Pd-vial(s), Abn
Number of times reported: [1]

[Drug:] N-butylscopolammonium

Oral, Cat

[Sign:] Constipation
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]

[Drug:] N-butylscopolammonium

Oral, Dog

[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Unconscious
Number of times reported: [1]

[Drug:] N-butylscopolammonium

Parenteral, Horse

[Sign:] Convulsion(s)
Number of times reported: [4]
[Sign:] Collapse
Number of times reported: [3]
[Sign:] Death
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Anorexia

Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Cellulitis
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Gastroenteritis
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Inj Site Slough
Number of times reported: [1]
[Sign:] Kicking
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Reflux, Stomach
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Stiffness, Neck
Number of times reported: [1]
[Sign:] Sweating
Number of times reported: [1]
[Sign:] Tech Error Administrat
Number of times reported: [1]
[Sign:] Tenesmus, Urinary

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Drug:] Neomycin

Defect, Not Applicable

[Sign:] Pd-color, Abn

Number of times reported: [2]

[Sign:] Pd-container(s), Abn

Number of times reported: [2]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

[Sign:] Tech Error, Mixing

Number of times reported: [1]

[Drug:] Neomycin

Oral, Cattle

[Sign:] Residue, Meat

Number of times reported: [4]

[Sign:] Death(slaughtered)

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Drug:] Neomycin

Oral, Dog

[Sign:] Ineffect, Protozoa

Number of times reported: [2]

[Sign:] Deafness

Number of times reported: [1]

[Drug:] Neomycin

Oral, Goat

[Sign:] Residue, Meat

Number of times reported: [1]

[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone

Defect, Not Applicable

[Sign:] Pd-tube(s), Leaking

Number of times reported: [10]

[Sign:] Pd-underfill, Package

Number of times reported: [8]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [8]

[Sign:] Pd-tube(s), Damaged

Number of times reported: [4]

[Sign:] Pd-applicator, Abn

Number of times reported: [3]

[Sign:] Pd-container(s), Damag

Number of times reported: [2]

[Sign:] Pd-product Defect

Number of times reported: [2]

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pd-tube(s), Abn

Number of times reported: [1]

[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone

Missing, Dog

[Sign:] Deafness, Partial

Number of times reported: [1]

[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone

Ophthalmic, Cat

[Sign:] Squinting

Number of times reported: [1]

[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone

Oral, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Polyuria

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone

Parenteral, Horse

[Sign:] Application Site Lesion(s)

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Skin

Number of times reported: [1]

[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone

Topical, Bird

[Sign:] Death

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Locomotion Disorder

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone

Topical, Cat

[Sign:] Anorexia

Number of times reported: [4]

[Sign:] Alopecia

Number of times reported: [3]

[Sign:] Ataxia

Number of times reported: [3]
[Sign:] Deafness
Number of times reported: [3]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Polydipsia
Number of times reported: [3]
[Sign:] Adipsia
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Head Tilt
Number of times reported: [2]
[Sign:] Miosis
Number of times reported: [2]
[Sign:] Nystagmus
Number of times reported: [2]
[Sign:] Polyuria
Number of times reported: [2]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [2]
[Sign:] Stumbling
Number of times reported: [2]
[Sign:] Alkaline Urine
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Deafness, Temp
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Ineffect, Antibiotic
Number of times reported: [1]
[Sign:] No Signs

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Protein, Urine

Number of times reported: [1]

[Sign:] Shaking, Head/face

Number of times reported: [1]

[Sign:] Stranguria

Number of times reported: [1]

[Sign:] Tenesmus, Urinary

Number of times reported: [1]

[Sign:] Urination Abn

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone

Topical, Dog

[Sign:] Deafness

Number of times reported: [101]

[Sign:] Deafness, Temp

Number of times reported: [31]

[Sign:] Deafness, Partial

Number of times reported: [15]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Vomiting

Number of times reported: [4]

[Sign:] Behavior Disorder

Number of times reported: [3]

[Sign:] Fever, Body

Number of times reported: [3]

[Sign:] Pr-skin, Lesion(s)

Number of times reported: [3]

[Sign:] Swelling, Head/face

Number of times reported: [3]

[Sign:] Albumin Lo, Bld

Number of times reported: [2]

[Sign:] Anemia

Number of times reported: [2]

[Sign:] Anorexia
Number of times reported: [2]

[Sign:] Application Site Erythema
Number of times reported: [2]

[Sign:] Bun Hi, Bld
Number of times reported: [2]

[Sign:] Creatinine Hi, Bld
Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Diarrhea
Number of times reported: [2]

[Sign:] Ineffect
Number of times reported: [2]

[Sign:] Lesion(s), Skin
Number of times reported: [2]

[Sign:] Nervousness
Number of times reported: [2]

[Sign:] Pruritis
Number of times reported: [2]

[Sign:] Tympanic Mem, Ruptured
Number of times reported: [2]

[Sign:] Urticaria
Number of times reported: [2]

[Sign:] Abortion
Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Amylase Hi, Bld
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]

[Sign:] Application Site Edema
Number of times reported: [1]

[Sign:] Application Site Pruritis
Number of times reported: [1]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Azotemia
Number of times reported: [1]

[Sign:] Birth Defect(s), Limb(
Number of times reported: [1]

[Sign:] Birth, Premature
Number of times reported: [1]

[Sign:] Bld, Abn
Number of times reported: [1]

[Sign:] Bld(ecchymoses)
Number of times reported: [1]

[Sign:] Bld(petechiae)
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Ca Hi, Bld
Number of times reported: [1]

[Sign:] Death(newborn)
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Discharge, Ear(s)
Number of times reported: [1]

[Sign:] Dystocia
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Flatulence
Number of times reported: [1]

[Sign:] Glucose, Urine
Number of times reported: [1]

[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]

[Sign:] Hypersensitive, Sound
Number of times reported: [1]

[Sign:] Hypoadrenocorticism
Number of times reported: [1]

[Sign:] Immune Disorder
Number of times reported: [1]

[Sign:] Infection, Skin
Number of times reported: [1]

[Sign:] Inflammation, Skin
Number of times reported: [1]

[Sign:] Injection Site Edema
Number of times reported: [1]

[Sign:] Injection Site Swelling
Number of times reported: [1]

[Sign:] Irritation, Ear(s)
Number of times reported: [1]

[Sign:] Irritation, Skin
Number of times reported: [1]

[Sign:] Ketones, Urine
Number of times reported: [1]

[Sign:] K⁺ High, Blood
Number of times reported: [1]

[Sign:] Liver Enzymes High, Blood
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Na⁺ Low, Blood
Number of times reported: [1]

[Sign:] Otitis
Number of times reported: [1]

[Sign:] Pacing
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Pallor, Mucous Membrane
Number of times reported: [1]

[Sign:] P⁺ High, Blood
Number of times reported: [1]

[Sign:] Platelets Low, Blood
Number of times reported: [1]

[Sign:] Polydipsia
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Posture Abnormal
Number of times reported: [1]

[Sign:] Pre-ear(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pre-heartworm Disease
Number of times reported: [1]

[Sign:] Protein, Urine
Number of times reported: [1]

[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Skin Disorder
Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]

[Sign:] Swelling
Number of times reported: [1]

[Sign:] Swelling, Ear(s)
Number of times reported: [1]

[Sign:] Tox
Number of times reported: [1]

[Sign:] Urination
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone
Topical, Human

[Sign:] Deafness, Temp
Number of times reported: [1]

[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone
Unknown, Dog

[Sign:] Deafness
Number of times reported: [3]

[Sign:] Deafness, Partial
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone
Various, Dog

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Sign:] Ineffect, Antiinflam

Number of times reported: [1]

[Drug:] Neomycin, Polymyxin B & Dexamethasone

Ophthalmic, Dog

[Sign:] Application Site Inflammation

Number of times reported: [1]

[Drug:] Neomycin, Polymyxin B & Dexamethasone

Oral, Cat

[Sign:] Death

Number of times reported: [1]

[Drug:] Neomycin, Polymyxin B & Dexamethasone

Topical, Dog

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Drug:] Neomycin, Tylosin

Topical, Dog

[Sign:] Skin Disorder

Number of times reported: [1]

[Drug:] Nicarbazine

Oral, Chicken

[Sign:] Death

Number of times reported: [8]

[Sign:] Egg Production Down

Number of times reported: [2]

[Sign:] Egg Abnormal

Number of times reported: [1]

[Sign:] Hatching Abnormal

Number of times reported: [1]

[Sign:] Tech Error, Mixing

Number of times reported: [1]

[Drug:] Nicarbazine

Oral, Dog

[Sign:] Ataxia

Number of times reported: [1]

[Drug:] Nitazoxanide

Defect, Not Applicable

[Sign:] Pd-gel/paste, Abn

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

[Drug:] Nitazoxanide

Oral, Alpaca

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Drug:] Nitazoxanide

Oral, Horse

[Sign:] Death(euthanized)

Number of times reported: [28]

[Sign:] Fever, Body

Number of times reported: [26]

[Sign:] Recumbency

Number of times reported: [23]

[Sign:] Laminitis

Number of times reported: [18]

[Sign:] Anorexia

Number of times reported: [17]

[Sign:] Lameness

Number of times reported: [15]

[Sign:] Depression/lethargy

Number of times reported: [14]

[Sign:] Tachycardia

Number of times reported: [13]

[Sign:] Difficulty Rising

Number of times reported: [12]

[Sign:] Diarrhea, Mild
Number of times reported: [11]

[Sign:] Diarrhea
Number of times reported: [10]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [9]

[Sign:] Ataxia
Number of times reported: [8]

[Sign:] Wbc Lo, Bld
Number of times reported: [8]

[Sign:] Edema, Limb(s)
Number of times reported: [7]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [7]

[Sign:] Wbc Hi, Bld
Number of times reported: [7]

[Sign:] Neurological Disorder
Number of times reported: [6]

[Sign:] Reluctant To Move
Number of times reported: [6]

[Sign:] Death
Number of times reported: [5]

[Sign:] Dehydration
Number of times reported: [5]

[Sign:] Fibrinogen Hi, Bld
Number of times reported: [5]

[Sign:] Pain
Number of times reported: [5]

[Sign:] Pain, Abdomen
Number of times reported: [5]

[Sign:] Pr-colon, Lesion(s)
Number of times reported: [5]

[Sign:] Bun Hi, Bld
Number of times reported: [4]

[Sign:] Colitis
Number of times reported: [4]

[Sign:] Diarrhea, Projectile
Number of times reported: [4]

[Sign:] Edema, Ventral
Number of times reported: [4]

[Sign:] Ineffect, Protozoa
Number of times reported: [4]

[Sign:] Radiograph(s) Abn
Number of times reported: [4]

[Sign:] Albumin Lo, Bld
Number of times reported: [3]

[Sign:] Anemia
Number of times reported: [3]

[Sign:] Creatinine Hi, Bld
Number of times reported: [3]

[Sign:] Diarrhea, Severe
Number of times reported: [3]

[Sign:] Hyperpnea
Number of times reported: [3]

[Sign:] Hypomotility
Number of times reported: [3]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [3]

[Sign:] Pain, Feet/digit(s)
Number of times reported: [3]

[Sign:] Polycythemia
Number of times reported: [3]

[Sign:] Pr-cecum, Lesion(s)
Number of times reported: [3]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [3]

[Sign:] Segs Hi, Bld
Number of times reported: [3]

[Sign:] Segs Lo, Bld
Number of times reported: [3]

[Sign:] Stool Abn
Number of times reported: [3]

[Sign:] Weight Loss
Number of times reported: [3]

[Sign:] Bld, Urine
Number of times reported: [2]

[Sign:] Capillary Refill Prolo
Number of times reported: [2]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [2]

[Sign:] Diarrhea, Watery
Number of times reported: [2]

[Sign:] Dic
Number of times reported: [2]

[Sign:] Dysphagia
Number of times reported: [2]

[Sign:] Edema, Head/face
Number of times reported: [2]

[Sign:] Epistaxis
Number of times reported: [2]

[Sign:] Globulin Lo, Bld
Number of times reported: [2]

[Sign:] Hypermotility
Number of times reported: [2]

[Sign:] Hypothermia
Number of times reported: [2]

[Sign:] K Hi, Bld
Number of times reported: [2]

[Sign:] Na Lo, Bld
Number of times reported: [2]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [2]

[Sign:] Urticaria
Number of times reported: [2]

[Sign:] Weakness
Number of times reported: [2]

[Sign:] Abn Color, Urine
Number of times reported: [1]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Anemia, Hemolytic
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Bld(petechiae)
Number of times reported: [1]

[Sign:] Breathing, Difficult
Number of times reported: [1]

[Sign:] Bun Lo, Bld
Number of times reported: [1]

[Sign:] Ca Hi, Bld
Number of times reported: [1]

[Sign:] Ca Lo, Bld
Number of times reported: [1]

[Sign:] Chloride Lo, Bld
Number of times reported: [1]

[Sign:] Cholesterol Lo, Bld
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Congestion, Mucous Mem
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Creatinine Lo, Bld
Number of times reported: [1]

[Sign:] Culture/titer Data Abn
Number of times reported: [1]

[Sign:] Death(tx Failure)
Number of times reported: [1]

[Sign:] Defecation Abn
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Discomfort
Number of times reported: [1]

[Sign:] Distention, Abdomen
Number of times reported: [1]

[Sign:] Distention, Cecum
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Dysrhythmia, Resp
Number of times reported: [1]

[Sign:] Edema, Pharynx
Number of times reported: [1]

[Sign:] Enteritis
Number of times reported: [1]

[Sign:] Fever, Joint(s)
Number of times reported: [1]

[Sign:] Gi, Abnormal
Number of times reported: [1]

[Sign:] Gingivitis
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]

[Sign:] Icterus, Body
Number of times reported: [1]

[Sign:] Inflam, Skin
Number of times reported: [1]

[Sign:] K Lo, Bld
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Liver Disorder
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Loss Of Condition
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld
Number of times reported: [1]

[Sign:] Melena
Number of times reported: [1]

[Sign:] Mucous Membr, Red
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]

[Sign:] Na:k Lo, Bld
Number of times reported: [1]

[Sign:] Nose Abn
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Paresis
Number of times reported: [1]

[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]

[Sign:] Pharyngitis
Number of times reported: [1]

[Sign:] Pneumonia
Number of times reported: [1]

[Sign:] Polycythemia(relative)
Number of times reported: [1]

[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-cerebellum, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-spinal Cord, Lesion
Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]

[Sign:] Shock, Endotoxemia
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Stiffness
Number of times reported: [1]

[Sign:] Stranguria
Number of times reported: [1]

[Sign:] Swelling, Joint(s)
Number of times reported: [1]

[Sign:] Swelling, Limb(s)
Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Us Abn
Number of times reported: [1]

[Drug:] Nitazoxanide

Parenteral, Various

[Sign:] Death

Number of times reported: [1]

[Drug:] Nitazoxanide

Topical, Human

[Sign:] Skin Abnormal

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Nail Disorder

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Application Site Abnormal

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Hyperpigmentation, Ski

Number of times reported: [1]

[Sign:] Skin Disorder

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Drug:] Nitazoxanide

Unknown, Horse

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Infection

Number of times reported: [1]

[Drug:] Nitenpyram

Defect, Not Applicable

[Sign:] Pd-underfill, Package

Number of times reported: [104]

[Sign:] Pd-container(s), Abn

Number of times reported: [8]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [7]

[Sign:] Pd-missing, Label(s)

Number of times reported: [5]

[Sign:] Pd-defect Unknown

Number of times reported: [3]

[Sign:] Pd-label(s), Abn

Number of times reported: [3]

[Sign:] Pd-product Defect

Number of times reported: [2]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

[Drug:] Nitenpyram

Intrauterine, Dog

[Sign:] Death(stillborn)

Number of times reported: [2]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(newborn)

Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-eye(s)/lid(s), Lesi

Number of times reported: [1]

[Drug:] Nitenpyram

Not Applicable, Cat

[Sign:] Summary Review

Number of times reported: [9]

[Drug:] Nitenpyram

Not Applicable, Dog

[Sign:] Summary Review

Number of times reported: [2]

[Drug:] Nitenpyram

Ophthalmic, Human

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pruritis, Eye(s)

Number of times reported: [1]

[Drug:] Nitenpyram

Oral, Cat

[Sign:] Hyperactivity

Number of times reported: [504]

[Sign:] Polypnea

Number of times reported: [326]

[Sign:] Pruritis

Number of times reported: [222]

[Sign:] Depression/lethargy

Number of times reported: [188]

[Sign:] Vocalization

Number of times reported: [162]

[Sign:] Vomiting

Number of times reported: [89]

[Sign:] Hyperpnea

Number of times reported: [87]

[Sign:] Fever, Body

Number of times reported: [86]

[Sign:] Anorexia

Number of times reported: [85]

[Sign:] Nervousness

Number of times reported: [71]

[Sign:] Death

Number of times reported: [64]

[Sign:] Behavior Disorder

Number of times reported: [60]

[Sign:] Dyspnea

Number of times reported: [58]

[Sign:] Diarrhea

Number of times reported: [53]

[Sign:] Hypersalivation

Number of times reported: [53]

[Sign:] Licking

Number of times reported: [53]

[Sign:] Ataxia

Number of times reported: [43]

[Sign:] Ineffect, Fleas

Number of times reported: [41]

[Sign:] Mydriasis

Number of times reported: [39]

[Sign:] Convulsion(s)
Number of times reported: [37]

[Sign:] Tachycardia
Number of times reported: [34]

[Sign:] Biting/chewing
Number of times reported: [31]

[Sign:] Hiding
Number of times reported: [27]

[Sign:] Trembling
Number of times reported: [27]

[Sign:] Apprehension
Number of times reported: [22]

[Sign:] Twitch
Number of times reported: [20]

[Sign:] Anemia
Number of times reported: [13]

[Sign:] Aggression
Number of times reported: [11]

[Sign:] Collapse
Number of times reported: [10]

[Sign:] Pallor, Mucous Membran
Number of times reported: [10]

[Sign:] Anaphylaxis/toid
Number of times reported: [9]

[Sign:] Death(euthanized)
Number of times reported: [9]

[Sign:] Hypothermia, Body
Number of times reported: [9]

[Sign:] Recumbency
Number of times reported: [9]

[Sign:] Weight Loss
Number of times reported: [8]

[Sign:] Confusion
Number of times reported: [7]

[Sign:] Dehydration
Number of times reported: [7]

[Sign:] Diarrhea, Bloody
Number of times reported: [7]

[Sign:] Incontinence, Urinary
Number of times reported: [7]

[Sign:] Somnolence
Number of times reported: [7]

[Sign:] Adipsia
Number of times reported: [6]

[Sign:] Glucose Lo, Bld
Number of times reported: [6]

[Sign:] Shaking
Number of times reported: [6]

[Sign:] Weakness
Number of times reported: [6]

[Sign:] Apnea
Number of times reported: [5]

[Sign:] Bun Hi, Bld
Number of times reported: [5]

[Sign:] Cyanosis
Number of times reported: [5]

[Sign:] Distress
Number of times reported: [5]

[Sign:] Nystagmus
Number of times reported: [5]

[Sign:] Polydipsia
Number of times reported: [5]

[Sign:] Sneezing
Number of times reported: [5]

[Sign:] Wbc Hi, Bld
Number of times reported: [5]

[Sign:] Defecation
Number of times reported: [4]

[Sign:] Edema, Head/face
Number of times reported: [4]

[Sign:] Hyperesthesia
Number of times reported: [4]

[Sign:] Pacing
Number of times reported: [4]

[Sign:] Pain
Number of times reported: [4]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [4]

[Sign:] Prolapse, Tongue
Number of times reported: [4]

[Sign:] Stupor
Number of times reported: [4]

[Sign:] Breathing Abn
Number of times reported: [3]

[Sign:] Congestion, Skin
Number of times reported: [3]

[Sign:] Constipation
Number of times reported: [3]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [3]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [3]

[Sign:] Eye Disorder
Number of times reported: [3]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [3]

[Sign:] Head Tilt
Number of times reported: [3]

[Sign:] Licking, Feet/digit(s)
Number of times reported: [3]

[Sign:] P Hi, Bld
Number of times reported: [3]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [3]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [3]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [3]

[Sign:] Pupil(s), Areflexia
Number of times reported: [3]

[Sign:] Radiograph(s) Abn
Number of times reported: [3]

[Sign:] Unconscious
Number of times reported: [3]

[Sign:] Urination
Number of times reported: [3]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [2]

[Sign:] Bld, Urine
Number of times reported: [2]

[Sign:] Cardiomegaly
Number of times reported: [2]

[Sign:] Congestion, Mucous Mem
Number of times reported: [2]

[Sign:] Creatinine Hi, Bld
Number of times reported: [2]

[Sign:] Diarrhea, Mucoid
Number of times reported: [2]

[Sign:] Discharge, Nose
Number of times reported: [2]

[Sign:] Dysuria
Number of times reported: [2]

[Sign:] Effusion, Pleural
Number of times reported: [2]

[Sign:] Eosinos Hi, Bld
Number of times reported: [2]

[Sign:] Gagging
Number of times reported: [2]

[Sign:] Glucose Hi, Bld
Number of times reported: [2]

[Sign:] Hair, Abn
Number of times reported: [2]

[Sign:] Heart Failure
Number of times reported: [2]

[Sign:] Hematochezia
Number of times reported: [2]

[Sign:] Ill
Number of times reported: [2]

[Sign:] Infection, Urinary Tra
Number of times reported: [2]

[Sign:] Inflam, Skin
Number of times reported: [2]

[Sign:] Irritation
Number of times reported: [2]

[Sign:] Murmur, Heart
Number of times reported: [2]

[Sign:] Neurological Disorder
Number of times reported: [2]

[Sign:] Nose Abn
Number of times reported: [2]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]

[Sign:] Posture Abn
Number of times reported: [2]

[Sign:] Pr-colon, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [2]

[Sign:] Pruritis, Feet/digit(s)
Number of times reported: [2]

[Sign:] Respiratory Disorder
Number of times reported: [2]

[Sign:] Segs Hi, Bld
Number of times reported: [2]

[Sign:] Skin Abnormal
Number of times reported: [2]

[Sign:] Skin, Scab(s)
Number of times reported: [2]

[Sign:] Staggering
Number of times reported: [2]

[Sign:] Staring
Number of times reported: [2]

[Sign:] Stumbling
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [2]

[Sign:] Swelling, Head/face
Number of times reported: [2]

[Sign:] Tongue, Abn
Number of times reported: [2]

[Sign:] Vision Disorder
Number of times reported: [2]

[Sign:] Vomiting, Bloody
Number of times reported: [2]

[Sign:] Wbc Lo, Bld
Number of times reported: [2]

[Sign:] Abn Color, Urine
Number of times reported: [1]

[Sign:] Abortion
Number of times reported: [1]

[Sign:] Albumin Lo, Bld
Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Anemia, Regen
Number of times reported: [1]

[Sign:] Azotemia
Number of times reported: [1]

[Sign:] Birth Defect(s)
Number of times reported: [1]

[Sign:] Birth Defect(s), Torso
Number of times reported: [1]

[Sign:] Bld, Rectum
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Blindness, Temp
Number of times reported: [1]

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Ca Hi, Bld
Number of times reported: [1]

[Sign:] Cataract(s)
Number of times reported: [1]

[Sign:] Choking
Number of times reported: [1]

[Sign:] Circling
Number of times reported: [1]

[Sign:] Congestion, Tongue
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Deafness
Number of times reported: [1]

[Sign:] Destructiveness
Number of times reported: [1]

[Sign:] Diarrhea, Projectile
Number of times reported: [1]

[Sign:] Diarrhea, Severe
Number of times reported: [1]

[Sign:] Discomfort
Number of times reported: [1]

[Sign:] Distention, Bladder
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Effusion, Peritoneal
Number of times reported: [1]

[Sign:] Epiphora
Number of times reported: [1]

[Sign:] Globulin Hi, Bld
Number of times reported: [1]

[Sign:] Hypopnea
Number of times reported: [1]

[Sign:] Hypothermia
Number of times reported: [1]

[Sign:] Incontinence, Fecal
Number of times reported: [1]

[Sign:] Infection
Number of times reported: [1]

[Sign:] K Hi, Bld
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]

[Sign:] Laryngitis
Number of times reported: [1]

[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Lipase Hi, Bld
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Lymphs Hi, Bld
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld
Number of times reported: [1]

[Sign:] Melena
Number of times reported: [1]

[Sign:] Na Hi, Bld
Number of times reported: [1]

[Sign:] Nystagmus, Positional
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]

[Sign:] Pica
Number of times reported: [1]

[Sign:] Platelets Hi, Bld
Number of times reported: [1]

[Sign:] Pneumonia
Number of times reported: [1]

[Sign:] Pneumonia, Aspiration
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Proprioceptive Disorde
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]

[Sign:] Protrusion, Eye(s)
Number of times reported: [1]

[Sign:] Protrusion, Tongue
Number of times reported: [1]

[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]

[Sign:] Reflex(es) Abn
Number of times reported: [1]

[Sign:] Reluctant To Climb
Number of times reported: [1]

[Sign:] Reticulocytes Hi, Bld
Number of times reported: [1]

[Sign:] Segs Lo, Bld
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Skin, Dry
Number of times reported: [1]

[Sign:] Skin, Necrosis
Number of times reported: [1]

[Sign:] Squinting
Number of times reported: [1]

[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [1]

[Sign:] Stiffness, Limb(s)
Number of times reported: [1]

[Sign:] Stomatitis
Number of times reported: [1]

[Sign:] Stool Abn
Number of times reported: [1]

[Sign:] Stranguria
Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]

[Sign:] Tail Disorder
Number of times reported: [1]

[Sign:] Tech Error Administrat
Number of times reported: [1]

[Sign:] Thrombus
Number of times reported: [1]

[Sign:] Trembling, Face
Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]

[Sign:] Unpalatable, Won't Swa
Number of times reported: [1]

[Sign:] Urticaria
Number of times reported: [1]

[Sign:] Vestibular Disorder
Number of times reported: [1]

[Sign:] Vomiting, Severe
Number of times reported: [1]

[Sign:] Vomiting, Unproductive
Number of times reported: [1]

[Sign:] Wheezing
Number of times reported: [1]

[Drug:] Nitenpyram

Oral, Dog

[Sign:] Depression/lethargy
Number of times reported: [281]

[Sign:] Vomiting
Number of times reported: [226]

[Sign:] Pruritis
Number of times reported: [158]

[Sign:] Anorexia

Number of times reported: [137]
[Sign:] Ineffect, Fleas
Number of times reported: [136]
[Sign:] Diarrhea
Number of times reported: [119]
[Sign:] Hyperactivity
Number of times reported: [96]
[Sign:] Trembling
Number of times reported: [56]
[Sign:] Ataxia
Number of times reported: [55]
[Sign:] Convulsion(s)
Number of times reported: [53]
[Sign:] Polypnea
Number of times reported: [50]
[Sign:] Diarrhea, Mild
Number of times reported: [47]
[Sign:] Vocalization
Number of times reported: [44]
[Sign:] Death
Number of times reported: [39]
[Sign:] Hypersalivation
Number of times reported: [36]
[Sign:] Congestion, Skin
Number of times reported: [34]
[Sign:] Anaphylaxis/toid
Number of times reported: [32]
[Sign:] Urticaria
Number of times reported: [26]
[Sign:] Nervousness
Number of times reported: [24]
[Sign:] Fever, Body
Number of times reported: [21]
[Sign:] Hyperpnea
Number of times reported: [19]
[Sign:] Behavior Disorder
Number of times reported: [17]
[Sign:] Dyspnea
Number of times reported: [17]
[Sign:] Inflam, Skin
Number of times reported: [17]
[Sign:] Tachycardia

Number of times reported: [17]
[Sign:] Diarrhea, Bloody
Number of times reported: [16]
[Sign:] Collapse
Number of times reported: [15]
[Sign:] Recumbency
Number of times reported: [15]
[Sign:] Epiphora
Number of times reported: [14]
[Sign:] Vomiting, Unproductive
Number of times reported: [14]
[Sign:] Confusion
Number of times reported: [13]
[Sign:] Death(euthanized)
Number of times reported: [12]
[Sign:] Twitch
Number of times reported: [12]
[Sign:] Wbc Hi, Bld
Number of times reported: [12]
[Sign:] Weakness
Number of times reported: [12]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [11]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [11]
[Sign:] Anemia
Number of times reported: [10]
[Sign:] Coughing
Number of times reported: [10]
[Sign:] Polydipsia
Number of times reported: [10]
[Sign:] Shaking
Number of times reported: [10]
[Sign:] Alopecia
Number of times reported: [9]
[Sign:] Glucose Lo, Bld
Number of times reported: [9]
[Sign:] Rash
Number of times reported: [9]
[Sign:] Swelling, Head/face
Number of times reported: [9]
[Sign:] Vomiting, Bloody

Number of times reported: [9]
[Sign:] Apprehension
Number of times reported: [8]
[Sign:] Biting/chewing
Number of times reported: [8]
[Sign:] Death(newborn)
Number of times reported: [8]
[Sign:] Dehydration
Number of times reported: [8]
[Sign:] Adipsia
Number of times reported: [7]
[Sign:] Circling
Number of times reported: [7]
[Sign:] Hematochezia
Number of times reported: [7]
[Sign:] Pallor, Mucous Membran
Number of times reported: [7]
[Sign:] Weight Loss
Number of times reported: [7]
[Sign:] Bun Hi, Bld
Number of times reported: [6]
[Sign:] Gagging
Number of times reported: [6]
[Sign:] Hiding
Number of times reported: [6]
[Sign:] Hypothermia, Body
Number of times reported: [6]
[Sign:] Platelets Lo, Bld
Number of times reported: [6]
[Sign:] Polyuria
Number of times reported: [6]
[Sign:] Somnolence
Number of times reported: [6]
[Sign:] Bld, Urine
Number of times reported: [5]
[Sign:] Edema, Head/face
Number of times reported: [5]
[Sign:] Edema, Limb(s)
Number of times reported: [5]
[Sign:] Globulin Lo, Bld
Number of times reported: [5]
[Sign:] Nose Abn

Number of times reported: [5]
[Sign:] P Hi, Bld
Number of times reported: [5]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [5]
[Sign:] Segs Hi, Bld
Number of times reported: [5]
[Sign:] Aggression
Number of times reported: [4]
[Sign:] Albumin Lo, Bld
Number of times reported: [4]
[Sign:] Apnea
Number of times reported: [4]
[Sign:] Creatinine Hi, Bld
Number of times reported: [4]
[Sign:] Death(stillborn)
Number of times reported: [4]
[Sign:] Epistaxis
Number of times reported: [4]
[Sign:] Glucose Hi, Bld
Number of times reported: [4]
[Sign:] Hallucination
Number of times reported: [4]
[Sign:] Incontinence, Urinary
Number of times reported: [4]
[Sign:] Lesion(s), Skin
Number of times reported: [4]
[Sign:] Mydriasis
Number of times reported: [4]
[Sign:] Pain
Number of times reported: [4]
[Sign:] Paresis
Number of times reported: [4]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [4]
[Sign:] Pica
Number of times reported: [4]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [4]
[Sign:] Stupor
Number of times reported: [4]
[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [3]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Bld(petechiae)
Number of times reported: [3]
[Sign:] Diarrhea, Watery
Number of times reported: [3]
[Sign:] Eye Disorder
Number of times reported: [3]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Hepatomegaly
Number of times reported: [3]
[Sign:] Hyperesthesia
Number of times reported: [3]
[Sign:] Infection, Skin
Number of times reported: [3]
[Sign:] Lameness
Number of times reported: [3]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [3]
[Sign:] Melena
Number of times reported: [3]
[Sign:] Na Lo, Bld
Number of times reported: [3]
[Sign:] Nausea
Number of times reported: [3]
[Sign:] Neurological Disorder
Number of times reported: [3]
[Sign:] Pacing
Number of times reported: [3]
[Sign:] Rolling
Number of times reported: [3]
[Sign:] Shaking, Head/face
Number of times reported: [3]
[Sign:] Shock
Number of times reported: [3]
[Sign:] Sound Abn, Respiratory
Number of times reported: [3]
[Sign:] Staggering
Number of times reported: [3]
[Sign:] Stool, Mucoid

Number of times reported: [3]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [3]
[Sign:] Unconscious
Number of times reported: [3]
[Sign:] Urination
Number of times reported: [3]
[Sign:] Albumin Hi, Bld
Number of times reported: [2]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [2]
[Sign:] Arrest, Heart
Number of times reported: [2]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Bld, Sclera
Number of times reported: [2]
[Sign:] Blindness
Number of times reported: [2]
[Sign:] Chloride Lo, Bld
Number of times reported: [2]
[Sign:] Conjunctivitis
Number of times reported: [2]
[Sign:] Constipation
Number of times reported: [2]
[Sign:] Cpk Hi, Bld
Number of times reported: [2]
[Sign:] Creatinine Lo, Bld
Number of times reported: [2]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [2]
[Sign:] Defecation
Number of times reported: [2]
[Sign:] Dermatitis, Moist
Number of times reported: [2]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Discharge, Nose
Number of times reported: [2]
[Sign:] Discomfort
Number of times reported: [2]
[Sign:] Distention, Abdomen

Number of times reported: [2]
[Sign:] Dysmetria
Number of times reported: [2]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [2]
[Sign:] Flatulence
Number of times reported: [2]
[Sign:] Head Bobbing
Number of times reported: [2]
[Sign:] Head Tilt
Number of times reported: [2]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [2]
[Sign:] Hypothermia
Number of times reported: [2]
[Sign:] Icterus, Body
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] Infection, Feet/digit(
Number of times reported: [2]
[Sign:] Infection, Urinary Tra
Number of times reported: [2]
[Sign:] Irritation, Perineum
Number of times reported: [2]
[Sign:] Licking
Number of times reported: [2]
[Sign:] Locomotion Disorder
Number of times reported: [2]
[Sign:] Loss Of Condition
Number of times reported: [2]
[Sign:] Miosis
Number of times reported: [2]
[Sign:] Odor
Number of times reported: [2]
[Sign:] Odor, Mouth
Number of times reported: [2]
[Sign:] Pain, Abdomen
Number of times reported: [2]
[Sign:] Polycythemia

Number of times reported: [2]
[Sign:] Protein, Urine
Number of times reported: [2]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [2]
[Sign:] Pupil(s), Areflexia
Number of times reported: [2]
[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Reluctant To Climb
Number of times reported: [2]
[Sign:] Scale(s), Skin
Number of times reported: [2]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [2]
[Sign:] Spasm
Number of times reported: [2]
[Sign:] Staring
Number of times reported: [2]
[Sign:] Swelling
Number of times reported: [2]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Trembling, Face
Number of times reported: [2]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [2]
[Sign:] Vision Disorder
Number of times reported: [2]
[Sign:] Vomiting, Severe
Number of times reported: [2]
[Sign:] Wbc Lo, Bld
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Alkaline Urine
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Bands Hi, Bld

Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Bld, Rectum
Number of times reported: [1]
[Sign:] Blepharospasm
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Bronchitis
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Choking
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Colitis
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Congestion, Mucous Mem
Number of times reported: [1]
[Sign:] Coprophagia
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Dementia
Number of times reported: [1]
[Sign:] Diarrhea, Mucoid

Number of times reported: [1]
[Sign:] Diarrhea, Projectile
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Ecg Abn
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Multiple Sites
Number of times reported: [1]
[Sign:] Effusion, Pericardial
Number of times reported: [1]
[Sign:] Effusion, Peritoneal
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Fertility, Lack Of
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Hair, Shedding
Number of times reported: [1]
[Sign:] Hypoadrenocorticism
Number of times reported: [1]
[Sign:] Hypoesthesia, Feet/dig
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Immune Disorder
Number of times reported: [1]
[Sign:] Infection, Uterus
Number of times reported: [1]
[Sign:] Inflam
Number of times reported: [1]
[Sign:] Interaction, Drug(s)

Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Keratoconjunctivitis S
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Labor, Premature
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Mg Lo, Bld
Number of times reported: [1]
[Sign:] Monos Hi, Bld
Number of times reported: [1]
[Sign:] Monos Lo, Bld
Number of times reported: [1]
[Sign:] Moribund
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Na Hi, Bld
Number of times reported: [1]
[Sign:] Neoplasm
Number of times reported: [1]
[Sign:] Neoplasm, Liver
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Nystagmus, Positional
Number of times reported: [1]
[Sign:] Nystagmus, Rotary
Number of times reported: [1]
[Sign:] Odor, Urine
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Pain, Neck
Number of times reported: [1]
[Sign:] Pain, Spinal

Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Platelets Hi, Bld
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Pollakiuria
Number of times reported: [1]
[Sign:] Polycythemia(relative)
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Pustule(s)

Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Regurgitation
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Seborrhea
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Slough, Feet/digit(s)
Number of times reported: [1]
[Sign:] Sore(s)
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Swelling, Anus
Number of times reported: [1]
[Sign:] Swelling, Feet/digit(s)
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Mammary
Number of times reported: [1]
[Sign:] Tenesmus, Rectal
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Udder, Hypogalactia
Number of times reported: [1]
[Sign:] Ulcer(s), Feet/digit(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Skin
Number of times reported: [1]
[Sign:] Urination Abn

Number of times reported: [1]

[Sign:] Us-liver Abn

Number of times reported: [1]

[Sign:] Vestibular Disorder

Number of times reported: [1]

[Sign:] Volvulus, Stomach

Number of times reported: [1]

[Sign:] Weight Increase

Number of times reported: [1]

[Drug:] Nitenpyram

Oral, Ferret

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Splenomegaly

Number of times reported: [1]

[Drug:] Nitenpyram

Oral, Human

[Sign:] Nausea

Number of times reported: [8]

[Sign:] Diarrhea

Number of times reported: [5]

[Sign:] Headache

Number of times reported: [5]

[Sign:] Vomiting

Number of times reported: [4]

[Sign:] Apprehension

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Hot Flush

Number of times reported: [3]

[Sign:] Pain, Abdomen

Number of times reported: [2]

[Sign:] Pruritis

Number of times reported: [2]

[Sign:] Somnolence

Number of times reported: [2]

[Sign:] Taste Abnormality

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Glossitis

Number of times reported: [1]

[Sign:] Human Exposure, Ingest

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Stool Abn

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Xerostomia

Number of times reported: [1]

[Drug:] Nitenpyram

Parenteral, Cat

[Sign:] Hyperactivity

Number of times reported: [1]

[Drug:] Nitenpyram

Suppository, Cat

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Nitenpyram

Topical, Dog

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Licking

Number of times reported: [1]

[Drug:] Nitenpyram

Topical, Human

[Sign:] Rash

Number of times reported: [4]

[Sign:] Nausea

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Dermatitis, Moist

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Irritation, Pharynx/th

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Taste Abnormality
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Nitenpyram

Unknown, Human

[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]

[Drug:] Nitrasone

Defect, Not Applicable

[Sign:] Pd-granules/powder, Abn
Number of times reported: [2]
[Sign:] Pd-seal, Abn
Number of times reported: [2]

[Drug:] Nitrasone

Missing, Bird

[Sign:] Death
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]

[Drug:] Nitrasone

Oral, Dog

[Sign:] Albumin Hi, Bld
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bld, Urine

Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Globulin Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Vomiting, Bloody
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Nitrofurazone

Ophthalmic, Cat

[Sign:] Infection, Eye(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Drug:] Nitrofurazone

Oral, Dog

[Sign:] Bladder, Paralysis

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Sign:] Paresis, Forelimb(s)

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Drug:] Nitrofurazone

Topical, Dog

[Sign:] Neoplasm, Skin

Number of times reported: [1]

[Drug:] Nitrofurazone

Topical, Unknown

[Sign:] Granuloma

Number of times reported: [1]

[Drug:] Novobiocin

Intramammary, Cattle

[Sign:] Udder, Mastitis

Number of times reported: [1]

[Sign:] Udder, Pain

Number of times reported: [1]

[Sign:] Udder, Swelling

Number of times reported: [1]

[Drug:] Novobiocin, Penicillin G Procaine

Defect, Not Applicable

[Sign:] Pd-underfill, Package

Number of times reported: [3]

[Sign:] Pd-cap(s), Abn

Number of times reported: [2]

[Sign:] Pd-dispenser, Abn

Number of times reported: [2]

[Sign:] Pd-tube(s), Leaking
Number of times reported: [2]

[Sign:] Pd-underfill, Tube(s)
Number of times reported: [2]

[Sign:] Pd-defect Unknown
Number of times reported: [1]

[Sign:] Pd-label(s), Abn
Number of times reported: [1]

[Sign:] Pd-missing, Cap
Number of times reported: [1]

[Sign:] Pd-missing, Label(s)
Number of times reported: [1]

[Sign:] Pd-suspension, Abn
Number of times reported: [1]

[Sign:] Pd-syringe, Abn
Number of times reported: [1]

[Sign:] Pd-tube(s), Damaged
Number of times reported: [1]

[Drug:] Novobiocin, Penicillin G Procaine

Intramammary, Cattle

[Sign:] Residue, Milk
Number of times reported: [4]

[Sign:] Abortion
Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Depression/lethargy
Number of times reported: [2]

[Sign:] Ineffect
Number of times reported: [2]

[Sign:] Udder, Mastitis
Number of times reported: [2]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Death(newborn)
Number of times reported: [1]

[Sign:] Diarrhea, Severe
Number of times reported: [1]

[Sign:] Inj Site Abscess
Number of times reported: [1]

[Sign:] Ketosis

Number of times reported: [1]

[Sign:] Labor, Premature

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

[Sign:] Udder, Abn

Number of times reported: [1]

[Sign:] Udder, Hard

Number of times reported: [1]

[Sign:] Udder, Milk Abn

Number of times reported: [1]

[Sign:] Udder, Milk Watery

Number of times reported: [1]

[Sign:] Udder, Swelling

Number of times reported: [1]

[Sign:] Udder, Teat(s) Disorde

Number of times reported: [1]

[Drug:] Novobiocin, Penicillin G Procaine

Intrauterine, Cattle

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Drug:] Novobiocin, Penicillin G Procaine

Oral, Cattle

[Sign:] Residue, Milk

Number of times reported: [1]

[Drug:] Novobiocin, Prednisolone, Tetracycline

Defect, Not Applicable

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [1]

[Drug:] Novobiocin, Prednisolone, Tetracycline

Oral, Cat

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Drug:] Novobiocin, Prednisolone, Tetracycline

Oral, Dog

[Sign:] Death
Number of times reported: [2]

[Sign:] Diarrhea, Bloody
Number of times reported: [2]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Sign:] Cystitis
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diabetes Mellitus
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Inflam, Skin
Number of times reported: [1]

[Sign:] Keratoconjunctivitis S

Number of times reported: [1]
[Sign:] Leukoderma
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Neoplasm
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Photosensitization
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Skin Disorder
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Novobiocin, Tetracycline

Oral, Dog

[Sign:] Diabetes Mellitus
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Neoplasm
Number of times reported: [1]

[Drug:] Nutritional Products With Therapeutic Claims

Defect, Not Applicable

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Drug:] Nutritional Products With Therapeutic Claims

Missing, Dog

[Sign:] Immunosuppression

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

[Drug:] Nutritional Products With Therapeutic Claims

Oral, Cat

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Hiding

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

[Drug:] Nutritional Products With Therapeutic Claims

Oral, Dog

[Sign:] Vomiting

Number of times reported: [5]

[Sign:] Death

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Gastritis
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]
[Sign:] Neoplasm, Liver
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Prostration
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Ulcer(s), Feet/digit(s)
Number of times reported: [1]
[Sign:] Weight Increase
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Nutritional Products With Therapeutic Claims
Oral, Horse

[Sign:] Pain, Abdomen
Number of times reported: [6]

[Sign:] Diarrhea
Number of times reported: [3]

[Sign:] Hyperactivity
Number of times reported: [2]

[Sign:] Pd-odor, Abn
Number of times reported: [2]

[Sign:] Swelling, Limb(s)
Number of times reported: [2]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Dermatitis, Moist
Number of times reported: [1]

[Sign:] Diarrhea, Mild
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Inflamm, Skin
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Sore(s)
Number of times reported: [1]

[Sign:] Spasm
Number of times reported: [1]

[Sign:] Swelling, Brisket/ches
Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Drug:] Omeprazole

Defect, Not Applicable

[Sign:] Pd-underfill, Package
Number of times reported: [59]

[Sign:] Pd-tube(s), Leaking
Number of times reported: [42]

[Sign:] Syringe, Locking Ring
Number of times reported: [33]

[Sign:] Pd-cap(s), Abn
Number of times reported: [20]

[Sign:] Pd-syringe, Abn
Number of times reported: [19]

[Sign:] Pd-missing, Cap
Number of times reported: [12]

[Sign:] Pd-tube(s), Damaged
Number of times reported: [6]

[Sign:] Pd-label(s), Abn
Number of times reported: [5]

[Sign:] Pd-missing, Label(s)
Number of times reported: [5]

[Sign:] Pd-tube(s), Abn
Number of times reported: [5]

[Sign:] Pd-underfill, Tube(s)
Number of times reported: [5]

[Sign:] Pd-container(s), Abn
Number of times reported: [4]

[Sign:] Pd-lock, Abn
Number of times reported: [4]

[Sign:] Pd-color, Abn
Number of times reported: [2]

[Sign:] Pd-container(s), Damag
Number of times reported: [2]

[Sign:] Pd-dispenser, Abn
Number of times reported: [2]

[Sign:] Pd-gel/paste, Abn
Number of times reported: [2]

[Sign:] Pd-defect Unknown
Number of times reported: [1]

[Sign:] Pd-product Defect
Number of times reported: [1]

[Drug:] Omeprazole

Oral, Alpaca

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hypomotility

Number of times reported: [1]

[Drug:] Omeprazole

Oral, Dog

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Omeprazole

Oral, Horse

[Sign:] Ineffect, Gastric Ulcer(s)

Number of times reported: [47]

[Sign:] Fever, Body

Number of times reported: [6]

[Sign:] Pain, Abdomen

Number of times reported: [6]

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Depression/lethargy

Number of times reported: [5]

[Sign:] Ggt Hi, Bld

Number of times reported: [5]

[Sign:] Ineffect

Number of times reported: [4]

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Gi, Abnormal

Number of times reported: [3]

[Sign:] Swelling, Head/face

Number of times reported: [3]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [2]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Flatulence

Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Ineffect, Loss Of Effe
Number of times reported: [2]
[Sign:] Lesion(s)
Number of times reported: [2]
[Sign:] Off Feed
Number of times reported: [2]
[Sign:] Pd-lock, Abn
Number of times reported: [2]
[Sign:] Perforation, Gi
Number of times reported: [2]
[Sign:] Sepsis
Number of times reported: [2]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [2]
[Sign:] Sweating
Number of times reported: [2]
[Sign:] Syringe, Locking Ring
Number of times reported: [2]
[Sign:] Urticaria
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Application Site Swelling
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Eructation

Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Hoof Disorder
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hyperkeratosis
Number of times reported: [1]
[Sign:] Hypersensitive, Sound
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Repetitive Movements
Number of times reported: [1]
[Sign:] Self-mutilation
Number of times reported: [1]
[Sign:] Staring
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Omeprazole

Oral, Human

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Omeprazole

Oral, Llama

[Sign:] Depression/lethargy

Number of times reported: [1]

[Drug:] Omeprazole

Unknown, Horse

[Sign:] Ineffect, Gastric Ulcer(s)

Number of times reported: [4]

[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Drug:] Ondansetron

Parenteral, Dog

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Atony, Bladder

Number of times reported: [1]

[Sign:] Bld, Sclera

Number of times reported: [1]

[Sign:] Choking

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Dehiscence

Number of times reported: [1]

[Sign:] Dysphagia

Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Keratoconjunctivitis S
Number of times reported: [1]
[Sign:] Staring
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Orbifloxacin

Defect, Not Applicable

[Sign:] Pd-vial(s), Damaged
Number of times reported: [13]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [8]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [6]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [5]
[Sign:] Pd-vial(s), Abn
Number of times reported: [5]
[Sign:] Pd-syringe, Abn
Number of times reported: [4]
[Sign:] Pd-seal, Abn
Number of times reported: [3]
[Sign:] Pd-suspension, Abn
Number of times reported: [3]
[Sign:] Pd-cap(s), Abn
Number of times reported: [2]
[Sign:] Pd-odor, Abn
Number of times reported: [2]
[Sign:] Ineffect, Antibiotic
Number of times reported: [1]
[Sign:] Pd-container(s), Abn
Number of times reported: [1]
[Sign:] Pd-underfill, Package
Number of times reported: [1]

[Drug:] Orbifloxacin

Oral, Bobcat

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Head Tilt

Number of times reported: [1]

[Drug:] Orbifloxacin

Oral, Cat

[Sign:] Blindness

Number of times reported: [28]

[Sign:] Vomiting

Number of times reported: [27]

[Sign:] Mydriasis

Number of times reported: [23]

[Sign:] Anorexia

Number of times reported: [22]

[Sign:] Ataxia

Number of times reported: [22]

[Sign:] Depression/lethargy

Number of times reported: [21]

[Sign:] Convulsion(s)

Number of times reported: [17]

[Sign:] Death

Number of times reported: [16]

[Sign:] Blindness, Temp

Number of times reported: [13]

[Sign:] Death(euthanized)

Number of times reported: [12]

[Sign:] Hypersalivation

Number of times reported: [12]

[Sign:] Retina Abn

Number of times reported: [11]

[Sign:] Trembling

Number of times reported: [8]

[Sign:] Dyspnea

Number of times reported: [7]

[Sign:] Pressure Hi, Bld

Number of times reported: [7]

[Sign:] Weakness

Number of times reported: [7]

[Sign:] Creatinine Hi, Bld

Number of times reported: [6]
[Sign:] Diarrhea
Number of times reported: [6]
[Sign:] Ineffect, Antibiotic
Number of times reported: [6]
[Sign:] Confusion
Number of times reported: [5]
[Sign:] Twitch
Number of times reported: [5]
[Sign:] Anemia
Number of times reported: [4]
[Sign:] Dehydration
Number of times reported: [4]
[Sign:] Glucose Hi, Bld
Number of times reported: [4]
[Sign:] Hiding
Number of times reported: [4]
[Sign:] Pupil(s), Areflexia
Number of times reported: [4]
[Sign:] Anaphylaxis/toid
Number of times reported: [3]
[Sign:] Bld, Urine
Number of times reported: [3]
[Sign:] Collapse
Number of times reported: [3]
[Sign:] Horner's Syndrome
Number of times reported: [3]
[Sign:] Hyperesthesia
Number of times reported: [3]
[Sign:] Neurological Disorder
Number of times reported: [3]
[Sign:] Nystagmus
Number of times reported: [3]
[Sign:] Paralysis
Number of times reported: [3]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [3]
[Sign:] Radiograph(s) Abn
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Reflex(es) Abn

Number of times reported: [3]
[Sign:] Stiffness
Number of times reported: [3]
[Sign:] Stupor
Number of times reported: [3]
[Sign:] Unconscious
Number of times reported: [3]
[Sign:] Vocalization
Number of times reported: [3]
[Sign:] Weight Loss
Number of times reported: [3]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [2]
[Sign:] Anisocoria
Number of times reported: [2]
[Sign:] Apprehension
Number of times reported: [2]
[Sign:] Bld, Retina
Number of times reported: [2]
[Sign:] Bun Hi, Bld
Number of times reported: [2]
[Sign:] Circling
Number of times reported: [2]
[Sign:] Edema, Cornea(s)
Number of times reported: [2]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Head Tilt
Number of times reported: [2]
[Sign:] Hypothermia
Number of times reported: [2]
[Sign:] Icterus, Body
Number of times reported: [2]
[Sign:] Interaction, Drug(s)
Number of times reported: [2]
[Sign:] Kidney Failure
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Pain

Number of times reported: [2]
[Sign:] Pain, Abdomen
Number of times reported: [2]
[Sign:] P Hi, Bld
Number of times reported: [2]
[Sign:] Reluctant To Climb
Number of times reported: [2]
[Sign:] Reluctant To Move
Number of times reported: [2]
[Sign:] Spasm
Number of times reported: [2]
[Sign:] Trembling, Face
Number of times reported: [2]
[Sign:] Urination
Number of times reported: [2]
[Sign:] Vestibular Disorder
Number of times reported: [2]
[Sign:] Wbc Hi, Bld
Number of times reported: [2]
[Sign:] Wbc Lo, Bld
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Acidosis
Number of times reported: [1]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Blindness, Night

Number of times reported: [1]
[Sign:] Blindness, Partial
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Calculi, Bladder
Number of times reported: [1]
[Sign:] Cataract(s)
Number of times reported: [1]
[Sign:] Congestion, Ear(s)
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Defecation
Number of times reported: [1]
[Sign:] Diabetes Mellitus
Number of times reported: [1]
[Sign:] Diabetes M, Poor Regul
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Discharge, Ear(s)
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Limb(s)

Number of times reported: [1]
[Sign:] Embolus
Number of times reported: [1]
[Sign:] Erg Abn
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Gingivitis
Number of times reported: [1]
[Sign:] Globulin Hi, Bld
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Hair, Abn Color
Number of times reported: [1]
[Sign:] Hco3 Lo, Bld
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Inflam, Skin
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] K Lo, Bld

Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Monos Lo, Bld
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Nystagmus, Rotary
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Opacity, Cornea(s)
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-cerebellum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Skin Disorder
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Slough, Skin
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Staring
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Tenesmus, Urinary
Number of times reported: [1]
[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Thrombus

Number of times reported: [1]

[Sign:] Tongue, Abn

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Drug:] Orbifloxacin

Oral, Dog

[Sign:] Vomiting

Number of times reported: [24]

[Sign:] Convulsion(s)

Number of times reported: [22]

[Sign:] Depression/lethargy

Number of times reported: [15]

[Sign:] Anorexia

Number of times reported: [13]

[Sign:] Death

Number of times reported: [13]

[Sign:] Ataxia

Number of times reported: [10]

[Sign:] Blindness

Number of times reported: [8]

[Sign:] Ineffect, Antibiotic

Number of times reported: [7]

[Sign:] Swelling, Head/face

Number of times reported: [7]

[Sign:] Fever, Body

Number of times reported: [6]

[Sign:] Death(euthanized)

Number of times reported: [5]

[Sign:] Diarrhea

Number of times reported: [5]

[Sign:] Pruritis

Number of times reported: [5]

[Sign:] Urticaria

Number of times reported: [5]

[Sign:] Icterus, Body

Number of times reported: [4]

[Sign:] Platelets Lo, Bld

Number of times reported: [4]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [4]

[Sign:] Trembling
Number of times reported: [4]

[Sign:] Twitch
Number of times reported: [4]

[Sign:] Wbc Hi, Bld
Number of times reported: [4]

[Sign:] Alopecia
Number of times reported: [3]

[Sign:] Confusion
Number of times reported: [3]

[Sign:] Congestion, Skin
Number of times reported: [3]

[Sign:] Dyspnea
Number of times reported: [3]

[Sign:] Head Tilt
Number of times reported: [3]

[Sign:] Hypersalivation
Number of times reported: [3]

[Sign:] Lameness
Number of times reported: [3]

[Sign:] Polydipsia
Number of times reported: [3]

[Sign:] Polypnea
Number of times reported: [3]

[Sign:] Anemia
Number of times reported: [2]

[Sign:] Anemia, Hemolytic
Number of times reported: [2]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]

[Sign:] Bld
Number of times reported: [2]

[Sign:] Bld, Anus
Number of times reported: [2]

[Sign:] Bun Hi, Bld
Number of times reported: [2]

[Sign:] Circling
Number of times reported: [2]

[Sign:] Creatinine Hi, Bld
Number of times reported: [2]

[Sign:] Deafness
Number of times reported: [2]

[Sign:] Hair, Abn Color
Number of times reported: [2]

[Sign:] Hair, Shedding
Number of times reported: [2]

[Sign:] Keratoconjunctivitis S
Number of times reported: [2]

[Sign:] Lesion(s), Skin
Number of times reported: [2]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]

[Sign:] Liver Failure
Number of times reported: [2]

[Sign:] Mydriasis
Number of times reported: [2]

[Sign:] Nystagmus, Horizontal
Number of times reported: [2]

[Sign:] Pain, Joint(s)
Number of times reported: [2]

[Sign:] Paralysis, Facial Nerv
Number of times reported: [2]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]

[Sign:] P Hi, Bld
Number of times reported: [2]

[Sign:] Polyuria
Number of times reported: [2]

[Sign:] Radiograph(s) Abn
Number of times reported: [2]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [2]

[Sign:] Skin Disorder
Number of times reported: [2]

[Sign:] Swelling, Joint(s)
Number of times reported: [2]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [2]

[Sign:] Weakness
Number of times reported: [2]

[Sign:] Abn Color, Urine
Number of times reported: [1]

[Sign:] Albumin Hi, Bld
Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]

[Sign:] Basos Hi, Bld
Number of times reported: [1]

[Sign:] Bilirubin, Urine
Number of times reported: [1]

[Sign:] Bld(ecchymoses)
Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Bld(petechiae)
Number of times reported: [1]

[Sign:] Bld, Rectum
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Blindness, Temp
Number of times reported: [1]

[Sign:] Bone, Abn
Number of times reported: [1]

[Sign:] Ca Hi, Bld
Number of times reported: [1]

[Sign:] Coagulation Disorder
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Congestion, Ear(s)
Number of times reported: [1]

[Sign:] Coombs Test Pos
Number of times reported: [1]

[Sign:] Death(tx Failure)
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Diarrhea, Mild
Number of times reported: [1]

[Sign:] Dizziness
Number of times reported: [1]

[Sign:] Dry Mouth Syndrome
Number of times reported: [1]

[Sign:] Dysphagia
Number of times reported: [1]

[Sign:] Edema, Feet/digit(s)
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Gagging
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]

[Sign:] Glucose, Urine
Number of times reported: [1]

[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Hematochezia
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Hypothermia, Body
Number of times reported: [1]

[Sign:] Inflam, Skin
Number of times reported: [1]

[Sign:] Interaction, Drug(s)
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]

[Sign:] Joint Disorder
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Liver Disorder
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Nystagmus
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Pain, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Pain, Muscle(s)
Number of times reported: [1]

[Sign:] Papule(s)
Number of times reported: [1]

[Sign:] Paralysis
Number of times reported: [1]

[Sign:] Pressure Hi, Bld
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]

[Sign:] Proprioceptive Disorde
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Protein, Urine
Number of times reported: [1]

[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]

[Sign:] Pustule(s)
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Reticulocytes Lo, Bld
Number of times reported: [1]

[Sign:] Scale(s), Skin
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Shaking, Head/face
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Skin, Crust(s)
Number of times reported: [1]

[Sign:] Skin, Necrosis
Number of times reported: [1]

[Sign:] Skin, Scab(s)
Number of times reported: [1]

[Sign:] Slough
Number of times reported: [1]

[Sign:] Somnolence
Number of times reported: [1]

[Sign:] Sore(s)
Number of times reported: [1]

[Sign:] Staring
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Sign:] Swelling
Number of times reported: [1]

[Sign:] Swelling, Ear(s)
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]

[Sign:] Swelling, Tongue
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Teeth, Abn
Number of times reported: [1]

[Sign:] Ulcer(s), Tongue
Number of times reported: [1]

[Sign:] Us Abn
Number of times reported: [1]

[Sign:] Vestibular Disorder
Number of times reported: [1]

[Sign:] Vision Disorder
Number of times reported: [1]

[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Orbifloxacin

Oral, Guinea Pig

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Prolapse, Penis

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Orbifloxacin

Oral, Human

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Drug:] Orbifloxacin

Oral, Rabbit

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Orbifloxacin

Oral, Various

[Sign:] Ineffect, Antibiotic

Number of times reported: [3]

[Sign:] Interaction, Drug(s)

Number of times reported: [1]

[Drug:] Orbifloxacin, Mometasone, Posaconazole

Defect, Not Applicable

[Sign:] Pd-applicator, Abn

Number of times reported: [2]

[Sign:] Pd-missing, Cap

Number of times reported: [2]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [2]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Drug:] Orbifloxacin, Mometasone, Posaconazole

Ophthalmic, Dog

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Drug:] Orbifloxacin, Mometasone, Posaconazole

Topical, Cat

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Polyuria

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Orbifloxacin, Mometasone, Posaconazole

Topical, Dog

[Sign:] Deafness

Number of times reported: [27]

[Sign:] Ineffect, Antibiotic

Number of times reported: [6]

[Sign:] Application Site Erythema

Number of times reported: [4]

[Sign:] Deafness, Temp

Number of times reported: [4]

[Sign:] Ineffect

Number of times reported: [4]
[Sign:] Vomiting
Number of times reported: [4]
[Sign:] Application Site Inflammation
Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Congestion, Ear(s)
Number of times reported: [2]
[Sign:] Deafness, Partial
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Pruritis
Number of times reported: [2]
[Sign:] Tympanic Membrane, Ruptured
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Application Site Edema
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Diabetes Mellitus
Number of times reported: [1]
[Sign:] Diarrhea, Projectile
Number of times reported: [1]
[Sign:] Discharge, Ear(s)
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Epiphora

Number of times reported: [1]
[Sign:] Erythema Multiforme
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Hair, Abn Color
Number of times reported: [1]
[Sign:] Irritation, Ear(s)
Number of times reported: [1]
[Sign:] Nose Abn
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Scale(s), Skin
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Swelling, Ear(s)
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Trembling, Face

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Drug:] Orgotein

Parenteral, Dog

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Pallor

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Swelling, Joint(s)

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Orgotein

Parenteral, Horse

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Ormetoprim, Sulfadimethoxine

Defect, Not Applicable

[Sign:] Pd-seal, Abn

Number of times reported: [12]

[Sign:] Pd-cap(s), Abn

Number of times reported: [5]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [4]

[Sign:] Pd-unknown
Number of times reported: [4]
[Sign:] Pd-container(s), Abn
Number of times reported: [2]
[Sign:] Pd-vial(s), Abn
Number of times reported: [2]
[Sign:] Pd-label(s), Abn
Number of times reported: [1]
[Sign:] Pd-missing, Label(s)
Number of times reported: [1]

[Drug:] Ormetoprim, Sulfadimethoxine
Missing, Dog

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Drug:] Ormetoprim, Sulfadimethoxine
Oral, Cat

[Sign:] Anorexia
Number of times reported: [6]
[Sign:] Vomiting
Number of times reported: [6]
[Sign:] Hypersalivation
Number of times reported: [5]
[Sign:] Death(euthanized)
Number of times reported: [4]
[Sign:] Platelets Lo, Bld
Number of times reported: [4]
[Sign:] Anemia
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Aggression
Number of times reported: [1]

[Sign:] Albumin Lo, Bld
Number of times reported: [1]

[Sign:] Alkaline Urine
Number of times reported: [1]

[Sign:] Anemia, Hemolytic
Number of times reported: [1]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Coagulation Disorder
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Edema, Pharynx
Number of times reported: [1]

[Sign:] Electrolyte Disorder
Number of times reported: [1]

[Sign:] Epistaxis
Number of times reported: [1]

[Sign:] Eruption(s)
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Ineffect, Coccidia
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Nystagmus
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Pancytopenia
Number of times reported: [1]

[Sign:] Photosensitization
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]

[Sign:] Proprioceptive Disorde
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]

[Sign:] Reticulocytes Lo, Bld
Number of times reported: [1]

[Sign:] Skin, Necrosis
Number of times reported: [1]

[Sign:] Slough, Ear(s)
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Ormetoprim, Sulfadimethoxine
Oral, Dog

[Sign:] Depression/lethargy
Number of times reported: [139]

[Sign:] Anorexia

Number of times reported: [97]
[Sign:] Fever, Body
Number of times reported: [94]
[Sign:] Ataxia
Number of times reported: [88]
[Sign:] Vomiting
Number of times reported: [88]
[Sign:] Convulsion(s)
Number of times reported: [76]
[Sign:] Platelets Lo, Bld
Number of times reported: [73]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [64]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [63]
[Sign:] Trembling
Number of times reported: [51]
[Sign:] Death
Number of times reported: [43]
[Sign:] Anemia
Number of times reported: [42]
[Sign:] Keratoconjunctivitis S
Number of times reported: [41]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [40]
[Sign:] Aggression
Number of times reported: [37]
[Sign:] Apprehension
Number of times reported: [35]
[Sign:] Hyperactivity
Number of times reported: [35]
[Sign:] Nervousness
Number of times reported: [34]
[Sign:] Behavior Disorder
Number of times reported: [30]
[Sign:] Weakness
Number of times reported: [29]
[Sign:] Death(euthanized)
Number of times reported: [27]
[Sign:] Polypnea
Number of times reported: [27]
[Sign:] Confusion

Number of times reported: [26]
[Sign:] Wbc Hi, Bld
Number of times reported: [24]
[Sign:] Bun Hi, Bld
Number of times reported: [23]
[Sign:] Diarrhea
Number of times reported: [21]
[Sign:] Icterus, Body
Number of times reported: [21]
[Sign:] Ineffect, Antibiotic
Number of times reported: [21]
[Sign:] Lameness
Number of times reported: [21]
[Sign:] Swelling, Joint(s)
Number of times reported: [21]
[Sign:] Weight Loss
Number of times reported: [21]
[Sign:] Pain, Joint(s)
Number of times reported: [19]
[Sign:] Polydipsia
Number of times reported: [19]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [19]
[Sign:] Arthritis
Number of times reported: [18]
[Sign:] Bld(petechiae)
Number of times reported: [18]
[Sign:] Creatinine Hi, Bld
Number of times reported: [17]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [17]
[Sign:] Vocalization
Number of times reported: [17]
[Sign:] Bld, Urine
Number of times reported: [16]
[Sign:] Polyuria
Number of times reported: [16]
[Sign:] Hypersalivation
Number of times reported: [15]
[Sign:] Wbc Lo, Bld
Number of times reported: [14]
[Sign:] Anemia, Autoimmune Hem

Number of times reported: [13]
[Sign:] Bld(ecchymoses)
Number of times reported: [13]
[Sign:] Collapse
Number of times reported: [12]
[Sign:] Pruritis
Number of times reported: [12]
[Sign:] Dehydration
Number of times reported: [11]
[Sign:] Hyperpnea
Number of times reported: [11]
[Sign:] Dyspnea
Number of times reported: [10]
[Sign:] Icterus
Number of times reported: [10]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [10]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [10]
[Sign:] Recumbency
Number of times reported: [10]
[Sign:] Urticaria
Number of times reported: [10]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [9]
[Sign:] Epistaxis
Number of times reported: [9]
[Sign:] Pain
Number of times reported: [9]
[Sign:] Pallor, Mucous Membran
Number of times reported: [9]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [9]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [9]
[Sign:] Bilirubin, Urine
Number of times reported: [8]
[Sign:] Congestion, Skin
Number of times reported: [8]
[Sign:] Conjunctivitis
Number of times reported: [8]
[Sign:] Radiograph(s) Abn

Number of times reported: [8]
[Sign:] Reluctant To Move
Number of times reported: [8]
[Sign:] Vomiting, Bloody
Number of times reported: [8]
[Sign:] Albumin Lo, Bld
Number of times reported: [7]
[Sign:] Amylase Hi, Bld
Number of times reported: [7]
[Sign:] Coagulation Disorder
Number of times reported: [7]
[Sign:] Edema, Head/face
Number of times reported: [7]
[Sign:] Incontinence, Urinary
Number of times reported: [7]
[Sign:] Kidney Failure
Number of times reported: [7]
[Sign:] Locomotion Disorder
Number of times reported: [7]
[Sign:] Neurological Disorder
Number of times reported: [7]
[Sign:] P Hi, Bld
Number of times reported: [7]
[Sign:] Stiffness
Number of times reported: [7]
[Sign:] Swelling, Head/face
Number of times reported: [7]
[Sign:] Tachycardia
Number of times reported: [7]
[Sign:] Blindness
Number of times reported: [6]
[Sign:] Pancytopenia
Number of times reported: [6]
[Sign:] Polycythemia
Number of times reported: [6]
[Sign:] Proprioceptive Disorde
Number of times reported: [6]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [6]
[Sign:] Us Abn
Number of times reported: [6]
[Sign:] Adipsia

Number of times reported: [5]
[Sign:] Anaphylaxis/toid
Number of times reported: [5]
[Sign:] Anemia, Hemolytic
Number of times reported: [5]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [5]
[Sign:] Ca Hi, Bld
Number of times reported: [5]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [5]
[Sign:] Ggt Hi, Bld
Number of times reported: [5]
[Sign:] Globulin Hi, Bld
Number of times reported: [5]
[Sign:] Glucose Hi, Bld
Number of times reported: [5]
[Sign:] Hyperesthesia
Number of times reported: [5]
[Sign:] Mydriasis
Number of times reported: [5]
[Sign:] Nystagmus
Number of times reported: [5]
[Sign:] Protein, Urine
Number of times reported: [5]
[Sign:] Segs Hi, Bld
Number of times reported: [5]
[Sign:] Staggering
Number of times reported: [5]
[Sign:] Ulcer(s), Skin
Number of times reported: [5]
[Sign:] Bld
Number of times reported: [4]
[Sign:] Bun Lo, Bld
Number of times reported: [4]
[Sign:] Casts, Urine
Number of times reported: [4]
[Sign:] Cpk Hi, Bld
Number of times reported: [4]
[Sign:] Eruption(s)
Number of times reported: [4]
[Sign:] Hallucination

Number of times reported: [4]
[Sign:] Hematochezia
Number of times reported: [4]
[Sign:] Ineffect, Coccidia
Number of times reported: [4]
[Sign:] Inflam, Skin
Number of times reported: [4]
[Sign:] K Lo, Bld
Number of times reported: [4]
[Sign:] Liver Disorder
Number of times reported: [4]
[Sign:] Pain, Limb(s)
Number of times reported: [4]
[Sign:] P Lo, Bld
Number of times reported: [4]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [4]
[Sign:] Skin Disorder
Number of times reported: [4]
[Sign:] Sneezing
Number of times reported: [4]
[Sign:] Spasm
Number of times reported: [4]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [4]
[Sign:] Us-liver Abn
Number of times reported: [4]
[Sign:] Uveitis
Number of times reported: [4]
[Sign:] Alopecia
Number of times reported: [3]
[Sign:] Anuria
Number of times reported: [3]
[Sign:] Ascites
Number of times reported: [3]
[Sign:] Azotemia
Number of times reported: [3]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [3]
[Sign:] Blindness, Temp
Number of times reported: [3]
[Sign:] Cns Disorder

Number of times reported: [3]
[Sign:] Colitis
Number of times reported: [3]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [3]
[Sign:] Coombs Test Pos
Number of times reported: [3]
[Sign:] Dementia
Number of times reported: [3]
[Sign:] Difficulty Rising
Number of times reported: [3]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [3]
[Sign:] Edema, Cornea(s)
Number of times reported: [3]
[Sign:] Effusion, Joint(s)
Number of times reported: [3]
[Sign:] Fly Biting
Number of times reported: [3]
[Sign:] Head Tilt
Number of times reported: [3]
[Sign:] Hemoglobin, Urine
Number of times reported: [3]
[Sign:] Hepatomegaly
Number of times reported: [3]
[Sign:] Interaction, Drug(s)
Number of times reported: [3]
[Sign:] Joint Disorder
Number of times reported: [3]
[Sign:] Melena
Number of times reported: [3]
[Sign:] Na Lo, Bld
Number of times reported: [3]
[Sign:] Pain, Abdomen
Number of times reported: [3]
[Sign:] Pain, Neck
Number of times reported: [3]
[Sign:] Paresis
Number of times reported: [3]
[Sign:] Photophobia
Number of times reported: [3]
[Sign:] Pollakiuria

Number of times reported: [3]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [3]
[Sign:] Rash
Number of times reported: [3]
[Sign:] Segs Lo, Bld
Number of times reported: [3]
[Sign:] Shaking
Number of times reported: [3]
[Sign:] Stiffness, Limb(s)
Number of times reported: [3]
[Sign:] Stupor
Number of times reported: [3]
[Sign:] Swelling, Limb(s)
Number of times reported: [3]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [3]
[Sign:] Abn Color, Urine
Number of times reported: [2]
[Sign:] Albumin Hi, Bld
Number of times reported: [2]
[Sign:] Alkaline Urine
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Bands Hi, Bld
Number of times reported: [2]
[Sign:] Biting/chewing
Number of times reported: [2]
[Sign:] Bld, Abdomen
Number of times reported: [2]
[Sign:] Bld, Eye(s)
Number of times reported: [2]
[Sign:] Bld, Sclera
Number of times reported: [2]
[Sign:] Chloride Lo, Bld
Number of times reported: [2]
[Sign:] Cholesterol Lo, Bld
Number of times reported: [2]
[Sign:] Circling

Number of times reported: [2]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Crystals, Urine
Number of times reported: [2]
[Sign:] Cyanosis
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Discharge, Eye(s)/lid(
Number of times reported: [2]
[Sign:] Distention, Abdomen
Number of times reported: [2]
[Sign:] Ecg Abn
Number of times reported: [2]
[Sign:] Edema, Limb(s)
Number of times reported: [2]
[Sign:] Eye Disorder
Number of times reported: [2]
[Sign:] Fibrinogen Hi, Bld
Number of times reported: [2]
[Sign:] Globulin Lo, Bld
Number of times reported: [2]
[Sign:] Hiding
Number of times reported: [2]
[Sign:] Infection, Skin
Number of times reported: [2]
[Sign:] Infection, Urinary Tra
Number of times reported: [2]
[Sign:] Ldh Hi, Bld
Number of times reported: [2]
[Sign:] Lipase Hi, Bld
Number of times reported: [2]
[Sign:] Liver Failure
Number of times reported: [2]
[Sign:] Lymphs Lo, Bld
Number of times reported: [2]
[Sign:] Murmur, Heart
Number of times reported: [2]
[Sign:] Pain, Muscle(s)
Number of times reported: [2]
[Sign:] Pancreatitis

Number of times reported: [2]
[Sign:] Pneumonia, Aspiration
Number of times reported: [2]
[Sign:] Polycythemia(relative)
Number of times reported: [2]
[Sign:] Pr-lung(s), Edema
Number of times reported: [2]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [2]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [2]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [2]
[Sign:] Reflex(es) Abn
Number of times reported: [2]
[Sign:] Scale(s), Skin
Number of times reported: [2]
[Sign:] Shaking, Head/face
Number of times reported: [2]
[Sign:] Skin, Crust(s)
Number of times reported: [2]
[Sign:] Skin, Scab(s)
Number of times reported: [2]
[Sign:] Slough, Feet/digit(s)
Number of times reported: [2]
[Sign:] Somnolence
Number of times reported: [2]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [2]
[Sign:] Splenomegaly
Number of times reported: [2]
[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [2]
[Sign:] Stool Abn
Number of times reported: [2]
[Sign:] Stranguria
Number of times reported: [2]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Tears, Abn
Number of times reported: [2]
[Sign:] Teeth, Abn

Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Urination
Number of times reported: [2]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [2]
[Sign:] Vision Disorder
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Aplasia, Bone Marrow
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Bile Acids Abn, Bld
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bld, Sq
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Calculi, Urine
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Cataract(s)
Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Creatinine Lo, Bld
Number of times reported: [1]
[Sign:] Csf Abn
Number of times reported: [1]
[Sign:] Cystitis

Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]
[Sign:] Deafness, Partial
Number of times reported: [1]
[Sign:] Delirium
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Dilitation, Esophagus
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid
Number of times reported: [1]
[Sign:] Discharge, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Larynx
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Elimination Abn
Number of times reported: [1]
[Sign:] Encephalopathy
Number of times reported: [1]
[Sign:] Endocrine Disorder
Number of times reported: [1]
[Sign:] Enlargement, Joint(s)
Number of times reported: [1]
[Sign:] Enlargement(s)

Number of times reported: [1]
[Sign:] Enteritis
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Gastroenteritis
Number of times reported: [1]
[Sign:] Glaucoma
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hepatitis
Number of times reported: [1]
[Sign:] Hyperkeratosis
Number of times reported: [1]
[Sign:] Hypertonia
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Immune Disorder
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Infection, Eye(s)
Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Irritation, Ear(s)
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Liver Profile Hi
Number of times reported: [1]
[Sign:] Lockjaw
Number of times reported: [1]
[Sign:] Mass, Skin
Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Mucous Membr, Red
Number of times reported: [1]
[Sign:] Myositis
Number of times reported: [1]
[Sign:] Na:k Lo, Bld
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Nephritis
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Pancreas Disorder

Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]
[Sign:] Photosensitization
Number of times reported: [1]
[Sign:] Pica
Number of times reported: [1]
[Sign:] Platelets Abn
Number of times reported: [1]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [1]
[Sign:] Priapism
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Prolapse, Tongue
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Pt Prolonged, Bld
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Regurgitation
Number of times reported: [1]
[Sign:] Regurgitation, Food
Number of times reported: [1]
[Sign:] Retina Abn
Number of times reported: [1]
[Sign:] Rolling

Number of times reported: [1]
[Sign:] Seborrhea
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Sound Abn, Voice
Number of times reported: [1]
[Sign:] Spec Gravity Hi, Urine
Number of times reported: [1]
[Sign:] Staring
Number of times reported: [1]
[Sign:] Stomatitis
Number of times reported: [1]
[Sign:] Syncope
Number of times reported: [1]
[Sign:] Tech Error Administrat
Number of times reported: [1]
[Sign:] Tenesmus, Rectal
Number of times reported: [1]
[Sign:] Torticollis
Number of times reported: [1]
[Sign:] Ulcer(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Mucocutaneou
Number of times reported: [1]
[Sign:] Ulcer(s), Tongue
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Urine Abn
Number of times reported: [1]
[Sign:] Vasculitis
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Volvulus, Stomach

Number of times reported: [1]

[Drug:] Ormetoprim, Sulfadimethoxine

Oral, Fish

[Sign:] Anorexia

Number of times reported: [1]

[Drug:] Ormetoprim, Sulfadimethoxine

Oral, Human

[Sign:] Nausea

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Stranguria

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Ormetoprim, Sulfadimethoxine

Unknown, Cat

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Drug:] Ormetoprim, Sulfadimethoxine

Unknown, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

[Drug:] Oxfendazole

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking

Number of times reported: [9]

[Sign:] Pd-cap(s), Abn

Number of times reported: [7]

[Sign:] Pd-seal, Abn

Number of times reported: [5]

[Sign:] Pd-container(s), Damag

Number of times reported: [3]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [1]

[Drug:] Oxfendazole

Oral, Alpaca

[Sign:] Death

Number of times reported: [1]

[Sign:] Obstruction, Intestine

Number of times reported: [1]

[Drug:] Oxfendazole

Oral, Buffalo

[Sign:] Abortion

Number of times reported: [1]

[Drug:] Oxfendazole

Oral, Cattle

[Sign:] Death

Number of times reported: [14]

[Sign:] Ineffect, Strongyles

Number of times reported: [4]

[Sign:] Pr-peritoneum, Lesion(

Number of times reported: [3]

[Sign:] Respiratory Disorder

Number of times reported: [3]

[Sign:] Abortion

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Ineffect, Worms

Number of times reported: [2]

[Sign:] Loss Of Condition

Number of times reported: [2]

[Sign:] Peritonitis

Number of times reported: [2]

[Sign:] Pneumonia
Number of times reported: [2]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Birth Defect(s)
Number of times reported: [1]

[Sign:] Chemistry Abn
Number of times reported: [1]

[Sign:] Circling
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Culture/titer Data Abn
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Ineffect, Stomach Worm
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Poor Performance
Number of times reported: [1]

[Sign:] Pr-uterus, Lesion(s)
Number of times reported: [1]

[Sign:] Rupture, Esophagus
Number of times reported: [1]

[Drug:] Oxfendazole

Oral, Dog

[Sign:] Depression/lethargy
Number of times reported: [3]

[Sign:] Bun Hi, Bld
Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Kidney Disorder

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Oxfendazole

Oral, Goat

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Ineffect, Worms

Number of times reported: [1]

[Drug:] Oxfendazole

Oral, Horse

[Sign:] Hematochezia

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Drug:] Oxfendazole

Oral, Sheep

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Oxfendazole

Oral, Various

[Sign:] Death

Number of times reported: [1]

[Drug:] Oxfendazole

Topical, Human

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]

[Drug:] Oxfendazole

Unknown, Cattle

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Tongue, Abn
Number of times reported: [1]

[Drug:] Oxfendazole, Trichlorfon

Oral, Horse

[Sign:] Hypersalivation
Number of times reported: [7]

[Sign:] Pain, Abdomen
Number of times reported: [6]

[Sign:] Discomfort, Mouth/lip(
Number of times reported: [5]

[Sign:] Irritation, Mouth/lip(
Number of times reported: [5]

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [3]

[Sign:] Tox, Op
Number of times reported: [3]

[Sign:] Death(euthanized)
Number of times reported: [2]

[Sign:] Diarrhea
Number of times reported: [2]

[Sign:] Nervousness
Number of times reported: [2]

[Sign:] Swelling, Tongue

Number of times reported: [2]

[Sign:] Urticaria

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Sign:] Dysphagia

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Hematochezia

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Pr-pharynx, Lesion(s)

Number of times reported: [1]

[Sign:] Regurgitation

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Drug:] Oxibendazole

Defect, Not Applicable

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [5]

[Sign:] Pd-gel/paste, Abn

Number of times reported: [2]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [2]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-tube(s), Damaged

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

[Drug:] Oxibendazole

Oral, Dog

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Vomiting

Number of times reported: [4]

[Sign:] Death

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Pain, Abdomen

Number of times reported: [2]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Discharge, Nose

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hepatomegaly

Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld

Number of times reported: [1]

[Sign:] Ulcer(s), Tongue
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Oxibendazole

Oral, Donkey

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]

[Drug:] Oxibendazole

Oral, Goat

[Sign:] Residue, Meat
Number of times reported: [1]
[Sign:] Residue, Milk
Number of times reported: [1]

[Drug:] Oxibendazole

Oral, Horse

[Sign:] Pain, Abdomen
Number of times reported: [82]
[Sign:] Diarrhea
Number of times reported: [69]
[Sign:] Anorexia
Number of times reported: [29]
[Sign:] Depression/lethargy
Number of times reported: [23]
[Sign:] Diarrhea, Mild
Number of times reported: [17]
[Sign:] Death
Number of times reported: [11]
[Sign:] Diarrhea, Severe
Number of times reported: [11]
[Sign:] Death(euthanized)
Number of times reported: [8]
[Sign:] Fever, Body

Number of times reported: [8]
[Sign:] Urticaria
Number of times reported: [8]
[Sign:] Laminitis
Number of times reported: [6]
[Sign:] Diarrhea, Watery
Number of times reported: [4]
[Sign:] Ineffect, Strongyles
Number of times reported: [4]
[Sign:] Ineffect, Worms
Number of times reported: [4]
[Sign:] Recumbency
Number of times reported: [4]
[Sign:] Ataxia
Number of times reported: [3]
[Sign:] Swelling, Head/face
Number of times reported: [3]
[Sign:] Volvulus
Number of times reported: [3]
[Sign:] Abortion
Number of times reported: [2]
[Sign:] Creatinine Hi, Bld
Number of times reported: [2]
[Sign:] Dehydration
Number of times reported: [2]
[Sign:] Edema, Limb(s)
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Off Feed
Number of times reported: [2]
[Sign:] Pain
Number of times reported: [2]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [2]
[Sign:] Rolling

Number of times reported: [2]
[Sign:] Staggering
Number of times reported: [2]
[Sign:] Stiffness
Number of times reported: [2]
[Sign:] Sweating
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Application Site Pain
Number of times reported: [1]
[Sign:] Application Site Swelling
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Birth Defect(s), Head/
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Capillary Refill Prolo
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Diarrhea, Projectile
Number of times reported: [1]
[Sign:] Discomfort, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Gi, Abnormal

Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Mucous Membr, Muddy
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-dispenser, Abn
Number of times reported: [1]
[Sign:] Pd-gel/paste, Abn
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Skin

Number of times reported: [1]

[Sign:] Us Abn

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Oxibendazole

Oral, Rabbit

[Sign:] Ineffect

Number of times reported: [1]

[Drug:] Oxibendazole

Unknown, Horse

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Sign:] Laminitis

Number of times reported: [1]

[Drug:] Oxymorphone

Parenteral, Dog

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Edema, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Edema, Limb(s)

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Hypopnea

Number of times reported: [1]

[Sign:] Ineffect, Analgesia

Number of times reported: [1]

[Drug:] Oxymorphone

Unknown, Dog

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Drug:] Oxytetracycline

Defect, Not Applicable

[Sign:] Pd-solution, Abn

Number of times reported: [181]

[Sign:] Pd-color, Abn

Number of times reported: [128]

[Sign:] Pd-seal, Abn

Number of times reported: [36]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [31]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [26]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [23]

[Sign:] Pd-odor, Abn

Number of times reported: [19]

[Sign:] Pd-container(s), Damag

Number of times reported: [16]

[Sign:] Pd-vial(s), Abn

Number of times reported: [11]

[Sign:] Pd-product Defect

Number of times reported: [8]

[Sign:] Pd-suspension, Abn

Number of times reported: [7]

[Sign:] Pd-underfill, Package

Number of times reported: [7]

[Sign:] Pd-cap(s), Abn
Number of times reported: [6]

[Sign:] Pd-container(s), Abn
Number of times reported: [6]

[Sign:] Pd-contamination
Number of times reported: [5]

[Sign:] Pd-underfill, Vial(s)
Number of times reported: [3]

[Sign:] No Signs
Number of times reported: [2]

[Sign:] Pd-missing, Label(s)
Number of times reported: [2]

[Sign:] Pd-contam, Insects
Number of times reported: [1]

[Sign:] Pd-contam, Mold
Number of times reported: [1]

[Sign:] Pd-defect Unknown
Number of times reported: [1]

[Sign:] Pd-label(s), Abn
Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking
Number of times reported: [1]

[Sign:] Pd-unknown
Number of times reported: [1]

[Drug:] Oxytetracycline

Inhalation, Human

[Sign:] Infection
Number of times reported: [1]

[Drug:] Oxytetracycline

Intrauterine, Cattle

[Sign:] Pd-color, Abn
Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn
Number of times reported: [1]

[Drug:] Oxytetracycline

Missing, Cattle

[Sign:] Death
Number of times reported: [5]

[Sign:] Inj Site Swelling

Number of times reported: [4]
[Sign:] Death(tx Failure)
Number of times reported: [3]
[Sign:] Ineffect, Antibiotic
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Breathing Abn
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-pleura, Lesion(s)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Oxytetracycline

Missing, Dog

[Sign:] Abscess, Skin

Number of times reported: [1]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Granuloma

Number of times reported: [1]

[Drug:] Oxytetracycline

Missing, Human

[Sign:] Inj Site Bld

Number of times reported: [1]

[Drug:] Oxytetracycline

Missing, Sheep

[Sign:] Stiffness

Number of times reported: [1]

[Drug:] Oxytetracycline

Ophthalmic, Human

[Sign:] Conjunctivitis

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Drug:] Oxytetracycline

Oral, Bird

[Sign:] Egg Abn

Number of times reported: [4]

[Sign:] Death

Number of times reported: [3]

[Sign:] Ineffect, Antibiotic
Number of times reported: [2]

[Sign:] Pd-color, Abn
Number of times reported: [2]

[Sign:] Culture/titer Data Abn
Number of times reported: [1]

[Sign:] Death(tx Failure)
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Pd-odor, Abn
Number of times reported: [1]

[Sign:] Pd-solution, Abn
Number of times reported: [1]

[Sign:] Residue, Meat
Number of times reported: [1]

[Drug:] Oxytetracycline

Oral, Cat

[Sign:] Pd-odor, Abn
Number of times reported: [1]

[Drug:] Oxytetracycline

Oral, Cattle

[Sign:] Death
Number of times reported: [7]

[Sign:] Anorexia
Number of times reported: [2]

[Sign:] Depression/lethargy
Number of times reported: [2]

[Sign:] Ineffect
Number of times reported: [2]

[Sign:] Ineffect, Antibiotic
Number of times reported: [2]

[Sign:] Bloat
Number of times reported: [1]

[Sign:] Inj Site Abscess
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Residue, Milk
Number of times reported: [1]

[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]

[Drug:] Oxytetracycline

Oral, Chicken

[Sign:] Egg Abn
Number of times reported: [28]
[Sign:] Ineffect, Antibiotic
Number of times reported: [11]
[Sign:] Death
Number of times reported: [10]
[Sign:] Residue, Meat
Number of times reported: [9]
[Sign:] Accidental Exposure
Number of times reported: [5]
[Sign:] No Signs
Number of times reported: [4]
[Sign:] Pd-color, Abn
Number of times reported: [4]
[Sign:] Death(tx Failure)
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Pd-granules/powder, Abn
Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Balance Disorder
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Pd-odor, Abn
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro

Number of times reported: [1]

[Sign:] Tech Error, Mixing

Number of times reported: [1]

[Drug:] Oxytetracycline

Oral, Dog

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

[Drug:] Oxytetracycline

Oral, Fish

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect, Other Drug(s)

Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Oxytetracycline

Oral, Goat

[Sign:] Opisthotonos

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Drug:] Oxytetracycline

Oral, Human

[Sign:] Abn Color, Urine

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Gastritis

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Hepatitis

Number of times reported: [1]

[Sign:] Pain, Brisket/chest

Number of times reported: [1]

[Sign:] Pressure Hi, Bld

Number of times reported: [1]

[Drug:] Oxytetracycline

Oral, Other

[Sign:] Death

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Drug:] Oxytetracycline

Oral, Pig

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Drug:] Oxytetracycline

Oral, Quail

[Sign:] Death

Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Drug:] Oxytetracycline

Oral, Rabbit

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

[Drug:] Oxytetracycline

Oral, Sheep

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Cns Disorder

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Head Tilt

Number of times reported: [1]

[Drug:] Oxytetracycline

Parenteral, Camel

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Drug:] Oxytetracycline

Parenteral, Cat

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Bilirubin, Urine

Number of times reported: [1]

[Sign:] Crystals, Urine

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Inj Site Necrosis

Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Inj Site Slough
Number of times reported: [1]
[Sign:] Inj Site Sterile Absce
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Moribund
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Oxytetracycline

Parenteral, Cattle

[Sign:] Death
Number of times reported: [178]
[Sign:] Anaphylaxis/toid
Number of times reported: [95]
[Sign:] Inj Site Swelling
Number of times reported: [69]
[Sign:] Collapse
Number of times reported: [58]
[Sign:] Ineffect, Antibiotic
Number of times reported: [33]
[Sign:] Dyspnea
Number of times reported: [27]
[Sign:] Recumbency
Number of times reported: [24]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [21]
[Sign:] Residue, Milk
Number of times reported: [14]
[Sign:] Inj Site Abscess
Number of times reported: [12]
[Sign:] Inj Site Pain
Number of times reported: [12]
[Sign:] Anorexia
Number of times reported: [9]
[Sign:] Hypersalivation

Number of times reported: [9]
[Sign:] Stiffness
Number of times reported: [9]
[Sign:] Ataxia
Number of times reported: [8]
[Sign:] Death(euthanized)
Number of times reported: [8]
[Sign:] Staggering
Number of times reported: [8]
[Sign:] Death(tx Failure)
Number of times reported: [7]
[Sign:] Depression/lethargy
Number of times reported: [6]
[Sign:] Lameness
Number of times reported: [6]
[Sign:] Distress, Resp
Number of times reported: [5]
[Sign:] Fever, Body
Number of times reported: [5]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [5]
[Sign:] Shaking
Number of times reported: [5]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [5]
[Sign:] Trembling
Number of times reported: [5]
[Sign:] Froth, Nose
Number of times reported: [4]
[Sign:] Ineffect
Number of times reported: [4]
[Sign:] Inj Site Mass
Number of times reported: [4]
[Sign:] Abortion
Number of times reported: [3]
[Sign:] Cyanosis
Number of times reported: [3]
[Sign:] Discharge, Nose
Number of times reported: [3]
[Sign:] Discomfort
Number of times reported: [3]
[Sign:] Distress

Number of times reported: [3]
[Sign:] Epistaxis
Number of times reported: [3]
[Sign:] Hyperactivity
Number of times reported: [3]
[Sign:] Inj Site Abn
Number of times reported: [3]
[Sign:] Pain
Number of times reported: [3]
[Sign:] Pd-color, Abn
Number of times reported: [3]
[Sign:] Swelling, Head/face
Number of times reported: [3]
[Sign:] Twitch
Number of times reported: [3]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Bloat
Number of times reported: [2]
[Sign:] Breathing Abn
Number of times reported: [2]
[Sign:] Circling
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Inj Site Inflam
Number of times reported: [2]
[Sign:] Inj Site Seroma
Number of times reported: [2]
[Sign:] Pain, Neck
Number of times reported: [2]
[Sign:] Pd-solution, Abn
Number of times reported: [2]
[Sign:] Reaction, Unspecified

Number of times reported: [2]
[Sign:] Stiffness, Front Limb(
Number of times reported: [2]
[Sign:] Stiffness, Limb(s)
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Swelling, Limb(s)
Number of times reported: [2]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Emphysema, Sq
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Inj Site Bld

Number of times reported: [1]
[Sign:] Inj Site Slough
Number of times reported: [1]
[Sign:] Inj Site Stiffness
Number of times reported: [1]
[Sign:] Kicking
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-fetus, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Residue, Meat
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Rolling
Number of times reported: [1]
[Sign:] Shaking, Head/face

Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Squinting
Number of times reported: [1]
[Sign:] Stiffness, Neck
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Sweating
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Brisket/ches
Number of times reported: [1]
[Sign:] Swelling, Neck
Number of times reported: [1]
[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]
[Sign:] Tenesmus, Rectal
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Torticollis
Number of times reported: [1]
[Sign:] Udder, Hypogalactia
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Oxytetracycline

Parenteral, Dog

[Sign:] Inj Site Swelling
Number of times reported: [6]

[Sign:] Inj Site Pain
Number of times reported: [5]

[Sign:] Depression/lethargy
Number of times reported: [4]

[Sign:] Fever, Body
Number of times reported: [3]

[Sign:] Inj Site Inflam
Number of times reported: [3]

[Sign:] Lameness
Number of times reported: [2]

[Sign:] Weakness
Number of times reported: [2]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Infection
Number of times reported: [1]

[Sign:] Inj Site Abn
Number of times reported: [1]

[Sign:] Inj Site Abscess
Number of times reported: [1]

[Sign:] Inj Site Edema
Number of times reported: [1]

[Sign:] Inj Site Induration
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] P Hi, Bld
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Swelling, Ventrurn
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Drug:] Oxytetracycline

Parenteral, Goat

[Sign:] Abortion
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Bld, Vagina
Number of times reported: [1]

[Sign:] Inj Site Abn
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]

[Sign:] Residue, Meat
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Oxytetracycline

Parenteral, Horse

[Sign:] Anaphylaxis/toid
Number of times reported: [12]

[Sign:] Death
Number of times reported: [11]

[Sign:] Collapse
Number of times reported: [7]

[Sign:] Dyspnea
Number of times reported: [4]

[Sign:] Urticaria
Number of times reported: [4]

[Sign:] Ataxia
Number of times reported: [3]

[Sign:] Pain, Abdomen
Number of times reported: [3]

[Sign:] Recumbency
Number of times reported: [3]

[Sign:] Apprehension
Number of times reported: [2]

[Sign:] Arrest, Heart
Number of times reported: [2]

[Sign:] Breathing Abn
Number of times reported: [2]

[Sign:] Hyperpnea
Number of times reported: [2]

[Sign:] Thrashing/paddling
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Weakness
Number of times reported: [2]

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Colitis
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]

[Sign:] Death(tx Failure)
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Edema
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Hypertonia
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Stiffness, Front Limb(
Number of times reported: [1]

[Sign:] Stiffness, Neck
Number of times reported: [1]

[Sign:] Sweating
Number of times reported: [1]

[Sign:] Volvulus
Number of times reported: [1]

[Drug:] Oxytetracycline

Parenteral, Human

[Sign:] Inj Site Swelling

Number of times reported: [7]

[Sign:] Inj Site Bld

Number of times reported: [3]

[Sign:] Accidental Exposure

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [2]

[Sign:] Human Exposure, Inj

Number of times reported: [2]

[Sign:] Inj Site Abn

Number of times reported: [2]

[Sign:] Inj Site Inflam

Number of times reported: [2]

[Sign:] Inj Site Mass

Number of times reported: [2]

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Septicemia

Number of times reported: [1]

[Drug:] Oxytetracycline

Parenteral, Pig

[Sign:] Death

Number of times reported: [4]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Oxytetracycline

Parenteral, Sheep

[Sign:] Death
Number of times reported: [3]

[Sign:] Inj Site Pain
Number of times reported: [3]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Sign:] Inj Site Infect
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Drug:] Oxytetracycline

Topical, Fish

[Sign:] Ineffect, Other Drug(s)
Number of times reported: [1]

[Drug:] Oxytetracycline

Topical, Human

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Headache
Number of times reported: [1]

[Sign:] Human Exposure, Topica
Number of times reported: [1]

[Sign:] Irritation, Skin
Number of times reported: [1]

[Sign:] No Signs
Number of times reported: [1]

[Sign:] Paresthesia
Number of times reported: [1]

[Sign:] Pd-color, Abn
Number of times reported: [1]
[Sign:] Pd-granules/powder, Abn
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]

[Drug:] Oxytetracycline

Topical, Other

[Sign:] Death
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Drug:] Oxytetracycline

Unknown, Cattle

[Sign:] Death
Number of times reported: [19]
[Sign:] Anaphylaxis/toid
Number of times reported: [13]
[Sign:] Collapse
Number of times reported: [7]
[Sign:] Ineffect, Antibiotic
Number of times reported: [7]
[Sign:] Dyspnea
Number of times reported: [4]
[Sign:] Inj Site Swelling
Number of times reported: [4]
[Sign:] Lameness
Number of times reported: [3]
[Sign:] Abortion
Number of times reported: [2]
[Sign:] Death(tx Failure)
Number of times reported: [2]
[Sign:] Distress, Resp
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Inj Site Abn
Number of times reported: [2]

[Sign:] Residue, Milk
Number of times reported: [2]

[Sign:] Chemistry Abn
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Culture/titer Data Abn
Number of times reported: [1]

[Sign:] Cyanosis
Number of times reported: [1]

[Sign:] Edema, Vulva
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Ineffect
Number of times reported: [1]

[Sign:] Inj Site Mass
Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn
Number of times reported: [1]

[Sign:] Protrusion, Eye(s)
Number of times reported: [1]

[Sign:] Reaction, Unspecified
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Residue, Meat
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Swelling, Limb(s)
Number of times reported: [1]

[Sign:] Transudate
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Drug:] Oxytetracycline

Unknown, Chicken

[Sign:] Egg Abn

Number of times reported: [1]

[Drug:] Oxytetracycline

Unknown, Dog

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Drug:] Oxytetracycline

Unknown, Goat

[Sign:] Residue, Meat

Number of times reported: [2]

[Sign:] Residue, Milk

Number of times reported: [2]

[Sign:] Death(tx Failure)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Drug:] Oxytetracycline

Unknown, Human

[Sign:] Bld, Abn

Number of times reported: [1]

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Liver Disorder

Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld

Number of times reported: [1]

[Sign:] Pain, Hind Limb(s)

Number of times reported: [1]

[Sign:] Paraesthesia

Number of times reported: [1]

[Drug:] Oxytetracycline

Unknown, Other

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Drug:] Oxytetracycline

Unknown, Various

[Sign:] Death

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Drug:] Oxytetracycline

Various, Cattle

[Sign:] Death

Number of times reported: [9]

[Sign:] Anaphylaxis/toid

Number of times reported: [5]

[Sign:] Inj Site Swelling

Number of times reported: [3]

[Sign:] Inj Site Edema

Number of times reported: [2]

[Sign:] Inj Site Infect

Number of times reported: [2]

[Sign:] Inj Site Necrosis

Number of times reported: [2]

[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [2]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [2]

[Sign:] Reaction, Unspecified

Number of times reported: [2]

[Sign:] Trembling

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bld

Number of times reported: [1]

[Sign:] Cellulitis

Number of times reported: [1]

[Sign:] Chemistry Abn
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Inj Site Bld
Number of times reported: [1]

[Sign:] Inj Site Fibrosis
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Seroma
Number of times reported: [1]

[Sign:] Myositis
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Drug:] Oxytetracycline

Various, Dog

[Sign:] Depression/lethargy
Number of times reported: [1]

[Drug:] Oxytetracycline, Neomycin

Defect, Not Applicable

[Sign:] Pd-granules, Abn
Number of times reported: [2]

[Drug:] Oxytetracycline, Neomycin

Missing, Cattle

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Drug:] Oxytetracycline, Neomycin

Oral, Cattle

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

[Drug:] Oxytetracycline, Polymyxin B

Defect, Not Applicable

[Sign:] Pd-cap(s), Abn

Number of times reported: [7]

[Sign:] Pd-tube(s), Abn

Number of times reported: [7]

[Sign:] Pd-underfill, Package

Number of times reported: [7]

[Sign:] Pd-gel/paste, Abn

Number of times reported: [6]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [6]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [5]

[Sign:] Pd-color, Abn

Number of times reported: [2]

[Sign:] Pd-container(s), Abn

Number of times reported: [2]

[Sign:] Pd-defect Unknown

Number of times reported: [2]

[Sign:] Pd-product Defect

Number of times reported: [2]

[Sign:] Pd-seal, Abn

Number of times reported: [2]

[Sign:] Pd-solution, Abn

Number of times reported: [2]

[Sign:] Pd-tube(s), Damaged

Number of times reported: [2]

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

[Sign:] Pd-dispenser, Abn
Number of times reported: [1]

[Drug:] Oxytetracycline, Polymyxin B
Missing, Dog

[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]

[Drug:] Oxytetracycline, Polymyxin B
Ophthalmic, Cat

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [19]

[Sign:] Vomiting
Number of times reported: [13]

[Sign:] Anaphylaxis/toid
Number of times reported: [10]

[Sign:] Conjunctivitis
Number of times reported: [7]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [7]

[Sign:] Diarrhea
Number of times reported: [6]

[Sign:] Depression/lethargy
Number of times reported: [5]

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [4]

[Sign:] Pruritis, Eye(s)
Number of times reported: [4]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [3]

[Sign:] Death
Number of times reported: [3]

[Sign:] Ineffect, Antibiotic
Number of times reported: [3]

[Sign:] Nervousness
Number of times reported: [3]

[Sign:] Anemia
Number of times reported: [2]

[Sign:] Ataxia
Number of times reported: [2]

[Sign:] Blepharospasm
Number of times reported: [2]

[Sign:] Blindness
Number of times reported: [2]

[Sign:] Congestion, Skin
Number of times reported: [2]

[Sign:] Convulsion(s)
Number of times reported: [2]

[Sign:] Culture/titer Data Abn
Number of times reported: [2]

[Sign:] Dyspnea
Number of times reported: [2]

[Sign:] Edema, Head/face
Number of times reported: [2]

[Sign:] Epiphora
Number of times reported: [2]

[Sign:] Hyperpnea
Number of times reported: [2]

[Sign:] Hypersalivation
Number of times reported: [2]

[Sign:] Kidney Disorder
Number of times reported: [2]

[Sign:] Vocalization
Number of times reported: [2]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Anisocoria
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Application Site Erythema
Number of times reported: [1]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Arrhythmia
Number of times reported: [1]

[Sign:] Bld(hematoma)
Number of times reported: [1]

[Sign:] Blindness, Partial
Number of times reported: [1]

[Sign:] Cardiomegaly
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Congestion
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Ear Disorder
Number of times reported: [1]

[Sign:] Ecg Abn
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Eye Disorder
Number of times reported: [1]

[Sign:] Hiding
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]

[Sign:] Icterus, Body
Number of times reported: [1]

[Sign:] Inflam
Number of times reported: [1]

[Sign:] Inflam, Skin
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Liver Disorder
Number of times reported: [1]

[Sign:] Loss Of Condition
Number of times reported: [1]

[Sign:] Mass
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Opacity, Cornea(s)
Number of times reported: [1]

[Sign:] Pd-contamination
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]

[Sign:] Pupil(s), Areflexia
Number of times reported: [1]

[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] Reflex(es) Abn
Number of times reported: [1]

[Sign:] Shaking, Head/face
Number of times reported: [1]

[Sign:] Somnolence
Number of times reported: [1]

[Sign:] Stiffness, Front Limb(
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Syncope
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Urination
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Oxytetracycline, Polymyxin B
Ophthalmic, Dog

[Sign:] Conjunctivitis

Number of times reported: [2]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Blepharospasm

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Pr-eye(s)/lid(s), Lesi

Number of times reported: [1]

[Sign:] Teeth, Abn

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Urination Abn

Number of times reported: [1]

[Sign:] Uveitis

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Oxytetracycline, Polymyxin B

Ophthalmic, Horse

[Sign:] Edema, Cornea(s)

Number of times reported: [1]

[Drug:] Oxytetracycline, Polymyxin B

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [3]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Edema, Head/face

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Oxytetracycline, Polymyxin B

Ophthalmic, Other

[Sign:] Application Site Alopecia

Number of times reported: [1]

[Sign:] Application Site Erythema

Number of times reported: [1]

[Sign:] Application Site Pruritis

Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Drug:] Oxytetracycline, Polymyxin B

Ophthalmic, Rabbit

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Hypomotility

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Drug:] Oxytetracycline, Polymyxin B

Oral, Cat

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Oxytetracycline, Polymyxin B

Oral, Dog

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Oxytetracycline, Polymyxin B

Topical, Cat

[Sign:] Conjunctivitis

Number of times reported: [3]

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Blepharospasm

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(

Number of times reported: [1]

[Sign:] Epiphora

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Infection, Eye(s)

Number of times reported: [1]

[Sign:] Pawing

Number of times reported: [1]

[Sign:] Photophobia

Number of times reported: [1]

[Sign:] Shaking, Head/face

Number of times reported: [1]

[Sign:] Squinting

Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Oxytetracycline, Polymyxin B

Topical, Horse

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Drug:] Oxytetracycline, Polymyxin B

Topical, Human

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-tube(s), Abn

Number of times reported: [1]

[Drug:] Oxytetracycline, Polymyxin B

Topical, Rabbit

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Drug:] Oxytocin

Defect, Not Applicable

[Sign:] Pd-potency, Lo

Number of times reported: [5]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Drug:] Oxytocin

Parenteral, Bird

[Sign:] Death

Number of times reported: [1]

[Drug:] Oxytocin

Parenteral, Cattle

[Sign:] Ineffect, Milk Letdown

Number of times reported: [5]

[Sign:] Ineffect

Number of times reported: [3]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Death(tx Failure)

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Ineffect, Delayed Effe

Number of times reported: [1]

[Sign:] Ineffect, Expul Placen

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Kicking

Number of times reported: [1]

[Sign:] Pr-lung(s), Edema

Number of times reported: [1]

[Drug:] Oxytocin

Parenteral, Dog

[Sign:] Ill

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Ineffect, Expul Placen

Number of times reported: [1]

[Drug:] Oxytocin

Parenteral, Pig

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Loss Of Condition

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Oxytocin

Unknown, Cattle

[Sign:] Ineffect, Milk Letdown

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [1]

[Drug:] Oxytocin

Unknown, Pig

[Sign:] Udder, Agalactia

Number of times reported: [1]

[Drug:] Pancreatin

Oral, Dog

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Drug:] Paromomycin

Oral, Cat

[Sign:] Kidney Failure

Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine

Defect, Not Applicable

[Sign:] Pd-suspension, Abn

Number of times reported: [16]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [9]

[Sign:] Pd-solution, Abn

Number of times reported: [4]

[Sign:] Pd-product Defect

Number of times reported: [3]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine

Missing, Pig

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine

Parenteral, Cat

[Sign:] Dyspnea

Number of times reported: [5]

[Sign:] Anaphylaxis/toid

Number of times reported: [3]

[Sign:] Convulsion(s)

Number of times reported: [3]

[Sign:] Death

Number of times reported: [3]

[Sign:] Cyanosis

Number of times reported: [2]

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Mydriasis

Number of times reported: [2]

[Sign:] Polypnea

Number of times reported: [2]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Nystagmus

Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine

Parenteral, Cattle

[Sign:] Death

Number of times reported: [19]

[Sign:] Anaphylaxis/toid
Number of times reported: [9]

[Sign:] Ineffect, Antibiotic
Number of times reported: [4]

[Sign:] Collapse
Number of times reported: [3]

[Sign:] Ataxia
Number of times reported: [2]

[Sign:] Convulsion(s)
Number of times reported: [2]

[Sign:] Hypersalivation
Number of times reported: [2]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [2]

[Sign:] Shaking
Number of times reported: [2]

[Sign:] Bld(petechiae)
Number of times reported: [1]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Residue, Milk
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine
Parenteral, Deer

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine
Parenteral, Dog

[Sign:] Inj Site Swelling
Number of times reported: [14]
[Sign:] Inj Site Abscess
Number of times reported: [10]
[Sign:] Inj Site Necrosis
Number of times reported: [10]
[Sign:] Convulsion(s)
Number of times reported: [7]
[Sign:] Inj Site Pain
Number of times reported: [5]
[Sign:] Inj Site Inflam
Number of times reported: [4]
[Sign:] Inj Site Mass
Number of times reported: [4]
[Sign:] Inj Site Sterile Absce
Number of times reported: [4]
[Sign:] Ataxia
Number of times reported: [3]
[Sign:] Death
Number of times reported: [3]
[Sign:] Inj Site Induration
Number of times reported: [3]
[Sign:] Inj Site Slough
Number of times reported: [3]
[Sign:] Vomiting
Number of times reported: [3]

[Sign:] Diarrhea, Bloody
Number of times reported: [2]

[Sign:] Hematochezia
Number of times reported: [2]

[Sign:] Inj Site Abn
Number of times reported: [2]

[Sign:] Nystagmus
Number of times reported: [2]

[Sign:] Swelling
Number of times reported: [2]

[Sign:] Swelling, Head/face
Number of times reported: [2]

[Sign:] Swelling, Neck
Number of times reported: [2]

[Sign:] Twitch
Number of times reported: [2]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anesth Recov Prolonged
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Diarrhea, Severe
Number of times reported: [1]

[Sign:] Ecg Abn
Number of times reported: [1]

[Sign:] Edema
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Inj Site Infect
Number of times reported: [1]

[Sign:] Inj Site Pruritis
Number of times reported: [1]

[Sign:] Inj Site Sepsis
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Sign:] Vomiting, Severe
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine
Parenteral, Goat

[Sign:] Anaphylaxis/toid
Number of times reported: [2]

[Sign:] Convulsion(s)
Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine
Parenteral, Horse

[Sign:] Death
Number of times reported: [36]

[Sign:] Anaphylaxis/toid
Number of times reported: [29]

[Sign:] Collapse
Number of times reported: [12]

[Sign:] Inj Site Swelling
Number of times reported: [10]

[Sign:] Convulsion(s)
Number of times reported: [5]

[Sign:] Ataxia
Number of times reported: [4]

[Sign:] Dyspnea
Number of times reported: [4]

[Sign:] Recumbency
Number of times reported: [4]

[Sign:] Nervousness
Number of times reported: [3]

[Sign:] Thrashing/paddling
Number of times reported: [3]

[Sign:] Circling
Number of times reported: [2]

[Sign:] Death(euthanized)
Number of times reported: [2]

[Sign:] Distress, Resp
Number of times reported: [2]

[Sign:] Inj Site Abscess
Number of times reported: [2]

[Sign:] Lameness
Number of times reported: [2]

[Sign:] Pain, Abdomen
Number of times reported: [2]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [2]

[Sign:] Stumbling
Number of times reported: [2]

[Sign:] Swelling, Neck
Number of times reported: [2]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Inj Site Inflam
Number of times reported: [1]

[Sign:] Inj Site Mass
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Sepsis
Number of times reported: [1]

[Sign:] Inj Site Sterile Absce
Number of times reported: [1]

[Sign:] Inj Site Stiffness
Number of times reported: [1]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]

[Sign:] Pallor
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]

[Sign:] Proprioceptive Disorde
Number of times reported: [1]

[Sign:] Rearing
Number of times reported: [1]

[Sign:] Stiffness
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Sign:] Swelling, Adm Site
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine
Parenteral, Human

[Sign:] Inj Site Infect
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine
Parenteral, Pig

[Sign:] Death
Number of times reported: [10]

[Sign:] Vomiting
Number of times reported: [9]

[Sign:] Depression/lethargy
Number of times reported: [5]

[Sign:] Anaphylaxis/toid
Number of times reported: [2]

[Sign:] Diarrhea
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Diarrhea, Mild
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Eye Disorder
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Inj Site Bld
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Skin Abnormal
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine
Parenteral, Rabbit

[Sign:] Inj Site Alopecia
Number of times reported: [1]

[Sign:] Inj Site Hair, Abn
Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine
Parenteral, Various

[Sign:] Death
Number of times reported: [2]
[Sign:] Inj Site Abscess
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine
Topical, Human

[Sign:] Skin Disorder
Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine
Topical, Rabbit

[Sign:] Application Site, Alopecia
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine
Unknown, Cattle

[Sign:] Death
Number of times reported: [6]
[Sign:] Anaphylaxis/toid
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Froth, Nose
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine
Unknown, Dog

[Sign:] Inj Site Abscess
Number of times reported: [6]

[Sign:] Diarrhea, Bloody
Number of times reported: [2]

[Sign:] Inj Site Swelling
Number of times reported: [2]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Bld, Anus
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]

[Sign:] Reaction, Unspecified
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Sign:] Vomiting, Severe
Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine
Unknown, Horse

[Sign:] Anaphylaxis/toid
Number of times reported: [3]

[Sign:] Ataxia
Number of times reported: [3]

[Sign:] Death
Number of times reported: [3]

[Sign:] Shaking
Number of times reported: [3]

[Sign:] Trembling
Number of times reported: [3]

[Sign:] Tachycardia
Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine
Unknown, Pig

[Sign:] Death
Number of times reported: [2]

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

[Sign:] Vomiting, Severe

Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine

Unknown, Sheep

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine

Unknown, Various

[Sign:] Death

Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine

Various, Cattle

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine

Various, Horse

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Drug:] Penicillin G Benzathine, Penicillin G Procaine

Various, Sheep

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Drug:] Penicillin G Potassium

Oral, Pig

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Drug:] Penicillin G Potassium

Oral, Turkey

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Drug:] Penicillin G Potassium

Parenteral, Horse

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Pawing

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Defect, Not Applicable

[Sign:] Pd-suspension, Abn

Number of times reported: [64]

[Sign:] Pd-container(s), Damag

Number of times reported: [8]

[Sign:] Pd-color, Abn

Number of times reported: [6]

[Sign:] Pd-solution, Abn

Number of times reported: [6]

[Sign:] Pd-product Defect

Number of times reported: [5]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [5]

[Sign:] Pd-odor, Abn

Number of times reported: [4]

[Sign:] Pd-missing, Label(s)

Number of times reported: [2]

[Sign:] Pd-seal, Abn

Number of times reported: [2]

[Sign:] Pd-underfill, Package

Number of times reported: [2]

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-contam, Insects

Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

[Sign:] Pd-unknown

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Intramammary, Cattle

[Sign:] Death
Number of times reported: [6]

[Sign:] Pd-label(s), Abn
Number of times reported: [2]

[Sign:] Udder, Swelling
Number of times reported: [2]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Pd-potency, Lo
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Residue, Milk
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Spasm
Number of times reported: [1]

[Sign:] Udder, Abn
Number of times reported: [1]

[Sign:] Udder, Mastitis
Number of times reported: [1]

[Drug:] Penicillin G Procaine

Missing, Cattle

[Sign:] Residue, Milk
Number of times reported: [2]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Kicking

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Vagina/vulva

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Missing, Horse

[Sign:] Inj Site Swelling

Number of times reported: [3]

[Sign:] Inj Site Inflam

Number of times reported: [2]

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Inj Site Stiffness

Number of times reported: [1]

[Sign:] Pawing

Number of times reported: [1]

[Sign:] Stiffness, Neck

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Missing, Pig

[Sign:] Death

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Oral, Dog

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Inj Site Edema

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Oral, Pig

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Regurgitation

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Parenteral, Alpaca

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Parenteral, Cat

[Sign:] Anaphylaxis/toid

Number of times reported: [4]

[Sign:] Death

Number of times reported: [4]

[Sign:] Arrest, Heart

Number of times reported: [2]

[Sign:] Distress, Resp

Number of times reported: [2]

[Sign:] Vocalization

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Inj Site Alopecia

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Seroma

Number of times reported: [1]

[Sign:] Inj Site Sterile Absce

Number of times reported: [1]

[Sign:] Prolapse, Tongue

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Parenteral, Cattle

[Sign:] Death

Number of times reported: [33]

[Sign:] Anaphylaxis/toid

Number of times reported: [20]

[Sign:] Residue, Milk

Number of times reported: [14]

[Sign:] Collapse

Number of times reported: [6]

[Sign:] Dyspnea

Number of times reported: [5]

[Sign:] Hypersalivation

Number of times reported: [5]

[Sign:] Shaking

Number of times reported: [5]

[Sign:] Ineffect, Antibiotic

Number of times reported: [3]

[Sign:] Nervousness

Number of times reported: [3]

[Sign:] Recumbency
Number of times reported: [3]

[Sign:] Apprehension
Number of times reported: [2]

[Sign:] Coughing
Number of times reported: [2]

[Sign:] Hyperactivity
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Urticaria
Number of times reported: [2]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Death(slaughtered)
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Eye Disorder
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Kicking
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Pd-label(s), Abn
Number of times reported: [1]

[Sign:] Pd-potency, Lo
Number of times reported: [1]

[Sign:] Pd-suspension, Abn
Number of times reported: [1]

[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]

[Sign:] Residue, Meat
Number of times reported: [1]

[Sign:] Shaking, Head/face
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Udder, Abn
Number of times reported: [1]

[Sign:] Udder, Pain
Number of times reported: [1]

[Drug:] Penicillin G Procaine

Parenteral, Dog

[Sign:] Inj Site Swelling
Number of times reported: [6]

[Sign:] Inj Site Abscess
Number of times reported: [5]

[Sign:] Anaphylaxis/toid
Number of times reported: [3]

[Sign:] Reluctant To Move
Number of times reported: [3]

[Sign:] Arrest, Heart
Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Inj Site Pain
Number of times reported: [2]

[Sign:] Inj Site Seroma
Number of times reported: [2]

[Sign:] Shaking
Number of times reported: [2]

[Sign:] Stiffness
Number of times reported: [2]

[Sign:] Urticaria
Number of times reported: [2]

[Sign:] Vomiting
Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Enlargement(s)

Number of times reported: [1]

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Inj Site Sterile Absce

Number of times reported: [1]

[Sign:] Miosis

Number of times reported: [1]

[Sign:] Polycythemia

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Parenteral, Goat

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Death

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Parenteral, Horse

[Sign:] Death

Number of times reported: [25]

[Sign:] Collapse

Number of times reported: [21]

[Sign:] Hyperactivity

Number of times reported: [18]

[Sign:] Anaphylaxis/toid

Number of times reported: [17]
[Sign:] Ataxia
Number of times reported: [9]
[Sign:] Inj Site Swelling
Number of times reported: [7]
[Sign:] Trembling
Number of times reported: [7]
[Sign:] Nervousness
Number of times reported: [6]
[Sign:] Confusion
Number of times reported: [5]
[Sign:] Shaking
Number of times reported: [5]
[Sign:] Stumbling
Number of times reported: [5]
[Sign:] Sweating
Number of times reported: [5]
[Sign:] Convulsion(s)
Number of times reported: [4]
[Sign:] Inj Site Pain
Number of times reported: [4]
[Sign:] Anorexia
Number of times reported: [3]
[Sign:] Distress, Resp
Number of times reported: [3]
[Sign:] Dyspnea
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Hyperesthesia
Number of times reported: [3]
[Sign:] Hyperpnea
Number of times reported: [3]
[Sign:] Staggering
Number of times reported: [3]
[Sign:] Swelling
Number of times reported: [3]
[Sign:] Urticaria
Number of times reported: [3]
[Sign:] Weakness
Number of times reported: [3]
[Sign:] Blindness, Temp

Number of times reported: [2]
[Sign:] Hypersensitive, Sound
Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Rearing
Number of times reported: [2]
[Sign:] Thrashing/paddling
Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Vocalization
Number of times reported: [2]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Defecation
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Hypopnea

Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Inj Site Stiffness
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] Kicking
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-suspension, Abn
Number of times reported: [1]
[Sign:] Photophobia
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Scrotum
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]

[Drug:] Penicillin G Procaine

Parenteral, Llama

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Drug:] Penicillin G Procaine

Parenteral, Pig

[Sign:] Death
Number of times reported: [14]

[Sign:] Vomiting
Number of times reported: [13]

[Sign:] Anaphylaxis/toid
Number of times reported: [7]

[Sign:] Diarrhea
Number of times reported: [4]

[Sign:] Distress, Resp
Number of times reported: [4]

[Sign:] Dyspnea
Number of times reported: [3]

[Sign:] Convulsion(s)
Number of times reported: [2]

[Sign:] Depression/lethargy
Number of times reported: [2]

[Sign:] Fever, Body
Number of times reported: [2]

[Sign:] Shaking
Number of times reported: [2]

[Sign:] Abortion
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Cns Disorder
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Regurgitation

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Parenteral, Sheep

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Parenteral, Various

[Sign:] Dermatitis, Moist

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Suppository, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Unknown, Cat

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Unknown, Cattle

[Sign:] Death

Number of times reported: [7]

[Sign:] Anaphylaxis/toid

Number of times reported: [6]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Distress, Resp

Number of times reported: [2]

[Sign:] Residue, Milk

Number of times reported: [2]

[Sign:] Bld, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Unknown, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Cyanosis

Number of times reported: [2]

[Sign:] Inj Site Abscess

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Unknown, Goat

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Unknown, Horse

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Swelling, Tongue

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Unknown, Human

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Drug:] Penicillin G Procaine

Unknown, Pig

[Sign:] Death
Number of times reported: [5]

[Sign:] Vomiting
Number of times reported: [3]

[Sign:] Distress, Resp
Number of times reported: [2]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Off Feed
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Posture Abn
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Regurgitation
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Penicillin G Procaine

Unknown, Sheep

[Sign:] Death
Number of times reported: [1]

[Drug:] Penicillin G Procaine

Unknown, Various

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Various, Cattle

[Sign:] Residue, Milk

Number of times reported: [1]

[Drug:] Penicillin G Procaine

Various, Dog

[Sign:] Swelling, Head/face

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Inj Site Sterile Absce

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Penicillin V Potassium

Defect, Not Applicable

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-contam, Mold

Number of times reported: [1]

[Drug:] Pentobarbital

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Drug:] Pentobarbital

Oral, Dog

[Sign:] Neurological Disorder

Number of times reported: [1]

[Drug:] Pentobarbital

Parenteral, Cat

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Drug:] Pentobarbital

Parenteral, Dog

[Sign:] Ineffect, Euthanasia

Number of times reported: [4]

[Drug:] Pentobarbital

Parenteral, Donkey

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Drug:] Pentobarbital

Parenteral, Horse

[Sign:] Ineffect, Euthanasia

Number of times reported: [6]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Drug:] Pentobarbital

Parenteral, Various

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Drug:] Pentobarbital

Suppository, Cat

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Drug:] Pentobarbital

Unknown, Dog

[Sign:] Ineffect, Euthanasia

Number of times reported: [2]

[Drug:] Pentobarbital

Unknown, Unknown

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Drug:] Pentobarbital

Various, Cat

[Sign:] Breathing, Difficult

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Ineffect, Delayed Effe

Number of times reported: [1]

[Drug:] Pentobarbital

Various, Unknown

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Defect, Not Applicable

[Sign:] Pd-seal, Abn

Number of times reported: [12]

[Sign:] Pd-solution, Abn

Number of times reported: [6]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [6]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [5]

[Sign:] Pd-container(s), Abn

Number of times reported: [4]

[Sign:] Pd-cap(s), Abn

Number of times reported: [3]

[Sign:] Pd-product Defect

Number of times reported: [3]

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Damag
Number of times reported: [1]
[Sign:] Pd-missing, Cap
Number of times reported: [1]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Intranasal, Human

[Sign:] Dizziness
Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Missing, Cat

[Sign:] Ineffect, Euthanasia
Number of times reported: [3]

[Drug:] Pentobarbital, Phenytoin

Missing, Dog

[Sign:] Ineffect, Euthanasia
Number of times reported: [41]

[Sign:] Death(euthanized)
Number of times reported: [4]

[Sign:] Vocalization
Number of times reported: [2]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Pd-potency, Lo
Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Missing, Horse

[Sign:] Ineffect, Euthanasia
Number of times reported: [4]

[Drug:] Pentobarbital, Phenytoin

Missing, Human

[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Missing, Missing Information

[Sign:] Ineffect, Euthanasia
Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Missing, Unknown

[Sign:] Ineffect, Euthanasia
Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Missing, Various

[Sign:] Ineffect, Euthanasia
Number of times reported: [5]

[Sign:] Pd-potency, Lo
Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Ophthalmic, Dog

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [28]

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [7]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [4]

[Sign:] Dizziness
Number of times reported: [3]

[Sign:] Eye Disorder
Number of times reported: [3]

[Sign:] S-irritation, Eye(s)/lid

Number of times reported: [3]

[Sign:] Vision Disorder

Number of times reported: [3]

[Sign:] Conjunctivitis

Number of times reported: [2]

[Sign:] Edema, Cornea(s)

Number of times reported: [2]

[Sign:] Human Exposure, Eye(s)

Number of times reported: [2]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [2]

[Sign:] Abrasion, Cornea(s)

Number of times reported: [1]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Human Exposure, Topica

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pruritis, Eye(s)

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Oral, Cat

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Oral, Dog

[Sign:] Ataxia

Number of times reported: [5]
[Sign:] Recumbency
Number of times reported: [4]
[Sign:] Hypothermia, Body
Number of times reported: [3]
[Sign:] Unconscious
Number of times reported: [3]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Hypopnea
Number of times reported: [2]
[Sign:] Sedation
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Vocalization
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Ineffect, Euthanasia
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Nystagmus

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Pressure Hi, Bld

Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)

Number of times reported: [1]

[Sign:] Reflex(es) Abn

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Oral, Horse

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Sign:] Tox

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Oral, Human

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Suicide Attempt

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Oral, Lion

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Oral, Unknown

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Parenteral, Cat

[Sign:] Ineffect, Euthanasia

Number of times reported: [22]

[Sign:] Death(euthanized)

Number of times reported: [7]

[Sign:] Pd-potency, Lo

Number of times reported: [6]

[Sign:] Inj Site Pain

Number of times reported: [4]

[Sign:] Vocalization

Number of times reported: [4]

[Sign:] Breathing Abn

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [2]

[Sign:] Ineffect, Delayed Effe

Number of times reported: [2]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Distress
Number of times reported: [1]

[Sign:] Hypothermia, Body
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Pd-solution, Abn
Number of times reported: [1]

[Sign:] Rearing
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Thrashing/paddling
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin
Parenteral, Cattle

[Sign:] Ineffect, Delayed Effe
Number of times reported: [1]

[Sign:] Ineffect, Euthanasia
Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin
Parenteral, Dog

[Sign:] Ineffect, Euthanasia
Number of times reported: [232]

[Sign:] Ineffect
Number of times reported: [33]

[Sign:] Ineffect, Delayed Effe
Number of times reported: [32]

[Sign:] Death(euthanized)
Number of times reported: [31]

[Sign:] Vocalization
Number of times reported: [31]

[Sign:] Inj Site Pain
Number of times reported: [20]

[Sign:] Pd-potency, Lo
Number of times reported: [16]

[Sign:] Hyperactivity
Number of times reported: [13]

[Sign:] Pd-solution, Abn
Number of times reported: [13]

[Sign:] Breathing Abn
Number of times reported: [5]

[Sign:] Convulsion(s)
Number of times reported: [5]

[Sign:] Spasm
Number of times reported: [5]

[Sign:] Biting/chewing
Number of times reported: [4]

[Sign:] Sedation
Number of times reported: [4]

[Sign:] Twitch
Number of times reported: [4]

[Sign:] Aggression
Number of times reported: [3]

[Sign:] Breathing, Periodic
Number of times reported: [3]

[Sign:] Opisthotonos
Number of times reported: [3]

[Sign:] Thrashing/paddling
Number of times reported: [3]

[Sign:] Behavior Disorder
Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Dyspnea
Number of times reported: [2]

[Sign:] Hypopnea
Number of times reported: [2]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Defecation
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Discomfort
Number of times reported: [1]

[Sign:] Dissociation
Number of times reported: [1]

[Sign:] Distress
Number of times reported: [1]

[Sign:] Hypothermia
Number of times reported: [1]

[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Sign:] Jerking
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Posture Abn
Number of times reported: [1]

[Sign:] Stiffness
Number of times reported: [1]

[Sign:] Tail Disorder
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Sign:] Unknown
Number of times reported: [1]

[Sign:] Urination
Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Parenteral, Horse

[Sign:] Ineffect, Euthanasia
Number of times reported: [36]

[Sign:] Convulsion(s)
Number of times reported: [6]

[Sign:] Hyperactivity
Number of times reported: [5]

[Sign:] Pd-potency, Lo
Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Breathing Abn

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Ineffect, Delayed Effe

Number of times reported: [1]

[Sign:] Inj Site Phlebitis

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Parenteral, Human

[Sign:] Inj Site Pain

Number of times reported: [7]

[Sign:] Hypoesthesia

Number of times reported: [5]

[Sign:] Inj Site Swelling

Number of times reported: [3]

[Sign:] Inj Site Abn

Number of times reported: [2]

[Sign:] Inj Site Bld

Number of times reported: [2]

[Sign:] Inj Site Inflam

Number of times reported: [2]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [2]

[Sign:] Death(suicide)

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Suicide Attempt

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Parenteral, Llama

[Sign:] Convulsion(s)

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Parenteral, Pig

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Parenteral, Rabbit

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Parenteral, Sheep

[Sign:] Ineffect, Euthanasia

Number of times reported: [3]

[Drug:] Pentobarbital, Phenytoin

Parenteral, Unknown

[Sign:] Ineffect

Number of times reported: [12]

[Sign:] Ineffect, Euthanasia

Number of times reported: [3]

[Drug:] Pentobarbital, Phenytoin

Parenteral, Various

[Sign:] Ineffect, Euthanasia

Number of times reported: [37]

[Sign:] Pd-solution, Abn

Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Breathing Abn

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Fibrillation

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Stiffness, Limb(s)

Number of times reported: [1]

[Sign:] Torticollis

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Topical, Human

[Sign:] Pd-vial(s), Damaged

Number of times reported: [2]

[Sign:] Taste Abnormality

Number of times reported: [2]

[Sign:] Blindness, Temp

Number of times reported: [1]

[Sign:] Conjunctivitis

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Human Exposure, Hand(s)

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Hypoesthesia, Feet/dig

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]

[Sign:] Photophobia
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Reaction, Unspecified
Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)
Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin
Unknown, Cat

[Sign:] Ineffect, Euthanasia
Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin
Unknown, Dog

[Sign:] Ineffect, Euthanasia
Number of times reported: [7]

[Sign:] Ineffect
Number of times reported: [3]

[Sign:] Vocalization
Number of times reported: [3]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Pd-potency, Lo
Number of times reported: [1]

[Sign:] Pd-solution, Abn
Number of times reported: [1]

[Sign:] Thrashing/paddling
Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin
Unknown, Horse

[Sign:] Ineffect

Number of times reported: [3]

[Drug:] Pentobarbital, Phenytoin

Unknown, Human

[Sign:] Hypoesthesia

Number of times reported: [2]

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Human Exposure, Inj

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Pneumonia, Aspiration

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Suicide Attempt

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Unknown, Unknown

[Sign:] Ineffect

Number of times reported: [30]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Unknown, Various

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Various, Cat

[Sign:] Pd-potency, Lo

Number of times reported: [4]

[Sign:] Ineffect, Euthanasia

Number of times reported: [2]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Various, Dog

[Sign:] Ineffect, Euthanasia

Number of times reported: [3]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Various, Horse

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Various, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [3]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Drug:] Pentobarbital, Phenytoin

Various, Various

[Sign:] Ineffect, Euthanasia

Number of times reported: [2]

[Drug:] Pentoxifylline

Oral, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Pergolide Mesylate

Defect, Not Applicable

[Sign:] Pd-underfill, Package

Number of times reported: [1]

[Drug:] Pergolide Mesylate

Missing, Horse

[Sign:] Ineffect, Cushings

Number of times reported: [1]

[Drug:] Pergolide Mesylate

Oral, Dog

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Pergolide Mesylate

Oral, Horse

[Sign:] Anorexia

Number of times reported: [29]

[Sign:] Depression/lethargy

Number of times reported: [14]

[Sign:] Pain, Abdomen

Number of times reported: [7]

[Sign:] Death(euthanized)

Number of times reported: [6]

[Sign:] Anemia

Number of times reported: [4]

[Sign:] Lameness

Number of times reported: [4]

[Sign:] Recumbency

Number of times reported: [4]

[Sign:] Sweating

Number of times reported: [4]

[Sign:] Adipsia

Number of times reported: [3]

[Sign:] Death

Number of times reported: [3]

[Sign:] Fever, Body

Number of times reported: [3]

[Sign:] Laminitis

Number of times reported: [3]

[Sign:] Weight Loss

Number of times reported: [3]

[Sign:] Aggression

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Ineffect, Cushings

Number of times reported: [2]

[Sign:] Stumbling

Number of times reported: [2]

[Sign:] Tachycardia

Number of times reported: [2]

[Sign:] Trembling

Number of times reported: [2]

[Sign:] Us Abn
Number of times reported: [2]

[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [2]

[Sign:] Weakness
Number of times reported: [2]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Bld, Abn
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Sign:] Chemistry Abn
Number of times reported: [1]

[Sign:] Chloride Lo, Bld
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Cpk Hi, Bld
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Culture/titer Data Abn
Number of times reported: [1]

[Sign:] Deafness, Partial
Number of times reported: [1]

[Sign:] Defecation Abn
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Diarrhea, Mild
Number of times reported: [1]

[Sign:] Discharge, Mammary
Number of times reported: [1]

[Sign:] Edema, Prepuce
Number of times reported: [1]

[Sign:] Effusion, Pleural
Number of times reported: [1]

[Sign:] Eye Disorder
Number of times reported: [1]

[Sign:] Gingiva, Abn
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Infection, Skin
Number of times reported: [1]

[Sign:] K Hi, Bld
Number of times reported: [1]

[Sign:] Ldh Hi, Bld
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld
Number of times reported: [1]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]

[Sign:] Na Lo, Bld
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Peritonitis
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] Pneumonia
Number of times reported: [1]

[Sign:] Polycythemia
Number of times reported: [1]

[Sign:] Polyphagia
Number of times reported: [1]

[Sign:] Prolapse, Rectum
Number of times reported: [1]

[Sign:] Prolapse, Vagina
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Skin, Crust(s)
Number of times reported: [1]

[Sign:] Skin Disorder
Number of times reported: [1]

[Sign:] Stiffness, Limb(s)
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Swelling, Limb(s)
Number of times reported: [1]

[Sign:] Swelling, Mammary
Number of times reported: [1]

[Sign:] Swelling, Tongue
Number of times reported: [1]

[Sign:] Thrashing/paddling
Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Pylorus
Number of times reported: [1]

[Sign:] Urticaria
Number of times reported: [1]

[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Pergolide Mesylate

Oral, Mule

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Pain, Neck
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Drug:] Pergolide Mesylate

Unknown, Horse

[Sign:] Leukoderma

Number of times reported: [1]

[Drug:] Phenobarbital

Missing, Dog

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Phenobarbital

Oral, Cat

[Sign:] Ineffect, Seizures

Number of times reported: [1]

[Drug:] Phenobarbital

Oral, Dog

[Sign:] Ineffect, Seizures

Number of times reported: [6]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Platelets Lo, Bld

Number of times reported: [3]

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [2]

[Sign:] Segs Lo, Bld

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Arrhythmia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]
[Sign:] Balance Disorder
Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Incontinence
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Tox

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Phenoxybenzamine

Oral, Dog

[Sign:] Pressure Lo, Bld

Number of times reported: [1]

[Drug:] Phenylbutazone

Defect, Not Applicable

[Sign:] Pd-tube(s), Leaking

Number of times reported: [8]

[Sign:] Pd-tube(s), Abn

Number of times reported: [5]

[Sign:] Pd-dispenser, Abn

Number of times reported: [3]

[Sign:] Pd-syringe, Abn

Number of times reported: [3]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-gel/paste, Abn

Number of times reported: [1]

[Sign:] Pd-tube(s), Damaged

Number of times reported: [1]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [1]

[Drug:] Phenylbutazone

Oral, Cat

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Phenylbutazone

Oral, Dog

[Sign:] Anorexia

Number of times reported: [4]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Anemia

Number of times reported: [3]

[Sign:] Coagulation Disorder

Number of times reported: [3]

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Platelets Lo, Bld

Number of times reported: [3]

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Death

Number of times reported: [2]

[Sign:] Kidney Disorder

Number of times reported: [2]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]

[Sign:] Anemia, Aplastic

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bld

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hematochezia

Number of times reported: [1]

[Sign:] Lymphs Hi, Bld

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Protein, Urine

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Segs Hi, Bld

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Phenylbutazone

Oral, Horse

[Sign:] Death

Number of times reported: [10]

[Sign:] Pain, Abdomen

Number of times reported: [7]

[Sign:] Anorexia

Number of times reported: [6]

[Sign:] Colitis

Number of times reported: [4]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Diarrhea, Severe

Number of times reported: [2]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [2]

[Sign:] Ulcer(s), Gi
Number of times reported: [2]

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Choking
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Diarrhea, Watery
Number of times reported: [1]

[Sign:] Edema
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Gi, Abnormal
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Ineffect, Analgesia
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Pd-syringe, Abn
Number of times reported: [1]

[Sign:] Pd-tube(s), Abn
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Sign:] Syringe, Locking Ring
Number of times reported: [1]

[Sign:] Tech Error Administrat
Number of times reported: [1]

[Sign:] Thrashing/paddling
Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]

[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Phenylbutazone

Parenteral, Horse

[Sign:] Collapse
Number of times reported: [4]

[Sign:] Death
Number of times reported: [4]

[Sign:] Pain, Abdomen
Number of times reported: [4]

[Sign:] Convulsion(s)
Number of times reported: [3]

[Sign:] Death(euthanized)
Number of times reported: [3]

[Sign:] Sweating
Number of times reported: [3]

[Sign:] Anaphylaxis/toid
Number of times reported: [2]

[Sign:] Apnea
Number of times reported: [2]

[Sign:] Diarrhea
Number of times reported: [2]

[Sign:] Tachycardia
Number of times reported: [2]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]

[Sign:] Shock, Endotoxemia
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Tox
Number of times reported: [1]

[Sign:] Twitch
Number of times reported: [1]

[Sign:] Ulcer(s), Stomach
Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Drug:] Phenylpropanolamine

Oral, Dog

[Sign:] Vomiting

Number of times reported: [10]

[Sign:] Depression/lethargy

Number of times reported: [8]

[Sign:] Anorexia

Number of times reported: [6]

[Sign:] Convulsion(s)

Number of times reported: [6]

[Sign:] Ataxia

Number of times reported: [5]

[Sign:] Pressure Hi, Bld

Number of times reported: [5]

[Sign:] Polypnea

Number of times reported: [4]

[Sign:] Tachycardia

Number of times reported: [4]

[Sign:] Congestion, Skin

Number of times reported: [3]

[Sign:] Death

Number of times reported: [3]

[Sign:] Nervousness

Number of times reported: [3]

[Sign:] Pd-odor, Abn

Number of times reported: [3]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [3]

[Sign:] Vocalization

Number of times reported: [3]

[Sign:] Anisocoria

Number of times reported: [2]

[Sign:] Confusion

Number of times reported: [2]

[Sign:] Creatinine Hi, Bld

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Hyperactivity

Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Kidney Failure
Number of times reported: [2]
[Sign:] Staggering
Number of times reported: [2]
[Sign:] Tox
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anemia, Hemolytic
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Cns Infarct
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Dilitation, Stomach
Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Fibrillation, Atrial

Number of times reported: [1]

[Sign:] Fly Biting

Number of times reported: [1]

[Sign:] Infection, Skin

Number of times reported: [1]

[Sign:] Interaction, Drug(s)

Number of times reported: [1]

[Sign:] Leg Disorder

Number of times reported: [1]

[Sign:] Lipase Hi, Bld

Number of times reported: [1]

[Sign:] Nystagmus

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] P Hi, Bld

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Pr-meninges, Lesion(s)

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Pheromones

Topical, Cat

[Sign:] Depression/lethargy

Number of times reported: [1]

[Drug:] Phosmet

Topical, Cattle

[Sign:] Death

Number of times reported: [2]

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Tox, Op

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Phytosphingosine

Topical, Dog

[Sign:] Application Site Erythema

Number of times reported: [1]

[Sign:] Pruritis, Ear(s)

Number of times reported: [1]

[Drug:] Pilocarpine

Oral, Dog

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Drug:] Pimobendan

Defect, Not Applicable

[Sign:] Pd-tablet(s), Abn

Number of times reported: [59]

[Sign:] Pd-color, Abn

Number of times reported: [22]

[Sign:] Pd-cap(s), Abn

Number of times reported: [17]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [9]

[Sign:] Pd-product Defect

Number of times reported: [5]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [4]

[Sign:] Pd-odor, Abn

Number of times reported: [3]

[Sign:] Pd-vial(s), Abn

Number of times reported: [3]

[Sign:] Pd-container(s), Abn

Number of times reported: [2]

[Sign:] Pd-missing, Label(s)

Number of times reported: [2]

[Sign:] Pd-seal, Abn

Number of times reported: [2]

[Sign:] Pd-underfill, Package

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Unpalatable

Number of times reported: [1]

[Drug:] Pimobendan

Missing, Dog

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Drug:] Pimobendan

Oral, Cat

[Sign:] Vomiting

Number of times reported: [6]

[Sign:] Anorexia

Number of times reported: [5]
[Sign:] Tachycardia
Number of times reported: [4]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Dyspnea
Number of times reported: [3]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Mass, Abdomen
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Oliguria
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Tachycardia, Ventricul
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Hi

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Pimobendan

Oral, Dog

[Sign:] Diarrhea

Number of times reported: [122]

[Sign:] Anorexia

Number of times reported: [115]

[Sign:] Vomiting

Number of times reported: [95]

[Sign:] Depression/lethargy

Number of times reported: [94]

[Sign:] Tachycardia

Number of times reported: [76]

[Sign:] Death

Number of times reported: [52]

[Sign:] Coughing

Number of times reported: [48]

[Sign:] Bun Hi, Bld

Number of times reported: [46]

[Sign:] Convulsion(s)

Number of times reported: [39]

[Sign:] Creatinine Hi, Bld

Number of times reported: [32]

[Sign:] Death(euthanized)

Number of times reported: [29]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [29]

[Sign:] Polypnea

Number of times reported: [28]

[Sign:] Syncope

Number of times reported: [28]

[Sign:] Trembling

Number of times reported: [27]

[Sign:] Arrhythmia

Number of times reported: [26]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [24]

[Sign:] Ataxia

Number of times reported: [24]

[Sign:] Collapse
Number of times reported: [23]

[Sign:] Nervousness
Number of times reported: [23]

[Sign:] Dyspnea
Number of times reported: [22]

[Sign:] Polydipsia
Number of times reported: [22]

[Sign:] Pressure Lo, Bld
Number of times reported: [21]

[Sign:] Pruritis
Number of times reported: [21]

[Sign:] Pressure Hi, Bld
Number of times reported: [17]

[Sign:] Hyperactivity
Number of times reported: [16]

[Sign:] Polyuria
Number of times reported: [16]

[Sign:] Ineffect
Number of times reported: [14]

[Sign:] Weight Loss
Number of times reported: [14]

[Sign:] Apprehension
Number of times reported: [13]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [13]

[Sign:] Shaking
Number of times reported: [13]

[Sign:] Weakness
Number of times reported: [12]

[Sign:] Confusion
Number of times reported: [11]

[Sign:] Diarrhea, Mild
Number of times reported: [10]

[Sign:] P Hi, Bld
Number of times reported: [10]

[Sign:] Radiograph(s) Abn
Number of times reported: [10]

[Sign:] Hyperpnea
Number of times reported: [9]

[Sign:] K Hi, Bld
Number of times reported: [9]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [9]

[Sign:] Ggt Hi, Bld
Number of times reported: [8]

[Sign:] Recumbency
Number of times reported: [8]

[Sign:] Vocalization
Number of times reported: [8]

[Sign:] Bradycardia
Number of times reported: [7]

[Sign:] Cardiomegaly
Number of times reported: [7]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [7]

[Sign:] Diarrhea, Bloody
Number of times reported: [7]

[Sign:] Diarrhea, Watery
Number of times reported: [7]

[Sign:] Hematochezia
Number of times reported: [7]

[Sign:] Murmur, Heart
Number of times reported: [7]

[Sign:] Pallor, Mucous Membran
Number of times reported: [7]

[Sign:] Anemia
Number of times reported: [6]

[Sign:] Azotemia
Number of times reported: [6]

[Sign:] Incontinence, Urinary
Number of times reported: [6]

[Sign:] Kidney Failure
Number of times reported: [6]

[Sign:] Wbc Hi, Bld
Number of times reported: [6]

[Sign:] Alopecia
Number of times reported: [5]

[Sign:] Ascites
Number of times reported: [5]

[Sign:] Bld, Urine
Number of times reported: [5]

[Sign:] Ca Hi, Bld
Number of times reported: [5]

[Sign:] Constipation
Number of times reported: [5]

[Sign:] Fever, Body
Number of times reported: [5]

[Sign:] Glucose Hi, Bld
Number of times reported: [5]

[Sign:] Hypersalivation
Number of times reported: [5]

[Sign:] Ineffect, Loss Of Effe
Number of times reported: [5]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [5]

[Sign:] Pancreatitis
Number of times reported: [5]

[Sign:] Platelets Lo, Bld
Number of times reported: [5]

[Sign:] Segs Hi, Bld
Number of times reported: [5]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [5]

[Sign:] Swelling, Head/face
Number of times reported: [5]

[Sign:] Arrhythmia, Block
Number of times reported: [4]

[Sign:] Congestion, Skin
Number of times reported: [4]

[Sign:] Ecg Abn
Number of times reported: [4]

[Sign:] Gagging
Number of times reported: [4]

[Sign:] Inflam, Skin
Number of times reported: [4]

[Sign:] Lesion(s), Skin
Number of times reported: [4]

[Sign:] Lipase Hi, Bld
Number of times reported: [4]

[Sign:] Somnolence
Number of times reported: [4]

[Sign:] Stupor
Number of times reported: [4]

[Sign:] Us Abn
Number of times reported: [4]

[Sign:] Adipsia
Number of times reported: [3]

[Sign:] Aggression
Number of times reported: [3]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [3]

[Sign:] Bld(ecchymoses)
Number of times reported: [3]

[Sign:] Bld(petechiae)
Number of times reported: [3]

[Sign:] Coagulation Disorder
Number of times reported: [3]

[Sign:] Dehydration
Number of times reported: [3]

[Sign:] Dermatitis, Moist
Number of times reported: [3]

[Sign:] Difficulty Rising
Number of times reported: [3]

[Sign:] Distress, Resp
Number of times reported: [3]

[Sign:] Epistaxis
Number of times reported: [3]

[Sign:] Flatulence
Number of times reported: [3]

[Sign:] Icterus, Body
Number of times reported: [3]

[Sign:] Interaction, Drug(s)
Number of times reported: [3]

[Sign:] Locomotion Disorder
Number of times reported: [3]

[Sign:] Melena
Number of times reported: [3]

[Sign:] Monos Hi, Bld
Number of times reported: [3]

[Sign:] Mydriasis
Number of times reported: [3]

[Sign:] Nausea
Number of times reported: [3]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [3]

[Sign:] Staggering
Number of times reported: [3]

[Sign:] Stiffness
Number of times reported: [3]

[Sign:] Twitch
Number of times reported: [3]

[Sign:] Urination Abn
Number of times reported: [3]

[Sign:] Us-liver Abn
Number of times reported: [3]

[Sign:] Albumin Lo, Bld
Number of times reported: [2]

[Sign:] Amylase Hi, Bld
Number of times reported: [2]

[Sign:] Anaphylaxis/toid
Number of times reported: [2]

[Sign:] Apnea
Number of times reported: [2]

[Sign:] Behavior Disorder
Number of times reported: [2]

[Sign:] Bilirubin, Urine
Number of times reported: [2]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [2]

[Sign:] Chemistry Abn
Number of times reported: [2]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [2]

[Sign:] Circling
Number of times reported: [2]

[Sign:] Colitis
Number of times reported: [2]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [2]

[Sign:] Congestion, Lung(s)
Number of times reported: [2]

[Sign:] Congestion, Mucous Mem
Number of times reported: [2]

[Sign:] Cyanosis
Number of times reported: [2]

[Sign:] Diarrhea, Muroid
Number of times reported: [2]

[Sign:] Diarrhea, Severe
Number of times reported: [2]

[Sign:] Dissociation
Number of times reported: [2]

[Sign:] Distention, Abdomen
Number of times reported: [2]

[Sign:] Dizziness
Number of times reported: [2]

[Sign:] Erection, Abn
Number of times reported: [2]

[Sign:] Exercise Intolerance
Number of times reported: [2]

[Sign:] Fibrillation, Atrial
Number of times reported: [2]

[Sign:] Heart Disorder
Number of times reported: [2]

[Sign:] Hepatomegaly
Number of times reported: [2]

[Sign:] Hypothermia, Body
Number of times reported: [2]

[Sign:] Infection, Urinary Tra
Number of times reported: [2]

[Sign:] Insomnia
Number of times reported: [2]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [2]

[Sign:] Mucous Membr, Muddy
Number of times reported: [2]

[Sign:] Na Hi, Bld
Number of times reported: [2]

[Sign:] Neurological Disorder
Number of times reported: [2]

[Sign:] Pica
Number of times reported: [2]

[Sign:] Proprioceptive Disorde
Number of times reported: [2]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [2]

[Sign:] Pruritis, Ear(s)
Number of times reported: [2]

[Sign:] Pruritis, Feet/digit(s)
Number of times reported: [2]

[Sign:] Respiratory Disorder
Number of times reported: [2]

[Sign:] Scale(s), Skin
Number of times reported: [2]

[Sign:] Sneezing
Number of times reported: [2]

[Sign:] Spasm
Number of times reported: [2]

[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [2]

[Sign:] Stool Abn
Number of times reported: [2]

[Sign:] Swelling, Ear(s)
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [2]

[Sign:] Tachycardia, Ventricul
Number of times reported: [2]

[Sign:] Tech Error
Number of times reported: [2]

[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [2]

[Sign:] Ulcer(s), Tongue
Number of times reported: [2]

[Sign:] Unpalatable, Won't Eat
Number of times reported: [2]

[Sign:] Urination
Number of times reported: [2]

[Sign:] Urticaria
Number of times reported: [2]

[Sign:] Wheezing
Number of times reported: [2]

[Sign:] Xerostomia
Number of times reported: [2]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]

[Sign:] Anemia, Regen
Number of times reported: [1]

[Sign:] Anemia, Sphero
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Bands Hi, Bld
Number of times reported: [1]

[Sign:] Bld
Number of times reported: [1]

[Sign:] Bld(hematoma)
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Bloat
Number of times reported: [1]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Ca Lo, Bld
Number of times reported: [1]

[Sign:] Capillary Refill Prolo
Number of times reported: [1]

[Sign:] Chloride Hi, Bld
Number of times reported: [1]

[Sign:] Cns Disorder
Number of times reported: [1]

[Sign:] Congestion, Ear(s)
Number of times reported: [1]

[Sign:] Conjunctivitis
Number of times reported: [1]

[Sign:] Culture/titer Data Abn
Number of times reported: [1]

[Sign:] Defecation Abn
Number of times reported: [1]

[Sign:] Dementia
Number of times reported: [1]

[Sign:] Diabetes
Number of times reported: [1]

[Sign:] Diabetes Mellitus
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Distress
Number of times reported: [1]

[Sign:] Dysmetria
Number of times reported: [1]

[Sign:] Dysphagia
Number of times reported: [1]

[Sign:] Edema
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Edema, Neck
Number of times reported: [1]

[Sign:] Effusion, Pericardial
Number of times reported: [1]

[Sign:] Effusion, Peritoneal
Number of times reported: [1]

[Sign:] Effusion, Pleural
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Epiphora
Number of times reported: [1]

[Sign:] Eruption(s)
Number of times reported: [1]

[Sign:] Estrus
Number of times reported: [1]

[Sign:] Gall Bladder, Abn
Number of times reported: [1]

[Sign:] Gi, Abnormal
Number of times reported: [1]

[Sign:] Globulin Hi, Bld
Number of times reported: [1]

[Sign:] Glucose, Urine
Number of times reported: [1]

[Sign:] Hair, Shedding
Number of times reported: [1]

[Sign:] Hallucination
Number of times reported: [1]

[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Heart Failure
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]

[Sign:] Hypertonia
Number of times reported: [1]

[Sign:] Icterus, Serum
Number of times reported: [1]

[Sign:] Incision Site Abn
Number of times reported: [1]

[Sign:] Ineffect, Other Drug(s)
Number of times reported: [1]

[Sign:] Infection, Skin
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]

[Sign:] Kicking
Number of times reported: [1]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]

[Sign:] K Lo, Bld
Number of times reported: [1]

[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [1]

[Sign:] Leukoderma
Number of times reported: [1]

[Sign:] Licking, Feet/digit(s)
Number of times reported: [1]

[Sign:] Liver Disorder
Number of times reported: [1]

[Sign:] Liver Failure
Number of times reported: [1]

[Sign:] Loss Of Condition
Number of times reported: [1]

[Sign:] Lymphs Hi, Bld
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld
Number of times reported: [1]

[Sign:] Mg Lo, Bld
Number of times reported: [1]

[Sign:] Mucous Membr, Red
Number of times reported: [1]

[Sign:] Neoplasm, Lymph Node(s)
Number of times reported: [1]

[Sign:] Nystagmus
Number of times reported: [1]

[Sign:] Nystagmus, Rotary
Number of times reported: [1]

[Sign:] Opisthotonos
Number of times reported: [1]

[Sign:] Pacing
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Paresis
Number of times reported: [1]

[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn
Number of times reported: [1]

[Sign:] Platelets Hi, Bld
Number of times reported: [1]

[Sign:] Pollakiuria
Number of times reported: [1]

[Sign:] Polycythemia
Number of times reported: [1]

[Sign:] Polyphagia
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Priapism
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Prolapse, Penis
Number of times reported: [1]

[Sign:] Protein, Urine
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)
Number of times reported: [1]

[Sign:] Pulse Thready
Number of times reported: [1]

[Sign:] Pustule(s)
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Rbc, Polychrom
Number of times reported: [1]

[Sign:] Reaction, Unspecified
Number of times reported: [1]

[Sign:] Reflex(es) Abn
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Sign:] Repetitive Movements
Number of times reported: [1]

[Sign:] Rolling
Number of times reported: [1]

[Sign:] Rupture
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Skin, Crust(s)
Number of times reported: [1]

[Sign:] Skin, Dry
Number of times reported: [1]

[Sign:] Sleep Abn
Number of times reported: [1]

[Sign:] Sore(s)
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory
Number of times reported: [1]

[Sign:] Staring
Number of times reported: [1]

[Sign:] Stranguria
Number of times reported: [1]

[Sign:] Stumbling
Number of times reported: [1]

[Sign:] Swelling, Limb(s)
Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Swelling, Neck
Number of times reported: [1]

[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]

[Sign:] Tech Error Administrat
Number of times reported: [1]

[Sign:] Teeth, Abn
Number of times reported: [1]

[Sign:] Tenesmus, Rectal
Number of times reported: [1]

[Sign:] Tongue, Abn
Number of times reported: [1]

[Sign:] Triglycerides Hi, Bld
Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]

[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Sign:] Vomiting, Projectile
Number of times reported: [1]

[Sign:] Wbc, Urine
Number of times reported: [1]

[Drug:] Pimobendan

Oral, Human

[Sign:] Dizziness
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Pressure Lo, Bld
Number of times reported: [1]

[Sign:] Xerostomia
Number of times reported: [1]

[Drug:] Pimobendan

Unknown, Dog

[Sign:] Hyperactivity
Number of times reported: [1]

[Drug:] Piperazine

Defect, Not Applicable

[Sign:] Pd-tablet(s), Abn
Number of times reported: [1]

[Sign:] Pd-underfill, Vial(s)
Number of times reported: [1]

[Drug:] Piperazine

Missing, Cat

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Drug:] Piperazine

Missing, Dog

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Polydipsia
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Piperazine

Oral, Cat

[Sign:] Vomiting
Number of times reported: [8]

[Sign:] Ataxia
Number of times reported: [5]

[Sign:] Twitch
Number of times reported: [4]

[Sign:] Convulsion(s)
Number of times reported: [3]

[Sign:] Hypersalivation
Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Hyperesthesia
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Ineffect, Ascarids
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Odor
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Torticollis
Number of times reported: [1]
[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Piperazine

Oral, Dog

[Sign:] Vomiting

Number of times reported: [8]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Death

Number of times reported: [3]

[Sign:] Recumbency

Number of times reported: [3]

[Sign:] Shaking

Number of times reported: [3]

[Sign:] Trembling

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Neurological Disorder

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Conjunctivitis

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Hypopnea

Number of times reported: [1]

[Sign:] Hypothermia, Body

Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Pd-seal, Abn
Number of times reported: [1]

[Sign:] Pollakiuria
Number of times reported: [1]

[Sign:] Pulse Thready
Number of times reported: [1]

[Sign:] Reflex(es) Abn
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Sign:] Twitch
Number of times reported: [1]

[Sign:] Vomiting, Severe
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Piperazine

Oral, Horse

[Sign:] Aggression
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Biting/chewing
Number of times reported: [1]

[Sign:] Kicking
Number of times reported: [1]

[Drug:] Piperazine

Parenteral, Dog

[Sign:] Anesth Recov Prolonged
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Drug:] Piperazine

Unknown, Dog

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Drug:] Piperazine, Arecoline

Oral, Dog

[Sign:] Bloat
Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Depression/lethargy
Number of times reported: [2]

[Sign:] Dyspnea
Number of times reported: [2]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Congestion, Tongue
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Paresis
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory
Number of times reported: [1]

[Sign:] Stool, Pale/gray
Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Vomiting, Unproductive

Number of times reported: [1]

[Drug:] Piperazine, Phenothiazine, Trichlorfon

Oral, Horse

[Sign:] Pain, Abdomen

Number of times reported: [7]

[Sign:] Diarrhea

Number of times reported: [6]

[Sign:] Death

Number of times reported: [4]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Abn Color, Urine

Number of times reported: [1]

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Congestion, Mucous Mem

Number of times reported: [1]

[Sign:] Distress

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Enteritis

Number of times reported: [1]

[Sign:] Epistaxis

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Hypopnea

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Sign:] Pallor

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Tox, Op

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Piperazine, Thienium

Oral, Dog

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Piperonyl Butoxide, Pyrethrins, Squalane

Topical, Cat

[Sign:] Congestion, Skin

Number of times reported: [2]

[Sign:] Congestion, Ear(s)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Ear Disorder

Number of times reported: [1]

[Sign:] Enlargement(s), Skin

Number of times reported: [1]

[Sign:] Exfoliation, Skin

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Irritation, Ear(s)

Number of times reported: [1]

[Sign:] Scale(s), Skin

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Drug:] Pirlimycin

Defect, Not Applicable

[Sign:] Pd-tube(s), Leaking

Number of times reported: [4]

[Sign:] Pd-tube(s), Abn

Number of times reported: [3]

[Sign:] Pd-suspension, Abn

Number of times reported: [2]

[Sign:] Pd-syringe, Abn

Number of times reported: [2]

[Sign:] Pd-tube(s), Damaged

Number of times reported: [2]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [2]

[Sign:] Pd-dispenser, Abn

Number of times reported: [1]

[Sign:] Pd-missing, Label(s)

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

[Drug:] Pirlimycin

Intramammary, Cattle

[Sign:] Ineffect, Antibiotic

Number of times reported: [15]

[Sign:] Residue, Milk

Number of times reported: [12]

[Sign:] Udder, Mastitis

Number of times reported: [10]

[Sign:] Death

Number of times reported: [8]

[Sign:] Fever, Body

Number of times reported: [3]

[Sign:] Culture/titer Data Abn

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Septicemia

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Wbc Hi, Milk

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Pirlimycin

Missing, Cattle

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

[Sign:] Pd-tube(s), Abn

Number of times reported: [1]

[Drug:] Pirlimycin

Topical, Human

[Sign:] Pd-tube(s), Leaking
Number of times reported: [2]

[Drug:] Piroxicam

Oral, Dog

[Sign:] Dermatitis, Moist
Number of times reported: [2]

[Sign:] Licking
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Drug:] Piroxicam

Unknown, Dog

[Sign:] Kidney Failure
Number of times reported: [1]

[Drug:] Poloxalene

Defect, Not Applicable

[Sign:] Pd-underfill, Package
Number of times reported: [2]

[Sign:] Pd-container(s), Abn
Number of times reported: [1]

[Sign:] Pd-seal, Abn
Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged
Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]

[Drug:] Poloxalene

Oral, Cattle

[Sign:] Death
Number of times reported: [2]

[Sign:] Ineffect
Number of times reported: [2]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Moribund

Number of times reported: [1]

[Drug:] Poloxalene

Oral, Goat

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Paresis

Number of times reported: [1]

[Drug:] Poloxalene

Oral, Human

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Eructation

Number of times reported: [1]

[Sign:] Irritation, Skin

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain, Limb(s)

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Ponazuril

Defect, Not Applicable

[Sign:] Pd-tube(s), Leaking

Number of times reported: [6]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [4]

[Sign:] Pd-syringe, Abn

Number of times reported: [3]

[Sign:] Pd-underfill, Package

Number of times reported: [2]

[Sign:] Pd-gel/paste, Abn

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-tube(s), Abn

Number of times reported: [1]

[Drug:] Ponazuril

Oral, Cat

[Sign:] Anorexia

Number of times reported: [3]

[Sign:] Death

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Dehydration

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Icterus, Body

Number of times reported: [1]

[Sign:] Liver Disorder

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Squinting

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Ponazuril

Oral, Dog

[Sign:] Anorexia
Number of times reported: [4]

[Sign:] Death
Number of times reported: [3]

[Sign:] Diarrhea
Number of times reported: [3]

[Sign:] Depression/lethargy
Number of times reported: [2]

[Sign:] Loss Of Condition
Number of times reported: [2]

[Sign:] Weakness
Number of times reported: [2]

[Sign:] Albumin Lo, Bld
Number of times reported: [1]

[Sign:] Ascites
Number of times reported: [1]

[Sign:] Bun Lo, Bld
Number of times reported: [1]

[Sign:] Cardiomegaly
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Diarrhea, Mild
Number of times reported: [1]

[Sign:] Enteritis
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Glucose Lo, Bld
Number of times reported: [1]

[Sign:] Head Pressing
Number of times reported: [1]

[Sign:] Hepatomegaly
Number of times reported: [1]

[Sign:] Keratoconjunctivitis S
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Perforation
Number of times reported: [1]

[Sign:] Pneumonia
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]

[Drug:] Ponazuril

Oral, Horse

[Sign:] Ineffect, Protozoa
Number of times reported: [18]
[Sign:] Anorexia
Number of times reported: [6]
[Sign:] Pain, Abdomen
Number of times reported: [6]
[Sign:] Ataxia
Number of times reported: [5]
[Sign:] Fever, Body
Number of times reported: [5]
[Sign:] Edema, Limb(s)
Number of times reported: [4]
[Sign:] Alopecia
Number of times reported: [3]
[Sign:] Death
Number of times reported: [3]
[Sign:] Diarrhea, Mild
Number of times reported: [3]
[Sign:] Difficulty Rising
Number of times reported: [3]
[Sign:] Sweating
Number of times reported: [3]
[Sign:] Swelling, Limb(s)
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Urticaria
Number of times reported: [3]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [3]
[Sign:] Anemia

Number of times reported: [2]
[Sign:] Creatinine Hi, Bld
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Dysuria
Number of times reported: [2]
[Sign:] Edema, Head/face
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Cellulitis
Number of times reported: [1]
[Sign:] Choking
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Diarrhea, Watery

Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Edema, Ventral
Number of times reported: [1]
[Sign:] Emphysema, Sq
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Hoof Disorder
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Laminitis
Number of times reported: [1]
[Sign:] Ldh Hi, Bld
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Obstruction, Esophagus
Number of times reported: [1]
[Sign:] Obstruction, Intestine
Number of times reported: [1]
[Sign:] Oliguria
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pica
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Rolling

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Stool Abn

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Swelling, Prepuce

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Ulcer(s), Gi

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Tongue

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Ponazuril

Topical, Horse

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Drug:] Ponazuril

Topical, Human

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Drug:] Potassium Bromide

Oral, Dog

[Sign:] Ineffect, Seizures

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Drug:] Potassium Gluconate

Oral, Dog

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Povidone-iodine

Defect, Not Applicable

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Drug:] Praziquantel

Defect, Not Applicable

[Sign:] Pd-solution, Abn

Number of times reported: [19]

[Sign:] Pd-underfill, Package

Number of times reported: [11]

[Sign:] Pd-color, Abn

Number of times reported: [8]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [8]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [5]

[Sign:] Pd-label(s), Abn

Number of times reported: [4]

[Sign:] Pd-seal, Abn

Number of times reported: [4]

[Sign:] Pd-missing, Label(s)

Number of times reported: [3]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [3]

[Sign:] Pd-container(s), Abn

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Drug:] Praziquantel

Missing, Cat

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Inj Site Pruritis

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Drug:] Praziquantel

Missing, Dog

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Bld, Rectum

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Dermatitis, Moist

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Glucose Lo, Bld

Number of times reported: [1]

[Sign:] Ineffect, Tapes

Number of times reported: [1]

[Sign:] Mucous Membr, Muddy

Number of times reported: [1]

[Sign:] Polycythemia

Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]

[Sign:] Pulse Thready

Number of times reported: [1]

[Sign:] Saliva, Abn

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Praziquantel

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [4]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Drug:] Praziquantel

Oral, Cat

[Sign:] Depression/lethargy

Number of times reported: [7]

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Vomiting

Number of times reported: [5]

[Sign:] Ataxia

Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [3]
[Sign:] Hypersalivation
Number of times reported: [3]
[Sign:] Ineffect, Tapes
Number of times reported: [3]
[Sign:] Death
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Blindness, Partial
Number of times reported: [1]
[Sign:] Che Lo, Serum
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Jerking

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Nystagmus, Vertical

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Rolling

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Drug:] Praziquantel

Oral, Dog

[Sign:] Vomiting

Number of times reported: [38]

[Sign:] Depression/lethargy

Number of times reported: [24]

[Sign:] Diarrhea

Number of times reported: [23]

[Sign:] Anorexia

Number of times reported: [22]

[Sign:] Ineffect, Tapes

Number of times reported: [17]

[Sign:] Death

Number of times reported: [13]

[Sign:] Ataxia

Number of times reported: [8]

[Sign:] Diarrhea, Bloody

Number of times reported: [6]

[Sign:] Convulsion(s)

Number of times reported: [4]

[Sign:] Hematochezia
Number of times reported: [4]

[Sign:] Hypersalivation
Number of times reported: [3]

[Sign:] Nervousness
Number of times reported: [3]

[Sign:] Pain, Abdomen
Number of times reported: [3]

[Sign:] Vocalization
Number of times reported: [3]

[Sign:] Weakness
Number of times reported: [3]

[Sign:] Collapse
Number of times reported: [2]

[Sign:] Death(euthanized)
Number of times reported: [2]

[Sign:] Fever, Body
Number of times reported: [2]

[Sign:] Paresis
Number of times reported: [2]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]

[Sign:] Polypnea
Number of times reported: [2]

[Sign:] Recumbency
Number of times reported: [2]

[Sign:] Stool, Mucoid
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Urticaria
Number of times reported: [2]

[Sign:] Abortion
Number of times reported: [1]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Albumin Lo, Bld
Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Death(newborn)
Number of times reported: [1]

[Sign:] Diarrhea, Mucoid
Number of times reported: [1]

[Sign:] Diarrhea, Severe
Number of times reported: [1]

[Sign:] Diarrhea, Watery
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Gagging
Number of times reported: [1]

[Sign:] Glucose Lo, Bld
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Jerking
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Licking, Feet/digit(s)
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Miosis
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Pallor
Number of times reported: [1]

[Sign:] Paralysis
Number of times reported: [1]

[Sign:] Pica
Number of times reported: [1]

[Sign:] Polydipsia
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Splenomegaly
Number of times reported: [1]

[Sign:] Strabismus
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Sign:] Vomiting, Unproductive
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Praziquantel

Oral, Human

[Sign:] Insomnia
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Praziquantel

Parenteral, Cat

[Sign:] Inj Site Alopecia
Number of times reported: [22]
[Sign:] Death
Number of times reported: [21]
[Sign:] Inj Site Inflam
Number of times reported: [18]
[Sign:] Vomiting
Number of times reported: [13]
[Sign:] Depression/lethargy
Number of times reported: [12]
[Sign:] Inj Site Abn
Number of times reported: [10]
[Sign:] Diarrhea
Number of times reported: [8]
[Sign:] Inj Site Necrosis
Number of times reported: [8]
[Sign:] Inj Site Swelling
Number of times reported: [8]
[Sign:] Anaphylaxis/toid
Number of times reported: [6]
[Sign:] Anorexia
Number of times reported: [6]
[Sign:] Inj Site Slough
Number of times reported: [6]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [6]
[Sign:] Ataxia
Number of times reported: [5]
[Sign:] Inj Site Abscess
Number of times reported: [5]
[Sign:] Inj Site Pruritis
Number of times reported: [5]
[Sign:] Lameness

Number of times reported: [5]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [5]
[Sign:] Alopecia
Number of times reported: [4]
[Sign:] Dyspnea
Number of times reported: [4]
[Sign:] Inj Site Pain
Number of times reported: [4]
[Sign:] Locomotion Disorder
Number of times reported: [4]
[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [4]
[Sign:] Vocalization
Number of times reported: [4]
[Sign:] Collapse
Number of times reported: [3]
[Sign:] Hypersalivation
Number of times reported: [3]
[Sign:] Inflamm, Skin
Number of times reported: [3]
[Sign:] Inj Site Infect
Number of times reported: [3]
[Sign:] Inj Site Mass
Number of times reported: [3]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [3]
[Sign:] Pruritis
Number of times reported: [3]
[Sign:] Skin, Scab(s)
Number of times reported: [3]
[Sign:] Bradycardia
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Irritation, Skin
Number of times reported: [2]
[Sign:] Nervousness

Number of times reported: [2]
[Sign:] Neuritis
Number of times reported: [2]
[Sign:] Paralysis
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Atrophy
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bld, Skin
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Defecation
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Enlargement(s), Skin

Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Inj Site Edema
Number of times reported: [1]
[Sign:] Inj Site Effusion
Number of times reported: [1]
[Sign:] Inj Site Fibrosis
Number of times reported: [1]
[Sign:] Inj Site Seroma
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Joint Disorder
Number of times reported: [1]
[Sign:] Leg Disorder
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-pharynx, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Shaking

Number of times reported: [1]

[Sign:] Skin, Crust(s)

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Urination Abn

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Praziquantel

Parenteral, Dog

[Sign:] Inj Site Swelling

Number of times reported: [23]

[Sign:] Inj Site Pain

Number of times reported: [19]

[Sign:] Inj Site Mass

Number of times reported: [10]

[Sign:] Inj Site Abscess

Number of times reported: [9]

[Sign:] Ineffect, Tapes

Number of times reported: [8]

[Sign:] Inj Site Inflam

Number of times reported: [8]

[Sign:] Ataxia

Number of times reported: [7]

[Sign:] Inj Site Edema

Number of times reported: [7]

[Sign:] Depression/lethargy

Number of times reported: [6]

[Sign:] Anorexia
Number of times reported: [5]

[Sign:] Lameness
Number of times reported: [5]

[Sign:] Vomiting
Number of times reported: [5]

[Sign:] Fever, Body
Number of times reported: [4]

[Sign:] Inj Site Fibrosis
Number of times reported: [4]

[Sign:] Vocalization
Number of times reported: [4]

[Sign:] Collapse
Number of times reported: [3]

[Sign:] Convulsion(s)
Number of times reported: [3]

[Sign:] Death
Number of times reported: [3]

[Sign:] Inj Site Abn
Number of times reported: [3]

[Sign:] Inj Site Slough
Number of times reported: [3]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [3]

[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [3]

[Sign:] Trembling
Number of times reported: [3]

[Sign:] Cellulitis
Number of times reported: [2]

[Sign:] Diarrhea
Number of times reported: [2]

[Sign:] Discomfort
Number of times reported: [2]

[Sign:] Head Tilt
Number of times reported: [2]

[Sign:] Inj Site Necrosis
Number of times reported: [2]

[Sign:] Inj Site Seroma
Number of times reported: [2]

[Sign:] Locomotion Disorder
Number of times reported: [2]

[Sign:] Recumbency
Number of times reported: [2]

[Sign:] Tachycardia
Number of times reported: [2]

[Sign:] Abortion
Number of times reported: [1]

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Biting/chewing
Number of times reported: [1]

[Sign:] Bld
Number of times reported: [1]

[Sign:] Bld(ecchymoses)
Number of times reported: [1]

[Sign:] Circling
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Cyanosis
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Defecation
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Enlargement(s), Skin
Number of times reported: [1]

[Sign:] Human Exposure
Number of times reported: [1]

[Sign:] Human Exposure, Head/f
Number of times reported: [1]

[Sign:] Human Exposure, Inj
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Icterus, Body
Number of times reported: [1]

[Sign:] Ineffect
Number of times reported: [1]

[Sign:] Inflamm
Number of times reported: [1]

[Sign:] Inj Site Alopecia
Number of times reported: [1]

[Sign:] Inj Site Induration
Number of times reported: [1]

[Sign:] Inj Site Infect
Number of times reported: [1]

[Sign:] Inj Site Pruritis
Number of times reported: [1]

[Sign:] Inj Site Sterile Absce
Number of times reported: [1]

[Sign:] Inj Site Stiffness
Number of times reported: [1]

[Sign:] Inj Site Ulcer(s)
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Nystagmus, Horizontal
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Pallor
Number of times reported: [1]

[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Pulse Thready
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Skin, Scab(s)
Number of times reported: [1]

[Sign:] Spasm
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Swelling, Limb(s)
Number of times reported: [1]

[Sign:] Swelling, Tongue
Number of times reported: [1]

[Sign:] Twitch
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Praziquantel

Parenteral, Human

[Sign:] Hypoesthesia
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Drug:] Praziquantel

Parenteral, Snake

[Sign:] Death
Number of times reported: [1]

[Sign:] Paralysis
Number of times reported: [1]

[Drug:] Praziquantel

Parenteral, Various

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Drug:] Praziquantel

Suppository, Dog

[Sign:] Ineffect, Tapes

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Praziquantel

Unknown, Cat

[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Capillary Refill Prolo

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dysphagia

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Inj Site Necrosis

Number of times reported: [1]

[Sign:] Inj Site Ulcer(s)

Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Praziquantel

Unknown, Dog

[Sign:] Diarrhea
Number of times reported: [4]
[Sign:] Vomiting
Number of times reported: [3]
[Sign:] Death
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Ineffect, Tapes
Number of times reported: [2]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Infect
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]
[Sign:] Inj Site Necrosis
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]

[Drug:] Praziquantel

Unknown, Human

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]

[Drug:] Praziquantel, Pyrantel

Defect, Not Applicable

[Sign:] Pd-underfill, Package
Number of times reported: [1]

[Drug:] Praziquantel, Pyrantel

Oral, Cat

[Sign:] Ataxia

Number of times reported: [163]

[Sign:] Depression/lethargy

Number of times reported: [61]

[Sign:] Vomiting

Number of times reported: [48]

[Sign:] Anorexia

Number of times reported: [25]

[Sign:] Hypersalivation

Number of times reported: [23]

[Sign:] Death

Number of times reported: [18]

[Sign:] Dehydration

Number of times reported: [12]

[Sign:] Trembling

Number of times reported: [12]

[Sign:] Staggering

Number of times reported: [11]

[Sign:] Mydriasis

Number of times reported: [10]

[Sign:] Fever, Body

Number of times reported: [9]

[Sign:] Prolapse, Third Eyelid

Number of times reported: [9]

[Sign:] Weakness

Number of times reported: [9]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [8]

[Sign:] Ineffect, Ascarids

Number of times reported: [7]

[Sign:] Diarrhea

Number of times reported: [6]

[Sign:] Locomotion Disorder

Number of times reported: [6]

[Sign:] Adipsia

Number of times reported: [5]

[Sign:] Bun Hi, Bld

Number of times reported: [5]

[Sign:] Confusion

Number of times reported: [5]
[Sign:] Death(euthanized)
Number of times reported: [5]
[Sign:] Diarrhea, Mild
Number of times reported: [5]
[Sign:] Tachycardia
Number of times reported: [5]
[Sign:] Twitch
Number of times reported: [5]
[Sign:] Vocalization
Number of times reported: [5]
[Sign:] Behavior Disorder
Number of times reported: [4]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [4]
[Sign:] Dyspnea
Number of times reported: [4]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [4]
[Sign:] Weight Loss
Number of times reported: [4]
[Sign:] Collapse
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [3]
[Sign:] Creatinine Hi, Bld
Number of times reported: [3]
[Sign:] Cyanosis
Number of times reported: [3]
[Sign:] Head Bobbing
Number of times reported: [3]
[Sign:] Hiding
Number of times reported: [3]
[Sign:] Pain, Abdomen
Number of times reported: [3]
[Sign:] Polypnea
Number of times reported: [3]
[Sign:] Posture Abn
Number of times reported: [3]
[Sign:] Vomiting, Severe
Number of times reported: [3]
[Sign:] Aggression

Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [2]
[Sign:] Anemia
Number of times reported: [2]
[Sign:] Anisocoria
Number of times reported: [2]
[Sign:] Arrest, Heart
Number of times reported: [2]
[Sign:] Bradycardia
Number of times reported: [2]
[Sign:] Glucose Lo, Bld
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Ineffect, Tapes
Number of times reported: [2]
[Sign:] Ineffect, Worms
Number of times reported: [2]
[Sign:] Liver Failure
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Nystagmus
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Reluctant To Move
Number of times reported: [2]
[Sign:] Sedation
Number of times reported: [2]
[Sign:] Sound Abn, Respiratory
Number of times reported: [2]
[Sign:] Stumbling
Number of times reported: [2]
[Sign:] Stupor

Number of times reported: [2]
[Sign:] Unconscious
Number of times reported: [2]
[Sign:] Unpalatable, Won't Swa
Number of times reported: [2]
[Sign:] Vomiting, Bloody
Number of times reported: [2]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Balance Disorder
Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Creatinine Lo, Bld
Number of times reported: [1]
[Sign:] Csf Abn
Number of times reported: [1]
[Sign:] Defecation
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Diarrhea, Mucoid
Number of times reported: [1]
[Sign:] Diarrhea, Watery

Number of times reported: [1]
[Sign:] Dilitation, Stomach
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Larynx
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hypoesthesia, Eye(s)/l
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Ineffect, Strongyles
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Kidney Failure

Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Mri Scan Abn
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Neck, Ventroflexion
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Polycythemia(relative)
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Shock

Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Staring
Number of times reported: [1]
[Sign:] Stranguria
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Trembling, Face
Number of times reported: [1]
[Sign:] Ulcer(s), Tongue
Number of times reported: [1]
[Sign:] Unpalatable
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]

[Drug:] Praziquantel, Pyrantel

Oral, Dog

[Sign:] Vomiting
Number of times reported: [187]
[Sign:] Depression/lethargy
Number of times reported: [105]
[Sign:] Anorexia
Number of times reported: [58]
[Sign:] Diarrhea
Number of times reported: [48]
[Sign:] Diarrhea, Bloody
Number of times reported: [23]
[Sign:] Death
Number of times reported: [19]
[Sign:] Diarrhea, Mild
Number of times reported: [16]

[Sign:] Hematochezia
Number of times reported: [14]

[Sign:] Polypnea
Number of times reported: [13]

[Sign:] Ataxia
Number of times reported: [12]

[Sign:] Trembling
Number of times reported: [11]

[Sign:] Distention, Abdomen
Number of times reported: [9]

[Sign:] Hypersalivation
Number of times reported: [9]

[Sign:] Weakness
Number of times reported: [8]

[Sign:] Dyspnea
Number of times reported: [7]

[Sign:] Recumbency
Number of times reported: [7]

[Sign:] Vocalization
Number of times reported: [7]

[Sign:] Adipsia
Number of times reported: [6]

[Sign:] Constipation
Number of times reported: [6]

[Sign:] Death(euthanized)
Number of times reported: [6]

[Sign:] Defecation Abn
Number of times reported: [6]

[Sign:] Nervousness
Number of times reported: [6]

[Sign:] Stool Abn
Number of times reported: [6]

[Sign:] Urticaria
Number of times reported: [6]

[Sign:] Coughing
Number of times reported: [5]

[Sign:] Discomfort
Number of times reported: [5]

[Sign:] Vomiting, Bloody
Number of times reported: [5]

[Sign:] Bloat
Number of times reported: [4]

[Sign:] Ineffect, Hooks
Number of times reported: [4]

[Sign:] Pallor, Mucous Membran
Number of times reported: [4]

[Sign:] Stupor
Number of times reported: [4]

[Sign:] Swelling, Head/face
Number of times reported: [4]

[Sign:] Behavior Disorder
Number of times reported: [3]

[Sign:] Bld, Urine
Number of times reported: [3]

[Sign:] Confusion
Number of times reported: [3]

[Sign:] Congestion, Skin
Number of times reported: [3]

[Sign:] Difficulty Rising
Number of times reported: [3]

[Sign:] Fever, Body
Number of times reported: [3]

[Sign:] Pain, Abdomen
Number of times reported: [3]

[Sign:] Polydipsia
Number of times reported: [3]

[Sign:] Pruritis
Number of times reported: [3]

[Sign:] Shaking
Number of times reported: [3]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [3]

[Sign:] Twitch
Number of times reported: [3]

[Sign:] Vomiting Roundworms
Number of times reported: [3]

[Sign:] Weight Loss
Number of times reported: [3]

[Sign:] Accidental Exposure
Number of times reported: [2]

[Sign:] Bld, Anus
Number of times reported: [2]

[Sign:] Bun Hi, Bld
Number of times reported: [2]

[Sign:] Chemistry Abn
Number of times reported: [2]

[Sign:] Collapse
Number of times reported: [2]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [2]

[Sign:] Convulsion(s)
Number of times reported: [2]

[Sign:] Diarrhea, Mucoid
Number of times reported: [2]

[Sign:] Dizziness
Number of times reported: [2]

[Sign:] Hyperactivity
Number of times reported: [2]

[Sign:] Incontinence, Fecal
Number of times reported: [2]

[Sign:] Ineffect, Parasite(s)
Number of times reported: [2]

[Sign:] Pacing
Number of times reported: [2]

[Sign:] Pain
Number of times reported: [2]

[Sign:] Prolapse, Rectum
Number of times reported: [2]

[Sign:] Pulse Thready
Number of times reported: [2]

[Sign:] Rash
Number of times reported: [2]

[Sign:] Shock
Number of times reported: [2]

[Sign:] Swelling, Anus
Number of times reported: [2]

[Sign:] Vomiting, Unproductive
Number of times reported: [2]

[Sign:] Abn Color, Urine
Number of times reported: [1]

[Sign:] Aggression
Number of times reported: [1]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Bld, Rectum
Number of times reported: [1]

[Sign:] Borborygmi
Number of times reported: [1]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Capillary Refill Prolo
Number of times reported: [1]

[Sign:] Cns Disorder
Number of times reported: [1]

[Sign:] Congestion, Ear(s)
Number of times reported: [1]

[Sign:] Csf Abn
Number of times reported: [1]

[Sign:] Defecation
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Diarrhea, Watery
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Dysphagia
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Glucose Lo, Bld
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Ineffect, Ascarids
Number of times reported: [1]

[Sign:] Irritation, Skin
Number of times reported: [1]

[Sign:] Jerking
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]

[Sign:] K Lo, Bld
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Melena
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Neck, Ventroflexion
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Nose Abn
Number of times reported: [1]

[Sign:] Odor, Mouth
Number of times reported: [1]

[Sign:] Paralysis
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] P Hi, Bld
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pruritis, Tail
Number of times reported: [1]

[Sign:] Reluctant To Climb
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Sign:] Scale(s), Skin
Number of times reported: [1]

[Sign:] Seborrhea
Number of times reported: [1]

[Sign:] Shaking, Head/face
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Staring
Number of times reported: [1]

[Sign:] Stool, Mucoid
Number of times reported: [1]

[Sign:] Swelling, Ear(s)
Number of times reported: [1]

[Sign:] Swelling, Limb(s)
Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Swelling, Mult Sites
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Tech Error Administrat
Number of times reported: [1]

[Sign:] Tenesmus, Rectal
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Sign:] Urination Abn
Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]

[Sign:] Vomiting, Severe
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Praziquantel, Pyrantel

Parenteral, Dog

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Azotemia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Incontinence, Urinary

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Praziquantel, Pyrantel

Unknown, Cat

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Drug:] Praziquantel, Pyrantel

Unknown, Human

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Drug:] Prednisolone

Defect, Not Applicable

[Sign:] Pd-vial(s), Abn

Number of times reported: [148]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [40]

[Sign:] Pd-cap(s), Abn

Number of times reported: [18]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [16]

[Sign:] Pd-solution, Abn

Number of times reported: [13]

[Sign:] Pd-suspension, Abn

Number of times reported: [12]

[Sign:] Pd-color, Abn

Number of times reported: [7]

[Sign:] Pd-seal, Abn

Number of times reported: [7]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [5]

[Sign:] Pd-container(s), Abn

Number of times reported: [4]

[Sign:] Pd-dispenser, Abn

Number of times reported: [3]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [2]

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

[Sign:] Pd-implant, Abn

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Drug:] Prednisolone

Missing, Dog

[Sign:] Death

Number of times reported: [2]

[Drug:] Prednisolone

Missing, Horse

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-muscle(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-spleen, Lesion(s)

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Splenomegaly

Number of times reported: [1]

[Drug:] Prednisolone

Ophthalmic, Dog

[Sign:] Blepharospasm

Number of times reported: [1]

[Sign:] Cataract(s)

Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Drug:] Prednisolone

Oral, Dog

[Sign:] Urticaria

Number of times reported: [2]

[Sign:] Bld(ecchymoses)

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Ulcer(s), Skin

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Drug:] Prednisolone

Parenteral, Cat

[Sign:] Death
Number of times reported: [5]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Sign:] Chloride Lo, Bld
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Globulin Hi, Bld
Number of times reported: [1]

[Sign:] Ineffect, Antiinflam
Number of times reported: [1]

[Sign:] Ldh Hi, Bld
Number of times reported: [1]

[Sign:] Na Lo, Bld
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Prednisolone

Parenteral, Dog

[Sign:] Anaphylaxis/toid
Number of times reported: [10]

[Sign:] Collapse
Number of times reported: [10]

[Sign:] Death
Number of times reported: [9]

[Sign:] Vomiting
Number of times reported: [9]

[Sign:] Shock

Number of times reported: [7]
[Sign:] Cyanosis
Number of times reported: [3]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Hypopnea
Number of times reported: [3]
[Sign:] Urticaria
Number of times reported: [3]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Ineffect
Number of times reported: [2]
[Sign:] Mucous Membr, Muddy
Number of times reported: [2]
[Sign:] Pallor, Mucous Membran
Number of times reported: [2]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Vomiting, Bloody
Number of times reported: [2]
[Sign:] Wbc Hi, Bld
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Bld(petechiae)

Number of times reported: [1]
[Sign:] Bld, Rectum
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Ineffect, Other Drug(s)
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Ldh Hi, Bld
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Neoplasm, Heart
Number of times reported: [1]
[Sign:] Neoplasm, Spleen
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Pallor

Number of times reported: [1]
[Sign:] Pancreas Disorder
Number of times reported: [1]
[Sign:] Peritonitis
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [1]
[Sign:] Pr-bone(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Pr-mult Sites, Icterus
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Segs Hi, Bld

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Swelling, Ear(s)

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo

Number of times reported: [1]

[Sign:] Ulcer(s), Gi

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Drug:] Prednisolone

Parenteral, Horse

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pr-pharynx, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-spleen, Lesion(s)

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Drug:] Prednisolone

Parenteral, Human

[Sign:] Dizziness

Number of times reported: [1]

[Drug:] Prednisolone

Topical, Human

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]

[Drug:] Prednisolone

Unknown, Cat

[Sign:] Death
Number of times reported: [1]

[Drug:] Prednisolone

Unknown, Cattle

[Sign:] Death
Number of times reported: [1]

[Sign:] Ineffect
Number of times reported: [1]

[Drug:] Prednisolone

Unknown, Dog

[Sign:] Vomiting
Number of times reported: [4]

[Sign:] Depression/lethargy
Number of times reported: [3]

[Sign:] Death
Number of times reported: [2]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Aggression
Number of times reported: [1]

[Sign:] Albumin Hi, Bld
Number of times reported: [1]

[Sign:] Amylase Hi, Bld
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Arthritis
Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Cat Scan Abn
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Joint Disorder
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Monos Hi, Bld
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Neck, Ventroflexion
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pain, Neck
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Reflex(es) Abn

Number of times reported: [1]

[Sign:] Segs Hi, Bld

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Drug:] Prednisolone

Unknown, Human

[Sign:] Bld

Number of times reported: [1]

[Drug:] Prednisolone, Trimeprazine

Defect, Not Applicable

[Sign:] Pd-seal, Abn

Number of times reported: [13]

[Sign:] Pd-underfill, Package

Number of times reported: [7]

[Sign:] Pd-product Defect

Number of times reported: [6]

[Sign:] Pd-container(s), Damag

Number of times reported: [5]

[Sign:] Pd-cap(s), Abn

Number of times reported: [4]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [3]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [3]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [2]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Drug:] Prednisolone, Trimeprazine

Missing, Dog

[Sign:] Anemia, Autoimmune Hem

Number of times reported: [1]

[Drug:] Prednisolone, Trimeprazine

Oral, Cat

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Constipation

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Crystals, Urine

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Elimination Abn

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Lesion(s)

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Skin, Necrosis

Number of times reported: [1]

[Sign:] Slough, Ear(s)

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Prednisolone, Trimeprazine

Oral, Dog

[Sign:] Depression/lethargy

Number of times reported: [63]

[Sign:] Vomiting

Number of times reported: [54]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [41]

[Sign:] Anorexia

Number of times reported: [41]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [32]

[Sign:] Polydipsia

Number of times reported: [30]

[Sign:] Polyuria

Number of times reported: [27]

[Sign:] Convulsion(s)

Number of times reported: [24]

[Sign:] Diarrhea

Number of times reported: [24]

[Sign:] Anemia

Number of times reported: [23]

[Sign:] Ataxia

Number of times reported: [19]

[Sign:] Polypnea

Number of times reported: [19]

[Sign:] Death

Number of times reported: [18]

[Sign:] Bun Hi, Bld

Number of times reported: [17]

[Sign:] Diarrhea, Bloody

Number of times reported: [17]

[Sign:] Fever, Body

Number of times reported: [17]

[Sign:] Radiograph(s) Abn

Number of times reported: [16]

[Sign:] Death(euthanized)

Number of times reported: [15]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [13]

[Sign:] Hyperactivity
Number of times reported: [12]

[Sign:] Trembling
Number of times reported: [12]

[Sign:] Creatinine Hi, Bld
Number of times reported: [11]

[Sign:] Ineffect
Number of times reported: [11]

[Sign:] Ineffect, Antiinflam
Number of times reported: [11]

[Sign:] Behavior Disorder
Number of times reported: [10]

[Sign:] Dyspnea
Number of times reported: [10]

[Sign:] Incontinence, Urinary
Number of times reported: [10]

[Sign:] Platelets Lo, Bld
Number of times reported: [10]

[Sign:] Polyphagia
Number of times reported: [10]

[Sign:] Interaction, Drug(s)
Number of times reported: [9]

[Sign:] Weight Loss
Number of times reported: [9]

[Sign:] Pruritis
Number of times reported: [8]

[Sign:] Vocalization
Number of times reported: [8]

[Sign:] Wbc Hi, Bld
Number of times reported: [8]

[Sign:] Aggression
Number of times reported: [7]

[Sign:] Distention, Abdomen
Number of times reported: [7]

[Sign:] Urticaria
Number of times reported: [7]

[Sign:] Weakness
Number of times reported: [7]

[Sign:] Bld(ecchymoses)
Number of times reported: [6]

[Sign:] Bld(petechiae)
Number of times reported: [6]

[Sign:] Confusion
Number of times reported: [6]

[Sign:] Culture/titer Data Abn
Number of times reported: [6]

[Sign:] Hepatomegaly
Number of times reported: [6]

[Sign:] Lesion(s), Skin
Number of times reported: [6]

[Sign:] Pallor, Mucous Membran
Number of times reported: [6]

[Sign:] P Hi, Bld
Number of times reported: [6]

[Sign:] Protein, Urine
Number of times reported: [6]

[Sign:] Recumbency
Number of times reported: [6]

[Sign:] Sedation
Number of times reported: [6]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [6]

[Sign:] Alopecia
Number of times reported: [5]

[Sign:] Anaphylaxis/toid
Number of times reported: [5]

[Sign:] Coughing
Number of times reported: [5]

[Sign:] Diabetes Mellitus
Number of times reported: [5]

[Sign:] Inflam, Skin
Number of times reported: [5]

[Sign:] Murmur, Heart
Number of times reported: [5]

[Sign:] Pancreatitis
Number of times reported: [5]

[Sign:] Tachycardia
Number of times reported: [5]

[Sign:] Us Abn
Number of times reported: [5]

[Sign:] Albumin Lo, Bld
Number of times reported: [4]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [4]

[Sign:] Apprehension
Number of times reported: [4]

[Sign:] Bld, Urine
Number of times reported: [4]

[Sign:] Cardiomegaly
Number of times reported: [4]

[Sign:] Congestion, Skin
Number of times reported: [4]

[Sign:] Deafness
Number of times reported: [4]

[Sign:] Dehydration
Number of times reported: [4]

[Sign:] Glucose Hi, Bld
Number of times reported: [4]

[Sign:] Hematochezia
Number of times reported: [4]

[Sign:] Hyperpnea
Number of times reported: [4]

[Sign:] Lipase Hi, Bld
Number of times reported: [4]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [4]

[Sign:] Nervousness
Number of times reported: [4]

[Sign:] Neurological Disorder
Number of times reported: [4]

[Sign:] Pain, Abdomen
Number of times reported: [4]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [4]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [4]

[Sign:] Sneezing
Number of times reported: [4]

[Sign:] Stiffness
Number of times reported: [4]

[Sign:] Stupor
Number of times reported: [4]

[Sign:] Urination Abn
Number of times reported: [4]

[Sign:] Wbc Lo, Bld
Number of times reported: [4]

[Sign:] Amylase Hi, Bld
Number of times reported: [3]

[Sign:] Bile Acids Hi, Bld
Number of times reported: [3]

[Sign:] Chemistry Abn
Number of times reported: [3]

[Sign:] Circling
Number of times reported: [3]

[Sign:] Collapse
Number of times reported: [3]

[Sign:] Diarrhea, Mild
Number of times reported: [3]

[Sign:] Epistaxis
Number of times reported: [3]

[Sign:] Ggt Hi, Bld
Number of times reported: [3]

[Sign:] Icterus
Number of times reported: [3]

[Sign:] Icterus, Body
Number of times reported: [3]

[Sign:] Immune Disorder
Number of times reported: [3]

[Sign:] Kidney Disorder
Number of times reported: [3]

[Sign:] Liver Disorder
Number of times reported: [3]

[Sign:] Lymphs Lo, Bld
Number of times reported: [3]

[Sign:] Mydriasis
Number of times reported: [3]

[Sign:] Pain
Number of times reported: [3]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [3]

[Sign:] Pneumonia
Number of times reported: [3]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [3]

[Sign:] Pustule(s)
Number of times reported: [3]

[Sign:] Rash
Number of times reported: [3]

[Sign:] Reluctant To Move
Number of times reported: [3]

[Sign:] Segs Hi, Bld
Number of times reported: [3]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [3]

[Sign:] Shaking
Number of times reported: [3]

[Sign:] Sound Abn, Respiratory
Number of times reported: [3]

[Sign:] Splenomegaly
Number of times reported: [3]

[Sign:] Weight Increase
Number of times reported: [3]

[Sign:] Wheezing
Number of times reported: [3]

[Sign:] Adipsia
Number of times reported: [2]

[Sign:] Anemia, Hemolytic
Number of times reported: [2]

[Sign:] Anemia, Regen
Number of times reported: [2]

[Sign:] Anemia, Sphero
Number of times reported: [2]

[Sign:] Ascites
Number of times reported: [2]

[Sign:] Azotemia
Number of times reported: [2]

[Sign:] Biting/chewing
Number of times reported: [2]

[Sign:] Bld
Number of times reported: [2]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [2]

[Sign:] Ca Hi, Bld
Number of times reported: [2]

[Sign:] Calculi, Bladder
Number of times reported: [2]

[Sign:] Constipation
Number of times reported: [2]

[Sign:] Dermatitis, Moist
Number of times reported: [2]

[Sign:] Effusion, Pericardial
Number of times reported: [2]

[Sign:] Enlargement(s)
Number of times reported: [2]

[Sign:] Enlargement(s), Skin
Number of times reported: [2]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]

[Sign:] Gastritis
Number of times reported: [2]

[Sign:] Gastroenteritis
Number of times reported: [2]

[Sign:] Globulin Hi, Bld
Number of times reported: [2]

[Sign:] Glucose Lo, Bld
Number of times reported: [2]

[Sign:] Glucose, Urine
Number of times reported: [2]

[Sign:] Heart Failure
Number of times reported: [2]

[Sign:] Hyperpigmentation, Ski
Number of times reported: [2]

[Sign:] Hypersalivation
Number of times reported: [2]

[Sign:] Hypothermia, Body
Number of times reported: [2]

[Sign:] Infection, Skin
Number of times reported: [2]

[Sign:] Infection, Urinary Tra
Number of times reported: [2]

[Sign:] Keratoconjunctivitis S
Number of times reported: [2]

[Sign:] Kidney Failure
Number of times reported: [2]

[Sign:] K Lo, Bld
Number of times reported: [2]

[Sign:] Mass, Abdomen
Number of times reported: [2]

[Sign:] Neck, Ventroflexion
Number of times reported: [2]

[Sign:] Nystagmus
Number of times reported: [2]

[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [2]

[Sign:] Platelets Hi, Bld
Number of times reported: [2]

[Sign:] Pollakiuria
Number of times reported: [2]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [2]

[Sign:] Pupil(s), Areflexia
Number of times reported: [2]

[Sign:] Reflex(es) Abn
Number of times reported: [2]

[Sign:] Respiratory Disorder
Number of times reported: [2]

[Sign:] Reticulocytes Hi, Bld
Number of times reported: [2]

[Sign:] Seborrhea
Number of times reported: [2]

[Sign:] Skin Abnormal
Number of times reported: [2]

[Sign:] Sore(s)
Number of times reported: [2]

[Sign:] Spasm
Number of times reported: [2]

[Sign:] Swelling, Head/face
Number of times reported: [2]

[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [2]

[Sign:] Twitch
Number of times reported: [2]

[Sign:] Ulcer(s), Gi
Number of times reported: [2]

[Sign:] Ulcer(s), Skin
Number of times reported: [2]

[Sign:] Unconscious
Number of times reported: [2]

[Sign:] Urination
Number of times reported: [2]

[Sign:] Vomiting, Bloody
Number of times reported: [2]

[Sign:] Albumin Hi, Bld
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Arrhythmia
Number of times reported: [1]

[Sign:] Balance Disorder
Number of times reported: [1]

[Sign:] Bands Hi, Bld
Number of times reported: [1]

[Sign:] Bld, Abdomen
Number of times reported: [1]

[Sign:] Bld, Anus
Number of times reported: [1]

[Sign:] Bld, Gi
Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Bone, Abn
Number of times reported: [1]

[Sign:] Borborygmi
Number of times reported: [1]

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Breathing, Difficult
Number of times reported: [1]

[Sign:] Calculi, Urine
Number of times reported: [1]

[Sign:] Casts, Urine
Number of times reported: [1]

[Sign:] Chloride Hi, Bld
Number of times reported: [1]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]

[Sign:] Coagulation Disorder
Number of times reported: [1]

[Sign:] Colitis
Number of times reported: [1]

[Sign:] Colon, Abn
Number of times reported: [1]

[Sign:] Congestion, Lung(s)
Number of times reported: [1]

[Sign:] Congestion, Sinus
Number of times reported: [1]

[Sign:] Crystals, Urine
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]

[Sign:] Defecation
Number of times reported: [1]

[Sign:] Defecation Abn
Number of times reported: [1]

[Sign:] Diabetes M, Poor Regul
Number of times reported: [1]

[Sign:] Diarrhea, Severe
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Dilitation, Esophagus
Number of times reported: [1]

[Sign:] Discharge, Mammary
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Discomfort, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Dissociation
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Dysuria
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Edema, Ventral
Number of times reported: [1]

[Sign:] Effusion, Pleural
Number of times reported: [1]

[Sign:] Electrolyte Disorder
Number of times reported: [1]

[Sign:] Embolus
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Enteritis
Number of times reported: [1]

[Sign:] Eosinos Hi, Bld
Number of times reported: [1]

[Sign:] Eosinos Lo, Bld
Number of times reported: [1]

[Sign:] Erection, Abn
Number of times reported: [1]

[Sign:] Eruption(s)
Number of times reported: [1]

[Sign:] Exercise Intolerance
Number of times reported: [1]

[Sign:] Eye Disorder
Number of times reported: [1]

[Sign:] Flatulence
Number of times reported: [1]

[Sign:] Gall Bladder, Abn
Number of times reported: [1]

[Sign:] Hair, Shedding
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Heart Disorder
Number of times reported: [1]

[Sign:] Hemoglobin, Urine
Number of times reported: [1]

[Sign:] Hyperadrenocorticism
Number of times reported: [1]

[Sign:] Hypersensitive, Sound
Number of times reported: [1]

[Sign:] Hyphema
Number of times reported: [1]

[Sign:] Hypoadrenocorticism
Number of times reported: [1]

[Sign:] Hypoesthesia
Number of times reported: [1]

[Sign:] Improvement, Unexpect
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Sign:] Ineffect, Atopy Control
Number of times reported: [1]

[Sign:] Infection
Number of times reported: [1]

[Sign:] Inj Site Abscess
Number of times reported: [1]

[Sign:] Inj Site Edema
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Irritation, Skin
Number of times reported: [1]

[Sign:] Joint Disorder
Number of times reported: [1]

[Sign:] Ketosis
Number of times reported: [1]

[Sign:] K Hi, Bld
Number of times reported: [1]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]

[Sign:] Licking
Number of times reported: [1]

[Sign:] Licking, Feet/digit(s)
Number of times reported: [1]

[Sign:] Melena
Number of times reported: [1]

[Sign:] Microorganisms, Urine
Number of times reported: [1]

[Sign:] Microorganisms, Urine
Number of times reported: [1]

[Sign:] Miosis
Number of times reported: [1]

[Sign:] Monos Lo, Bld
Number of times reported: [1]

[Sign:] Na Hi, Bld
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Nephritis
Number of times reported: [1]

[Sign:] Nose Abn
Number of times reported: [1]

[Sign:] Odor, Mouth
Number of times reported: [1]

[Sign:] Opisthotonos
Number of times reported: [1]

[Sign:] Pacing
Number of times reported: [1]

[Sign:] Pain, Back
Number of times reported: [1]

[Sign:] Pain, Neck
Number of times reported: [1]

[Sign:] Pallor
Number of times reported: [1]

[Sign:] Perforation, Gi
Number of times reported: [1]

[Sign:] Perforation, Stomach
Number of times reported: [1]

[Sign:] Peritonitis
Number of times reported: [1]

[Sign:] Phlebitis
Number of times reported: [1]

[Sign:] Photophobia
Number of times reported: [1]

[Sign:] P Lo, Bld
Number of times reported: [1]

[Sign:] Pneumonia, Aspiration
Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-esophagus, Lesion(s)
Number of times reported: [1]

[Sign:] Pressure Hi, Bld
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Priapism
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema
Number of times reported: [1]

[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]

[Sign:] Proprioceptive Disorde
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]

[Sign:] Pruritis, Ear(s)
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)
Number of times reported: [1]

[Sign:] Pulse Thready
Number of times reported: [1]

[Sign:] Rbc Abn
Number of times reported: [1]

[Sign:] Rbc, Aniso
Number of times reported: [1]

[Sign:] Rbc, Polychrom
Number of times reported: [1]

[Sign:] Regurgitation
Number of times reported: [1]

[Sign:] Retina Abn
Number of times reported: [1]

[Sign:] Rupture, Tumor
Number of times reported: [1]

[Sign:] Scale(s), Skin
Number of times reported: [1]

[Sign:] Segs Lo, Bld
Number of times reported: [1]

[Sign:] Skin, Crust(s)
Number of times reported: [1]

[Sign:] Skin, Dry
Number of times reported: [1]

[Sign:] Skin, Necrosis
Number of times reported: [1]

[Sign:] Somnolence
Number of times reported: [1]

[Sign:] Staring
Number of times reported: [1]

[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [1]

[Sign:] Stool Abn
Number of times reported: [1]

[Sign:] Stranguria
Number of times reported: [1]

[Sign:] Swelling
Number of times reported: [1]

[Sign:] Swelling, Joint(s)
Number of times reported: [1]

[Sign:] Swelling, Ventrum
Number of times reported: [1]

[Sign:] Teeth, Abn
Number of times reported: [1]

[Sign:] Tenesmus
Number of times reported: [1]

[Sign:] Tenesmus, Urinary
Number of times reported: [1]

[Sign:] Thrashing/paddling
Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [1]

[Sign:] Tongue, Abn
Number of times reported: [1]

[Sign:] Trembling, Face
Number of times reported: [1]

[Sign:] Ulcer(s), Pylorus
Number of times reported: [1]

[Sign:] Ulcer(s), Stomach
Number of times reported: [1]

[Sign:] Us-liver Abn
Number of times reported: [1]

[Sign:] Volvulus, Stomach
Number of times reported: [1]

[Drug:] Prednisolone, Trimeprazine
Oral, Human

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Somnolence

Number of times reported: [2]

[Sign:] Gi, Abnormal

Number of times reported: [1]

[Sign:] Xerostomia

Number of times reported: [1]

[Drug:] Prednisone

Oral, Cat

[Sign:] Ineffect, Antiinflam

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Drug:] Prednisone

Oral, Dog

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]

[Sign:] Amylase Hi, Bld

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)

Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Lipase Hi, Bld

Number of times reported: [1]

[Sign:] Pancreatitis

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Polyphagia

Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Prednisone

Parenteral, Dog

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Primidone

Defect, Not Applicable

[Sign:] Pd-tablet(s), Abn
Number of times reported: [2]

[Sign:] Pd-label(s), Abn
Number of times reported: [1]

[Drug:] Primidone

Oral, Cat

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Dizziness
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Drug:] Primidone

Oral, Dog

[Sign:] Polydipsia
Number of times reported: [29]

[Sign:] Ataxia
Number of times reported: [22]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [21]

[Sign:] Depression/lethargy
Number of times reported: [21]

[Sign:] Apprehension
Number of times reported: [16]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [16]

[Sign:] Hyperactivity
Number of times reported: [14]

[Sign:] Bile Acids Hi, Bld
Number of times reported: [13]

[Sign:] Confusion
Number of times reported: [13]

[Sign:] Anorexia
Number of times reported: [12]

[Sign:] Nervousness
Number of times reported: [12]

[Sign:] Pacing
Number of times reported: [12]

[Sign:] Polyphagia
Number of times reported: [12]

[Sign:] Vomiting
Number of times reported: [12]

[Sign:] Polyuria
Number of times reported: [10]

[Sign:] Polypnea
Number of times reported: [9]

[Sign:] Death
Number of times reported: [8]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [8]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [7]

[Sign:] Pruritis
Number of times reported: [7]

[Sign:] Vocalization

Number of times reported: [7]
[Sign:] Diarrhea, Mild
Number of times reported: [6]
[Sign:] Hypersalivation
Number of times reported: [6]
[Sign:] Infection, Skin
Number of times reported: [6]
[Sign:] Urination Abn
Number of times reported: [6]
[Sign:] Aggression
Number of times reported: [5]
[Sign:] Alopecia
Number of times reported: [5]
[Sign:] Behavior Disorder
Number of times reported: [5]
[Sign:] Ineffect, Seizures
Number of times reported: [5]
[Sign:] Lameness
Number of times reported: [5]
[Sign:] Mass, Skin
Number of times reported: [5]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [5]
[Sign:] Somnolence
Number of times reported: [5]
[Sign:] Staggering
Number of times reported: [5]
[Sign:] Albumin Lo, Bld
Number of times reported: [4]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [4]
[Sign:] Convulsion(s)
Number of times reported: [4]
[Sign:] Death(euthanized)
Number of times reported: [4]
[Sign:] Ggt Hi, Bld
Number of times reported: [4]
[Sign:] Ineffect
Number of times reported: [4]
[Sign:] Reluctant To Climb
Number of times reported: [4]
[Sign:] Sedation

Number of times reported: [4]
[Sign:] Wbc Lo, Bld
Number of times reported: [4]
[Sign:] Congestion, Ear(s)
Number of times reported: [3]
[Sign:] Congestion, Skin
Number of times reported: [3]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [3]
[Sign:] Distention, Abdomen
Number of times reported: [3]
[Sign:] Lesion(s), Skin
Number of times reported: [3]
[Sign:] Mydriasis
Number of times reported: [3]
[Sign:] Pain, Abdomen
Number of times reported: [3]
[Sign:] Segs Hi, Bld
Number of times reported: [3]
[Sign:] Segs Lo, Bld
Number of times reported: [3]
[Sign:] Amylase Hi, Bld
Number of times reported: [2]
[Sign:] Ascites
Number of times reported: [2]
[Sign:] Blindness
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Congestion, Mucous Mem
Number of times reported: [2]
[Sign:] Dermatitis, Moist
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Discharge, Ear(s)
Number of times reported: [2]
[Sign:] Elimination Abn
Number of times reported: [2]
[Sign:] Fever, Body

Number of times reported: [2]
[Sign:] Hematochezia
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Incontinence, Urinary
Number of times reported: [2]
[Sign:] Infection, Urinary Tra
Number of times reported: [2]
[Sign:] K Hi, Bld
Number of times reported: [2]
[Sign:] Lipase Hi, Bld
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Lymphs Hi, Bld
Number of times reported: [2]
[Sign:] Mass
Number of times reported: [2]
[Sign:] Otitis
Number of times reported: [2]
[Sign:] Polycythemia(relative)
Number of times reported: [2]
[Sign:] Proprioceptive Disorde
Number of times reported: [2]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Reluctant To Move
Number of times reported: [2]
[Sign:] Scale(s), Skin
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Skin, Scab(s)
Number of times reported: [2]
[Sign:] Unconscious
Number of times reported: [2]
[Sign:] Us-liver Abn
Number of times reported: [2]
[Sign:] Wbc, Urine

Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Weight Increase
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Anisocoria
Number of times reported: [1]
[Sign:] Aplasia, Bone Marrow
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Coprophagia
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Dyspnea

Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Fly Biting
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hair, Abn Color
Number of times reported: [1]
[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hepatitis
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]
[Sign:] Hypersensitive, Sound
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Infection, Uterus
Number of times reported: [1]
[Sign:] Irritation, Ear(s)
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [1]
[Sign:] Lipids Hi, Bld
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld

Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Monos Hi, Bld
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Na:k Lo, Bld
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Neoplasm, Skin
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Pain, Muscle(s)
Number of times reported: [1]
[Sign:] Papule(s)
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Platelets Hi, Bld
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)

Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Reflux, Stomach
Number of times reported: [1]
[Sign:] Saliva, Abn
Number of times reported: [1]
[Sign:] Seborrhea
Number of times reported: [1]
[Sign:] Sedation Too Deep
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Skin, Dry
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Squinting
Number of times reported: [1]
[Sign:] Staring
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Trembling, Face
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Primidone

Oral, Human

[Sign:] Interaction, Drug(s)

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Drug:] Progesterone

Defect, Not Applicable

[Sign:] Pd-product Defect

Number of times reported: [22]

[Sign:] Pd-implant, Abn

Number of times reported: [18]

[Sign:] Pd-applicator, Abn

Number of times reported: [15]

[Sign:] Pd-underfill, Package

Number of times reported: [14]

[Sign:] Pd-container(s), Damag

Number of times reported: [11]

[Sign:] Pd-tube(s), Damaged

Number of times reported: [2]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

[Drug:] Progesterone

Intrauterine, Cattle

[Sign:] Ineffect, Estrus Synch

Number of times reported: [1]

[Drug:] Progesterone

Oral, Dog

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Bld, Vagina

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Diarrhea, Mucoid

Number of times reported: [1]

[Sign:] Gi, Abnormal

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Obstruction, Intestine

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Tenesmus

Number of times reported: [1]

[Drug:] Progesterone

Oral, Human

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Progesterone

Parenteral, Cattle

[Sign:] Ineffect, Estrus Synch
Number of times reported: [1]

[Drug:] Progesterone

Suppository, Cattle

[Sign:] Ineffect, Estrus Synch
Number of times reported: [133]

[Sign:] Vaginitis
Number of times reported: [16]

[Sign:] Pd-product Defect
Number of times reported: [14]

[Sign:] Discharge, Vulva
Number of times reported: [12]

[Sign:] Pd-implant, Abn
Number of times reported: [11]

[Sign:] Death
Number of times reported: [8]

[Sign:] Swelling, Vagina/vulva
Number of times reported: [8]

[Sign:] Ineffect, Estrus Suppr
Number of times reported: [5]

[Sign:] Fertility, Reduced
Number of times reported: [4]

[Sign:] Anorexia
Number of times reported: [3]

[Sign:] Ataxia
Number of times reported: [3]

[Sign:] Depression/lethargy
Number of times reported: [3]

[Sign:] Hypersalivation
Number of times reported: [3]

[Sign:] No Signs
Number of times reported: [3]

[Sign:] Prolapse, Rectum
Number of times reported: [3]

[Sign:] Tenesmus
Number of times reported: [3]

[Sign:] Abortion
Number of times reported: [2]

[Sign:] Collapse
Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]
[Sign:] Edema, Vulva
Number of times reported: [2]
[Sign:] Fertility, Lack Of
Number of times reported: [2]
[Sign:] Myositis
Number of times reported: [2]
[Sign:] Pd-applicator, Abn
Number of times reported: [2]
[Sign:] Tenesmus, Rectal
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anestrus
Number of times reported: [1]
[Sign:] Application Site Inflam
Number of times reported: [1]
[Sign:] Application Site Pain
Number of times reported: [1]
[Sign:] Application Site Swelling
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Death(slaughtered)
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Estrus Behavior
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Odor
Number of times reported: [1]
[Sign:] Ovaries, Cystic
Number of times reported: [1]
[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Pollakiuria

Number of times reported: [1]

[Sign:] Pustule(s)

Number of times reported: [1]

[Sign:] Reproduction Disorder

Number of times reported: [1]

[Sign:] Straining

Number of times reported: [1]

[Sign:] Stranguria

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Uterus

Number of times reported: [1]

[Sign:] Tech Error Administrat

Number of times reported: [1]

[Sign:] Udder, Hypogalactia

Number of times reported: [1]

[Sign:] Udder, Mastitis

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Progesterone

Suppository, Deer

[Sign:] Death

Number of times reported: [1]

[Sign:] Vaginitis

Number of times reported: [1]

[Drug:] Progesterone

Suppository, Horse

[Sign:] Vaginitis

Number of times reported: [1]

[Drug:] Progesterone

Suppository, Sheep

[Sign:] Estrus Too Soon

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Ineffect, Estrus Synch

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Reproduction Disorder

Number of times reported: [1]

[Drug:] Progesterone

Topical, Human

[Sign:] Menses, Abnormal

Number of times reported: [3]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Insomnia

Number of times reported: [1]

[Sign:] Mammary, Hyperplasia

Number of times reported: [1]

[Drug:] Progesterone

Unknown, Cattle

[Sign:] Ineffect, Estrus Synch

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Progesterone

Unknown, Human

[Sign:] Cns Disorder

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Drug:] Progesterone

Various, Cattle

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Diarrhea, Severe

Number of times reported: [1]

[Sign:] Diarrhea, Watery

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Inj Site Necrosis

Number of times reported: [1]

[Sign:] Necrosis

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Udder, Mastitis

Number of times reported: [1]

[Sign:] Udder, Milk Abn

Number of times reported: [1]

[Sign:] Udder, Swelling

Number of times reported: [1]

[Drug:] Promazine

Defect, Not Applicable

[Sign:] Pd-granules, Abn

Number of times reported: [1]

[Sign:] Pd-missing, Label(s)

Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [1]

[Drug:] Promazine

Oral, Cattle

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Drug:] Promazine

Oral, Horse

[Sign:] Ineffect, Sedation

Number of times reported: [7]

[Sign:] Ineffect, Tranquilizat

Number of times reported: [3]

[Sign:] Hyperactivity

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Sedation Too Deep

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Drug:] Promazine

Oral, Mule

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Drug:] Proparacaine

Ophthalmic, Cat

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Death

Number of times reported: [2]

[Sign:] Defecation

Number of times reported: [2]

[Sign:] Hypersalivation

Number of times reported: [2]

[Sign:] Shock

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Proparacaine

Topical, Horse

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Drug:] Propofol

Defect, Not Applicable

[Sign:] Pd-color, Abn

Number of times reported: [11]

[Sign:] Pd-solution, Abn

Number of times reported: [7]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [4]

[Sign:] Pd-container(s), Abn

Number of times reported: [2]

[Sign:] Pd-missing, Cap

Number of times reported: [2]

[Sign:] Pd-suspension, Abn

Number of times reported: [2]

[Sign:] Pd-vial(s), Leaking
Number of times reported: [2]
[Sign:] Ineffect, Anesthesia
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] Pd-seal, Abn
Number of times reported: [1]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [1]

[Drug:] Propofol

Missing, Cat

[Sign:] Anesth Induc Turbulent
Number of times reported: [1]
[Sign:] Anisocoria
Number of times reported: [1]

[Drug:] Propofol

Missing, Dog

[Sign:] Death
Number of times reported: [3]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Volvulus, Stomach
Number of times reported: [1]

[Drug:] Propofol

Missing, Various

[Sign:] Death
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Drug:] Propofol

Parenteral, Cat

[Sign:] Death
Number of times reported: [32]
[Sign:] Apnea
Number of times reported: [30]
[Sign:] Arrest, Heart
Number of times reported: [24]
[Sign:] Bradycardia
Number of times reported: [16]
[Sign:] Convulsion(s)
Number of times reported: [9]
[Sign:] Blindness
Number of times reported: [8]
[Sign:] Blindness, Temp
Number of times reported: [8]
[Sign:] Ineffect, Anesthesia
Number of times reported: [8]
[Sign:] Anesth Recov Prolonged
Number of times reported: [7]
[Sign:] Cyanosis
Number of times reported: [7]
[Sign:] Death(euthanized)
Number of times reported: [7]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [7]

[Sign:] Ataxia
Number of times reported: [6]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [6]

[Sign:] Pressure Lo, Bld
Number of times reported: [6]

[Sign:] Radiograph(s) Abn
Number of times reported: [6]

[Sign:] Dyspnea
Number of times reported: [5]

[Sign:] Aggression
Number of times reported: [4]

[Sign:] Hyperpnea
Number of times reported: [4]

[Sign:] Anaphylaxis/toid
Number of times reported: [3]

[Sign:] Anesth Induction Prolonged
Number of times reported: [3]

[Sign:] Anesth Induc Turbulent
Number of times reported: [3]

[Sign:] Anesth Recov Turbulent
Number of times reported: [3]

[Sign:] Arrhythmia
Number of times reported: [3]

[Sign:] Circling
Number of times reported: [3]

[Sign:] Depression/lethargy
Number of times reported: [3]

[Sign:] Fever, Body
Number of times reported: [3]

[Sign:] Hyperactivity
Number of times reported: [3]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [3]

[Sign:] Tachycardia
Number of times reported: [3]

[Sign:] Anemia
Number of times reported: [2]

[Sign:] Anemia, Heinz Body
Number of times reported: [2]

[Sign:] Confusion
Number of times reported: [2]

[Sign:] Distress, Resp
Number of times reported: [2]

[Sign:] Edema, Head/face
Number of times reported: [2]

[Sign:] Emphysema, Sq
Number of times reported: [2]

[Sign:] Gagging
Number of times reported: [2]

[Sign:] Hypopnea
Number of times reported: [2]

[Sign:] Hypothermia
Number of times reported: [2]

[Sign:] Murmur, Heart
Number of times reported: [2]

[Sign:] Mydriasis
Number of times reported: [2]

[Sign:] Pallor, Mucous Membran
Number of times reported: [2]

[Sign:] Spasm
Number of times reported: [2]

[Sign:] Unconscious
Number of times reported: [2]

[Sign:] Vocalization
Number of times reported: [2]

[Sign:] Weakness
Number of times reported: [2]

[Sign:] Adverse Drug Reaction
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Balance Disorder
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Bld, Rectum
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Breathing, Periodic
Number of times reported: [1]

[Sign:] Cns Disorder
Number of times reported: [1]

[Sign:] Edema, Neck
Number of times reported: [1]

[Sign:] Edema, Pharynx
Number of times reported: [1]

[Sign:] Edema, Tongue
Number of times reported: [1]

[Sign:] Effusion, Pleural
Number of times reported: [1]

[Sign:] Heart Disorder
Number of times reported: [1]

[Sign:] Hypersensitive, Sound
Number of times reported: [1]

[Sign:] Hypothermia, Body
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Incontinence, Urinary
Number of times reported: [1]

[Sign:] Inflam, Skin
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Slough
Number of times reported: [1]

[Sign:] Laryngospasm
Number of times reported: [1]

[Sign:] Licking
Number of times reported: [1]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]

[Sign:] Pallor
Number of times reported: [1]

[Sign:] Posture Abn
Number of times reported: [1]

[Sign:] Pressure Hi, Bld
Number of times reported: [1]

[Sign:] Pr-pleural Effusion
Number of times reported: [1]

[Sign:] Pupil(s), Areflexia
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Reflex(es) Abn
Number of times reported: [1]

[Sign:] Respiratory Disorder
Number of times reported: [1]

[Sign:] Sedation
Number of times reported: [1]

[Sign:] Sedation Prolonged
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Shaking, Head/face
Number of times reported: [1]

[Sign:] Skin, Necrosis
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Staring
Number of times reported: [1]

[Sign:] Stiffness, Front Limb(
Number of times reported: [1]

[Sign:] Stiffness, Neck
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Twitch
Number of times reported: [1]

[Sign:] Vestibular Disorder
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Propofol

Parenteral, Dog

[Sign:] Death
Number of times reported: [108]

[Sign:] Apnea
Number of times reported: [88]

[Sign:] Ineffect, Anesthesia
Number of times reported: [83]

[Sign:] Arrest, Heart
Number of times reported: [78]

[Sign:] Convulsion(s)
Number of times reported: [68]

[Sign:] Bradycardia
Number of times reported: [62]

[Sign:] Hyperpnea
Number of times reported: [24]

[Sign:] Opisthotonos
Number of times reported: [22]

[Sign:] Anesth Recov Prolonged
Number of times reported: [21]

[Sign:] Twitch
Number of times reported: [21]

[Sign:] Thrashing/paddling
Number of times reported: [19]

[Sign:] Vocalization
Number of times reported: [19]

[Sign:] Tachycardia
Number of times reported: [17]

[Sign:] Vomiting
Number of times reported: [17]

[Sign:] Fever, Body
Number of times reported: [16]

[Sign:] Cyanosis
Number of times reported: [15]

[Sign:] Depression/lethargy
Number of times reported: [14]

[Sign:] Hypersalivation

Number of times reported: [14]
[Sign:] Spasm
Number of times reported: [14]
[Sign:] Trembling
Number of times reported: [14]
[Sign:] Anesth Induc Turbulent
Number of times reported: [13]
[Sign:] Anesth Recov Turbulent
Number of times reported: [12]
[Sign:] Anesth Too Deep
Number of times reported: [11]
[Sign:] Pressure Lo, Bld
Number of times reported: [11]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [10]
[Sign:] Pallor, Mucous Membran
Number of times reported: [10]
[Sign:] Nystagmus
Number of times reported: [9]
[Sign:] Anaphylaxis/toid
Number of times reported: [8]
[Sign:] Anesth Induction Prolonged
Number of times reported: [8]
[Sign:] Anorexia
Number of times reported: [8]
[Sign:] Death(euthanized)
Number of times reported: [8]
[Sign:] Diarrhea
Number of times reported: [8]
[Sign:] Hyperactivity
Number of times reported: [8]
[Sign:] Inj Site Pain
Number of times reported: [8]
[Sign:] Swelling, Head/face
Number of times reported: [8]
[Sign:] Urticaria
Number of times reported: [8]
[Sign:] Arrhythmia
Number of times reported: [7]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [7]
[Sign:] Hypopnea

Number of times reported: [6]
[Sign:] Inj Site Swelling
Number of times reported: [6]
[Sign:] Polypnea
Number of times reported: [6]
[Sign:] Swelling, Tongue
Number of times reported: [6]
[Sign:] Ataxia
Number of times reported: [5]
[Sign:] Confusion
Number of times reported: [5]
[Sign:] Ineffect, Sedation
Number of times reported: [5]
[Sign:] Stiffness, Neck
Number of times reported: [5]
[Sign:] Congestion
Number of times reported: [4]
[Sign:] Congestion, Skin
Number of times reported: [4]
[Sign:] Edema, Limb(s)
Number of times reported: [4]
[Sign:] Inj Site Inflam
Number of times reported: [4]
[Sign:] Skin, Necrosis
Number of times reported: [4]
[Sign:] Slough, Skin
Number of times reported: [4]
[Sign:] Stiffness, Front Limb(
Number of times reported: [4]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [4]
[Sign:] Swelling, Limb(s)
Number of times reported: [4]
[Sign:] Aggression
Number of times reported: [3]
[Sign:] Bld, Rectum
Number of times reported: [3]
[Sign:] Blindness
Number of times reported: [3]
[Sign:] Defecation
Number of times reported: [3]
[Sign:] Dyspnea

Number of times reported: [3]
[Sign:] Edema, Head/face
Number of times reported: [3]
[Sign:] Edema, Tongue
Number of times reported: [3]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [3]
[Sign:] Jerking
Number of times reported: [3]
[Sign:] Pallor
Number of times reported: [3]
[Sign:] Pressure Hi, Bld
Number of times reported: [3]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [3]
[Sign:] Pruritis
Number of times reported: [3]
[Sign:] Radiograph(s) Abn
Number of times reported: [3]
[Sign:] Shock
Number of times reported: [3]
[Sign:] Stiffness, Limb(s)
Number of times reported: [3]
[Sign:] Tachycardia, Ventricul
Number of times reported: [3]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Breathing Abn
Number of times reported: [2]
[Sign:] Breathing, Periodic
Number of times reported: [2]
[Sign:] Capillary Refill Prolo
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Ecg Abn
Number of times reported: [2]
[Sign:] Gagging

Number of times reported: [2]
[Sign:] Hematochezia
Number of times reported: [2]
[Sign:] Hypothermia, Body
Number of times reported: [2]
[Sign:] Inj Site Edema
Number of times reported: [2]
[Sign:] Interaction, Drug(s)
Number of times reported: [2]
[Sign:] Kidney Failure
Number of times reported: [2]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [2]
[Sign:] Mydriasis
Number of times reported: [2]
[Sign:] Nystagmus, Horizontal
Number of times reported: [2]
[Sign:] Pd-solution, Abn
Number of times reported: [2]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [2]
[Sign:] Pulse Thready
Number of times reported: [2]
[Sign:] Sepsis
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Shaking, Head/face
Number of times reported: [2]
[Sign:] Slough
Number of times reported: [2]
[Sign:] Stiffness
Number of times reported: [2]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Swelling, Mult Sites
Number of times reported: [2]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [2]
[Sign:] Tech Error Administrat

Number of times reported: [2]
[Sign:] Urination
Number of times reported: [2]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Anesth Duration Brief
Number of times reported: [1]
[Sign:] Anesth Induction Rapid
Number of times reported: [1]
[Sign:] Arrhythmia, Block
Number of times reported: [1]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld, Abdomen
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Bld, Penis
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Circulatory Disorder
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Congestion, Ear(s)
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Culture/titer Data Abn

Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]
[Sign:] Deafness, Temp
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Delirium
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Dilitation, Stomach
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dysrhythmia, Resp
Number of times reported: [1]
[Sign:] Ecg, Abn
Number of times reported: [1]
[Sign:] Edema, Larynx
Number of times reported: [1]
[Sign:] Emphysema, Sq
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Fibrillation, Ventricu
Number of times reported: [1]
[Sign:] Fibrinogen Lo, Bld
Number of times reported: [1]
[Sign:] Grinding Teeth
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hypertonia
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Ineffect

Number of times reported: [1]
[Sign:] Inflamm, Skin
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Infect
Number of times reported: [1]
[Sign:] Inj Site Pruritis
Number of times reported: [1]
[Sign:] Irritation, Ear(s)
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Laryngospasm
Number of times reported: [1]
[Sign:] Leg Disorder
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Liver Failure
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Mucous Membr, Muddy
Number of times reported: [1]
[Sign:] Mucous Membr, Red
Number of times reported: [1]
[Sign:] Neoplasm
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Paralysis, Larynx

Number of times reported: [1]
[Sign:] Polycythemia
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Pr-nose, Lesion(s)
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Squinting
Number of times reported: [1]
[Sign:] Strabismus
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Tongue, Abn

Number of times reported: [1]

[Sign:] Trembling, Face

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Us Abn

Number of times reported: [1]

[Sign:] Volvulus, Stomach

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Propofol

Parenteral, Horse

[Sign:] Twitch

Number of times reported: [1]

[Drug:] Propofol

Parenteral, Human

[Sign:] Inj Site Bld

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Drug:] Propofol

Parenteral, Other

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Circling

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Locomotion Disorder

Number of times reported: [1]

[Sign:] Pneumonia, Aspiration

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Drug:] Propofol

Parenteral, Turtle

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Bradycardia

Number of times reported: [2]

[Sign:] Csf Abn

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Pr-adrenal(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Reflex(es) Abn

Number of times reported: [1]

[Drug:] Propofol

Parenteral, Various

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Pain, Muscle(s)

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Propofol

Topical, Human

[Sign:] Laceration(s), Hand(s)

Number of times reported: [3]

[Sign:] Human Exposure, Hand(s)
Number of times reported: [1]
[Sign:] Pd-vial(s), Abn
Number of times reported: [1]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [1]

[Drug:] Propofol

Unknown, Cat

[Sign:] Arrest, Heart
Number of times reported: [3]
[Sign:] Death
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Blindness, Partial
Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Propofol

Unknown, Dog

[Sign:] Ineffect, Anesthesia
Number of times reported: [6]
[Sign:] Apnea
Number of times reported: [3]
[Sign:] Bradycardia
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]

[Sign:] Hypopnea
Number of times reported: [2]

[Sign:] Thrashing/paddling
Number of times reported: [2]

[Sign:] Vomiting
Number of times reported: [2]

[Sign:] Aggression
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]

[Sign:] Anesth Recov Prolonged
Number of times reported: [1]

[Sign:] Anesth Too Deep
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Congestion
Number of times reported: [1]

[Sign:] Coombs Test Pos
Number of times reported: [1]

[Sign:] Cyanosis
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Lockjaw
Number of times reported: [1]

[Sign:] Reflex(es) Abn
Number of times reported: [1]

[Drug:] Propofol

Various, Dog

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Fever, Joint(s)

Number of times reported: [1]

[Sign:] Inflam

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Neck

Number of times reported: [1]

[Sign:] Tech Error Administrat

Number of times reported: [1]

[Drug:] Propofol

Various, Human

[Sign:] Hypoesthesia

Number of times reported: [1]

[Drug:] Protopam Chloride

Parenteral, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Pseudoephedrine And Pyrilamine

Oral, Horse

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Sweating, Decreased

Number of times reported: [1]

[Drug:] Psyllium

Oral, Horse

[Sign:] Death

Number of times reported: [1]

[Sign:] Obstruction, Intestine

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Drug:] Pyrantel

Defect, Not Applicable

[Sign:] Pd-seal, Abn

Number of times reported: [104]

[Sign:] Pd-container(s), Abn

Number of times reported: [100]

[Sign:] Pd-suspension, Abn

Number of times reported: [52]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [34]

[Sign:] Pd-contam, Mold

Number of times reported: [30]

[Sign:] Pd-container(s), Damag

Number of times reported: [20]

[Sign:] Pd-product Defect

Number of times reported: [18]

[Sign:] Pd-odor, Abn

Number of times reported: [16]

[Sign:] Pd-color, Abn

Number of times reported: [13]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [9]

[Sign:] Pd-underfill, Package

Number of times reported: [8]

[Sign:] Pd-cap(s), Abn

Number of times reported: [7]

[Sign:] Pd-contam, Insects

Number of times reported: [6]

[Sign:] Pd-label(s), Abn

Number of times reported: [5]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [5]

[Sign:] Pd-tube(s), Abn

Number of times reported: [5]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [5]

[Sign:] Pd-missing, Label(s)

Number of times reported: [4]

[Sign:] Pd-solution, Abn

Number of times reported: [4]
[Sign:] Pd-syringe, Abn
Number of times reported: [4]
[Sign:] Pd-underfill, Tube(s)
Number of times reported: [4]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [4]
[Sign:] Pd-granules/powder, Abn
Number of times reported: [3]
[Sign:] Pd-tube(s), Leaking
Number of times reported: [3]
[Sign:] Pd-contamination
Number of times reported: [2]
[Sign:] Pd-dispenser, Abn
Number of times reported: [2]
[Sign:] Pd-missing, Cap
Number of times reported: [2]
[Sign:] Taste Abnormality
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Pd-defect Unknown
Number of times reported: [1]
[Sign:] Pd-gel/paste, Abn
Number of times reported: [1]
[Sign:] Pd-unknown
Number of times reported: [1]
[Sign:] Pd-vial(s), Abn
Number of times reported: [1]
[Sign:] Unpalatable
Number of times reported: [1]

[Drug:] Pyrantel

Missing, Dog

[Sign:] Vomiting
Number of times reported: [20]
[Sign:] Depression/lethargy
Number of times reported: [14]
[Sign:] Diarrhea
Number of times reported: [13]

[Sign:] Anorexia
Number of times reported: [9]

[Sign:] Ineffect, Worms
Number of times reported: [9]

[Sign:] Death
Number of times reported: [7]

[Sign:] Gagging
Number of times reported: [4]

[Sign:] Shaking
Number of times reported: [4]

[Sign:] Convulsion(s)
Number of times reported: [3]

[Sign:] Coughing
Number of times reported: [3]

[Sign:] Vomiting, Unproductive
Number of times reported: [3]

[Sign:] Adipsia
Number of times reported: [2]

[Sign:] Behavior Disorder
Number of times reported: [2]

[Sign:] Hematochezia
Number of times reported: [2]

[Sign:] Ineffect, Hooks
Number of times reported: [2]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Congestion, Lung(s)
Number of times reported: [1]

[Sign:] Constipation
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Delirium
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Dizziness
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Ineffect, Ascarids
Number of times reported: [1]

[Sign:] Ineffect, Parasite(s)
Number of times reported: [1]

[Sign:] Licking
Number of times reported: [1]

[Sign:] Loss Of Condition
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Polydipsia
Number of times reported: [1]

[Sign:] Sedation
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Trembling, Face
Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Sign:] Vomiting Roundworms
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Pyrantel

Missing, Human

[Sign:] Nausea
Number of times reported: [1]

[Drug:] Pyrantel

Missing, Missing Information

[Sign:] Ineffect, Worms
Number of times reported: [1]

[Drug:] Pyrantel

Ophthalmic, Horse

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Drug:] Pyrantel

Oral, Cat

[Sign:] Depression/lethargy
Number of times reported: [27]

[Sign:] Anorexia
Number of times reported: [24]

[Sign:] Diarrhea
Number of times reported: [22]

[Sign:] Vomiting
Number of times reported: [22]

[Sign:] Death
Number of times reported: [17]

[Sign:] Ataxia
Number of times reported: [12]

[Sign:] Fever, Body
Number of times reported: [5]

[Sign:] Anemia
Number of times reported: [4]

[Sign:] Convulsion(s)
Number of times reported: [4]

[Sign:] Dehydration
Number of times reported: [4]

[Sign:] Hypothermia
Number of times reported: [4]

[Sign:] Hypothermia, Body
Number of times reported: [4]

[Sign:] Recumbency
Number of times reported: [4]

[Sign:] Vocalization
Number of times reported: [4]

[Sign:] Death(euthanized)
Number of times reported: [3]

[Sign:] Dyspnea
Number of times reported: [3]

[Sign:] Ineffect, Ascarids
Number of times reported: [3]

[Sign:] Pallor, Mucous Membran
Number of times reported: [3]

[Sign:] Trembling
Number of times reported: [3]

[Sign:] Weakness
Number of times reported: [3]

[Sign:] Weight Loss
Number of times reported: [3]

[Sign:] Arrest, Heart
Number of times reported: [2]

[Sign:] Collapse
Number of times reported: [2]

[Sign:] Confusion
Number of times reported: [2]

[Sign:] Hypersalivation
Number of times reported: [2]

[Sign:] Icterus, Serum
Number of times reported: [2]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Albumin Lo, Bld
Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anemia, Regen
Number of times reported: [1]

[Sign:] Biting/chewing
Number of times reported: [1]

[Sign:] Bld(ecchymoses)
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Sign:] Chemistry Abn
Number of times reported: [1]

[Sign:] Cpk Hi, Bld
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Diarrhea, Mild
Number of times reported: [1]

[Sign:] Discomfort
Number of times reported: [1]

[Sign:] Ear Disorder
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Eruption(s)
Number of times reported: [1]

[Sign:] Glucose Lo, Bld
Number of times reported: [1]

[Sign:] Hypomotility
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Icterus, Body
Number of times reported: [1]

[Sign:] Ineffect, Hooks
Number of times reported: [1]

[Sign:] Ineffect, Worms
Number of times reported: [1]

[Sign:] Interaction, Drug(s)
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Pallor
Number of times reported: [1]

[Sign:] P Hi, Bld
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] Polycythemia
Number of times reported: [1]

[Sign:] Polydipsia
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pruritis, Tail
Number of times reported: [1]

[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] Self-mutilation
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Stool, Mucoid
Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)
Number of times reported: [1]

[Sign:] Tail Disorder
Number of times reported: [1]

[Sign:] Ulcer(s), Mucocutaneou
Number of times reported: [1]
[Sign:] Ulcer(s), Skin
Number of times reported: [1]
[Sign:] Ulcer(s), Tongue
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Pyrantel

Oral, Dog

[Sign:] Vomiting
Number of times reported: [300]
[Sign:] Depression/lethargy
Number of times reported: [249]
[Sign:] Death
Number of times reported: [204]
[Sign:] Diarrhea
Number of times reported: [170]
[Sign:] Anorexia
Number of times reported: [168]
[Sign:] Ineffect, Hooks
Number of times reported: [69]
[Sign:] Ineffect, Ascarids
Number of times reported: [57]
[Sign:] Convulsion(s)
Number of times reported: [56]
[Sign:] Ataxia
Number of times reported: [37]
[Sign:] Diarrhea, Bloody
Number of times reported: [36]
[Sign:] Weakness
Number of times reported: [33]
[Sign:] Hematochezia
Number of times reported: [28]
[Sign:] Adipsia
Number of times reported: [27]
[Sign:] Anaphylaxis/toid
Number of times reported: [26]
[Sign:] Coughing

Number of times reported: [25]
[Sign:] Fever, Body
Number of times reported: [23]
[Sign:] Ill
Number of times reported: [23]
[Sign:] Death(euthanized)
Number of times reported: [21]
[Sign:] Diarrhea, Mild
Number of times reported: [21]
[Sign:] Hypersalivation
Number of times reported: [21]
[Sign:] Vocalization
Number of times reported: [21]
[Sign:] Ineffect, Worms
Number of times reported: [20]
[Sign:] Pallor, Mucous Membran
Number of times reported: [20]
[Sign:] Trembling
Number of times reported: [20]
[Sign:] Dyspnea
Number of times reported: [19]
[Sign:] Stool Abn
Number of times reported: [17]
[Sign:] Dehydration
Number of times reported: [16]
[Sign:] Distention, Abdomen
Number of times reported: [16]
[Sign:] Recumbency
Number of times reported: [16]
[Sign:] Vomiting, Bloody
Number of times reported: [15]
[Sign:] Swelling, Head/face
Number of times reported: [14]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [13]
[Sign:] Polydipsia
Number of times reported: [13]
[Sign:] Pruritis
Number of times reported: [13]
[Sign:] Urticaria
Number of times reported: [13]
[Sign:] Vomiting, Unproductive

Number of times reported: [13]
[Sign:] Weight Loss
Number of times reported: [13]
[Sign:] Anemia
Number of times reported: [12]
[Sign:] Collapse
Number of times reported: [12]
[Sign:] Gagging
Number of times reported: [11]
[Sign:] Pain
Number of times reported: [11]
[Sign:] Vomiting Roundworms
Number of times reported: [11]
[Sign:] Constipation
Number of times reported: [10]
[Sign:] Shaking
Number of times reported: [10]
[Sign:] Blindness
Number of times reported: [9]
[Sign:] Pain, Abdomen
Number of times reported: [9]
[Sign:] Death(tx Failure)
Number of times reported: [8]
[Sign:] Melena
Number of times reported: [8]
[Sign:] Diarrhea, Watery
Number of times reported: [7]
[Sign:] Polypnea
Number of times reported: [7]
[Sign:] Behavior Disorder
Number of times reported: [6]
[Sign:] Bld, Rectum
Number of times reported: [6]
[Sign:] Glucose Lo, Bld
Number of times reported: [6]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [6]
[Sign:] Lameness
Number of times reported: [6]
[Sign:] Locomotion Disorder
Number of times reported: [6]
[Sign:] Radiograph(s) Abn

Number of times reported: [6]
[Sign:] Confusion
Number of times reported: [5]
[Sign:] Difficulty Rising
Number of times reported: [5]
[Sign:] Nervousness
Number of times reported: [5]
[Sign:] Staggering
Number of times reported: [5]
[Sign:] Stupor
Number of times reported: [5]
[Sign:] Wheezing
Number of times reported: [5]
[Sign:] Bloat
Number of times reported: [4]
[Sign:] Breathing Abn
Number of times reported: [4]
[Sign:] Diarrhea, Mucoid
Number of times reported: [4]
[Sign:] Edema, Head/face
Number of times reported: [4]
[Sign:] Hepatomegaly
Number of times reported: [4]
[Sign:] Hyperactivity
Number of times reported: [4]
[Sign:] Hypothermia
Number of times reported: [4]
[Sign:] Hypothermia, Body
Number of times reported: [4]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [4]
[Sign:] Pain, Joint(s)
Number of times reported: [4]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [4]
[Sign:] Pd-suspension, Abn
Number of times reported: [4]
[Sign:] Pica
Number of times reported: [4]
[Sign:] Reluctant To Move
Number of times reported: [4]
[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [4]
[Sign:] Spasm
Number of times reported: [4]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [4]
[Sign:] Tachycardia
Number of times reported: [4]
[Sign:] Twitch
Number of times reported: [4]
[Sign:] Vomiting, Severe
Number of times reported: [4]
[Sign:] Circling
Number of times reported: [3]
[Sign:] Congestion, Skin
Number of times reported: [3]
[Sign:] Culture/titer Data Abn
Number of times reported: [3]
[Sign:] Diarrhea, Severe
Number of times reported: [3]
[Sign:] Discharge, Nose
Number of times reported: [3]
[Sign:] Discomfort
Number of times reported: [3]
[Sign:] Head Tilt
Number of times reported: [3]
[Sign:] Hyperpnea
Number of times reported: [3]
[Sign:] Incontinence, Urinary
Number of times reported: [3]
[Sign:] Ineffect
Number of times reported: [3]
[Sign:] Ineffect, Large Strong
Number of times reported: [3]
[Sign:] Inflam, Skin
Number of times reported: [3]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [3]
[Sign:] Mydriasis
Number of times reported: [3]
[Sign:] Neurological Disorder
Number of times reported: [3]
[Sign:] Odor

Number of times reported: [3]
[Sign:] Pallor
Number of times reported: [3]
[Sign:] Platelets Lo, Bld
Number of times reported: [3]
[Sign:] Polyuria
Number of times reported: [3]
[Sign:] Reaction, Unspecified
Number of times reported: [3]
[Sign:] Sneezing
Number of times reported: [3]
[Sign:] Sound Abn, Respiratory
Number of times reported: [3]
[Sign:] Wbc Hi, Bld
Number of times reported: [3]
[Sign:] Abortion
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [2]
[Sign:] Albumin Hi, Bld
Number of times reported: [2]
[Sign:] Albumin Lo, Bld
Number of times reported: [2]
[Sign:] Alopecia
Number of times reported: [2]
[Sign:] Anuria
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [2]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Bld, Urine
Number of times reported: [2]
[Sign:] Bradycardia
Number of times reported: [2]
[Sign:] Bun Hi, Bld
Number of times reported: [2]
[Sign:] Bun Lo, Bld
Number of times reported: [2]
[Sign:] Cachexia

Number of times reported: [2]
[Sign:] Capillary Refill Prolo
Number of times reported: [2]
[Sign:] Congestion, Lung(s)
Number of times reported: [2]
[Sign:] Deafness
Number of times reported: [2]
[Sign:] Death(newborn)
Number of times reported: [2]
[Sign:] Defecation
Number of times reported: [2]
[Sign:] Defecation Abn
Number of times reported: [2]
[Sign:] Discharge, Vulva
Number of times reported: [2]
[Sign:] Dizziness
Number of times reported: [2]
[Sign:] Dysuria
Number of times reported: [2]
[Sign:] Elimination Abn
Number of times reported: [2]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [2]
[Sign:] Epistaxis
Number of times reported: [2]
[Sign:] Flatulence
Number of times reported: [2]
[Sign:] Gi, Abnormal
Number of times reported: [2]
[Sign:] Glucose Hi, Bld
Number of times reported: [2]
[Sign:] Hemoglobin, Urine
Number of times reported: [2]
[Sign:] Hiding
Number of times reported: [2]
[Sign:] Hypopnea
Number of times reported: [2]
[Sign:] Incontinence, Fecal
Number of times reported: [2]
[Sign:] Ineffect, Whips
Number of times reported: [2]
[Sign:] Infection, Skin

Number of times reported: [2]
[Sign:] Irritation
Number of times reported: [2]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [2]
[Sign:] Loss Of Condition
Number of times reported: [2]
[Sign:] Otitis
Number of times reported: [2]
[Sign:] Pancreatitis
Number of times reported: [2]
[Sign:] Pd-color, Abn
Number of times reported: [2]
[Sign:] Pr-gi, Parasitism
Number of times reported: [2]
[Sign:] Pr-lung(s), Edema
Number of times reported: [2]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [2]
[Sign:] Prolapse, Rectum
Number of times reported: [2]
[Sign:] Prostration
Number of times reported: [2]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [2]
[Sign:] Rash
Number of times reported: [2]
[Sign:] Segs Hi, Bld
Number of times reported: [2]
[Sign:] Shaking, Head/face
Number of times reported: [2]
[Sign:] Somnolence
Number of times reported: [2]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Tenesmus, Rectal
Number of times reported: [2]
[Sign:] Unpalatable
Number of times reported: [2]
[Sign:] Urination
Number of times reported: [2]
[Sign:] Abn Color, Urine

Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld, Abn
Number of times reported: [1]
[Sign:] Bld, Anus
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bld, Sclera
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Choking
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Csf Abn
Number of times reported: [1]
[Sign:] Death(stillborn)

Number of times reported: [1]
[Sign:] Diabetes
Number of times reported: [1]
[Sign:] Diarrhea, Projectile
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Ecg Abn
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Effusion, Joint(s)
Number of times reported: [1]
[Sign:] Endocrine Disorder
Number of times reported: [1]
[Sign:] Enlargement(s)
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Eructation
Number of times reported: [1]
[Sign:] Froth, Nose
Number of times reported: [1]
[Sign:] Gastroenteritis
Number of times reported: [1]
[Sign:] Glaucoma
Number of times reported: [1]
[Sign:] Globulin Hi, Bld
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Headache
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Head Pressing

Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hypermotility
Number of times reported: [1]
[Sign:] Ineffect, Other Drug(s)
Number of times reported: [1]
[Sign:] Ineffect, Strongyles
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]
[Sign:] Irritation, Perineum
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] Joint Disorder
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Labor, Premature
Number of times reported: [1]
[Sign:] Leg Disorder
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Lockjaw
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Neuropathy
Number of times reported: [1]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Obstruction, Intestine
Number of times reported: [1]
[Sign:] Odor, Mouth

Number of times reported: [1]
[Sign:] Pacing
Number of times reported: [1]
[Sign:] Pain, Brisket/chest
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Pain, Muscle(s)
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-contam, Insects
Number of times reported: [1]
[Sign:] Pd-seal, Abn
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Pneumonia, Aspiration
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Protrusion, Eye(s)
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Pustule(s)
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Repetitive Movements
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Sepsis
Number of times reported: [1]
[Sign:] Slough
Number of times reported: [1]
[Sign:] Sperm Abn
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stiffness, Limb(s)
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Ventrurn

Number of times reported: [1]

[Sign:] Tail Disorder

Number of times reported: [1]

[Sign:] Teeth, Abn

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Trembling, Face

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

[Sign:] Urination Abn

Number of times reported: [1]

[Sign:] Urine Abn

Number of times reported: [1]

[Sign:] Uveitis

Number of times reported: [1]

[Sign:] Vaginitis

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Pyrantel

Oral, Donkey

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Pyrantel

Oral, Goat

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Drug:] Pyrantel

Oral, Horse

[Sign:] Ineffect, Strongyles

Number of times reported: [97]

[Sign:] Pain, Abdomen

Number of times reported: [95]

[Sign:] Diarrhea

Number of times reported: [38]

[Sign:] Ineffect, Parasite(s)

Number of times reported: [34]

[Sign:] Depression/lethargy

Number of times reported: [33]

[Sign:] Anorexia

Number of times reported: [23]

[Sign:] Death

Number of times reported: [20]

[Sign:] Ineffect, Worms

Number of times reported: [18]

[Sign:] Urticaria

Number of times reported: [18]

[Sign:] Weight Loss

Number of times reported: [14]

[Sign:] Ineffect, Strongyle La

Number of times reported: [13]

[Sign:] Death(euthanized)

Number of times reported: [12]

[Sign:] Hair, Abn

Number of times reported: [12]

[Sign:] Ineffect, Ascarids

Number of times reported: [11]

[Sign:] Recumbency

Number of times reported: [11]

[Sign:] Fever, Body

Number of times reported: [10]

[Sign:] Ataxia

Number of times reported: [9]

[Sign:] Ineffect, Small Strong

Number of times reported: [9]

[Sign:] Loss Of Condition

Number of times reported: [9]

[Sign:] Diarrhea, Mild
Number of times reported: [8]

[Sign:] Distention, Abdomen
Number of times reported: [8]

[Sign:] Ineffect, Pinworms
Number of times reported: [8]

[Sign:] Pawing
Number of times reported: [7]

[Sign:] Unpalatable, Won't Eat
Number of times reported: [7]

[Sign:] Anemia
Number of times reported: [6]

[Sign:] Colon, Abn
Number of times reported: [6]

[Sign:] Ineffect
Number of times reported: [6]

[Sign:] Nervousness
Number of times reported: [6]

[Sign:] Pruritis, Tail
Number of times reported: [6]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [6]

[Sign:] Convulsion(s)
Number of times reported: [5]

[Sign:] Flatulence
Number of times reported: [5]

[Sign:] Stool Abn
Number of times reported: [5]

[Sign:] Sweating
Number of times reported: [5]

[Sign:] Swelling, Limb(s)
Number of times reported: [5]

[Sign:] Wbc Hi, Bld
Number of times reported: [5]

[Sign:] Behavior Disorder
Number of times reported: [4]

[Sign:] Collapse
Number of times reported: [4]

[Sign:] Coughing
Number of times reported: [4]

[Sign:] Hypersalivation
Number of times reported: [4]

[Sign:] Laminitis
Number of times reported: [4]

[Sign:] Rolling
Number of times reported: [4]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [4]

[Sign:] Trembling
Number of times reported: [4]

[Sign:] Adipsia
Number of times reported: [3]

[Sign:] Aggression
Number of times reported: [3]

[Sign:] Anaphylaxis/toid
Number of times reported: [3]

[Sign:] Apprehension
Number of times reported: [3]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [3]

[Sign:] Bloat
Number of times reported: [3]

[Sign:] Diarrhea, Severe
Number of times reported: [3]

[Sign:] Diarrhea, Watery
Number of times reported: [3]

[Sign:] Discharge, Nose
Number of times reported: [3]

[Sign:] Edema, Limb(s)
Number of times reported: [3]

[Sign:] Ggt Hi, Bld
Number of times reported: [3]

[Sign:] Gi, Abnormal
Number of times reported: [3]

[Sign:] Hyperactivity
Number of times reported: [3]

[Sign:] Ineffect, Strongyloids
Number of times reported: [3]

[Sign:] Lameness
Number of times reported: [3]

[Sign:] Pruritis
Number of times reported: [3]

[Sign:] Tachycardia
Number of times reported: [3]

[Sign:] Abortion
Number of times reported: [2]

[Sign:] Albumin Lo, Bld
Number of times reported: [2]

[Sign:] Alopecia
Number of times reported: [2]

[Sign:] Borborygmi
Number of times reported: [2]

[Sign:] Breathing Abn
Number of times reported: [2]

[Sign:] Bun Hi, Bld
Number of times reported: [2]

[Sign:] Cachexia
Number of times reported: [2]

[Sign:] Choking
Number of times reported: [2]

[Sign:] Colitis
Number of times reported: [2]

[Sign:] Discomfort
Number of times reported: [2]

[Sign:] Dyspnea
Number of times reported: [2]

[Sign:] Edema, Head/face
Number of times reported: [2]

[Sign:] Edema, Ventral
Number of times reported: [2]

[Sign:] Enteritis
Number of times reported: [2]

[Sign:] Eosinos Hi, Bld
Number of times reported: [2]

[Sign:] Hypermotility
Number of times reported: [2]

[Sign:] Ill
Number of times reported: [2]

[Sign:] Inflam, Skin
Number of times reported: [2]

[Sign:] Kicking
Number of times reported: [2]

[Sign:] Lesion(s), Skin
Number of times reported: [2]

[Sign:] Myositis
Number of times reported: [2]

[Sign:] Neurological Disorder
Number of times reported: [2]

[Sign:] Off Feed
Number of times reported: [2]

[Sign:] Pacing
Number of times reported: [2]

[Sign:] Pain
Number of times reported: [2]

[Sign:] Polydipsia
Number of times reported: [2]

[Sign:] Posture Abn
Number of times reported: [2]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [2]

[Sign:] Respiratory Disorder
Number of times reported: [2]

[Sign:] Stiffness
Number of times reported: [2]

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [2]

[Sign:] Ulcer(s), Gi
Number of times reported: [2]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [2]

[Sign:] Wbc Lo, Bld
Number of times reported: [2]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Anemia, Regen
Number of times reported: [1]

[Sign:] Application Site Swelling
Number of times reported: [1]

[Sign:] Biting/chewing
Number of times reported: [1]

[Sign:] Bld(ecchymoses)
Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Bone, Abn
Number of times reported: [1]

[Sign:] Ca Lo, Bld
Number of times reported: [1]

[Sign:] Chemistry Abn
Number of times reported: [1]

[Sign:] Circling
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Cyanosis
Number of times reported: [1]

[Sign:] Defecation Abn
Number of times reported: [1]

[Sign:] Dermatitis, Moist
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Edema
Number of times reported: [1]

[Sign:] Edema, Prepuce
Number of times reported: [1]

[Sign:] Eruption(s)
Number of times reported: [1]

[Sign:] Estrus Behavior
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Glucose Lo, Bld
Number of times reported: [1]

[Sign:] Grinding Teeth
Number of times reported: [1]

[Sign:] Hair, Shedding
Number of times reported: [1]

[Sign:] Hoof Disorder
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Hypothermia
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Ineffect, Ascarids Pre
Number of times reported: [1]

[Sign:] Ineffect, Large Strong
Number of times reported: [1]

[Sign:] Infection, Eye(s)
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]

[Sign:] Irritation, Perineum
Number of times reported: [1]

[Sign:] K Hi, Bld
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Ldh Hi, Bld
Number of times reported: [1]

[Sign:] Liver Failure
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld
Number of times reported: [1]

[Sign:] Neuropathy
Number of times reported: [1]

[Sign:] Obstruction, Intestine
Number of times reported: [1]

[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]

[Sign:] Pain, Limb(s)
Number of times reported: [1]

[Sign:] Pain, Neck
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Pd-syringe, Abn
Number of times reported: [1]

[Sign:] Pd-tube(s), Abn
Number of times reported: [1]

[Sign:] Perforation, Gi
Number of times reported: [1]

[Sign:] Peritonitis
Number of times reported: [1]

[Sign:] Platelets Hi, Bld
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] P Lo, Bld
Number of times reported: [1]

[Sign:] Pollakiuria
Number of times reported: [1]

[Sign:] Polycythemia
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Poor Performance
Number of times reported: [1]

[Sign:] Pressure Hi, Bld
Number of times reported: [1]

[Sign:] Pr-gi, Parasitism
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]

[Sign:] Prolapse, Rectum
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]

[Sign:] Pustule(s)
Number of times reported: [1]

[Sign:] Rbc, Aniso
Number of times reported: [1]

[Sign:] Rbc, Polychrom
Number of times reported: [1]

[Sign:] Reaction, Unspecified
Number of times reported: [1]

[Sign:] Rearing
Number of times reported: [1]

[Sign:] Reflux, Stomach
Number of times reported: [1]

[Sign:] Repetitive Movements
Number of times reported: [1]

[Sign:] Rupture, Stomach
Number of times reported: [1]

[Sign:] Sedation
Number of times reported: [1]

[Sign:] Segs Hi, Bld
Number of times reported: [1]

[Sign:] Self-mutilation
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Shaking, Head/face
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Skin, Scab(s)
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Somnolence
Number of times reported: [1]

[Sign:] Sore(s)
Number of times reported: [1]

[Sign:] Splenomegaly
Number of times reported: [1]

[Sign:] Stiffness, Neck
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Swelling, Mult Sites
Number of times reported: [1]

[Sign:] Swelling, Tongue
Number of times reported: [1]

[Sign:] Taste Abnormality
Number of times reported: [1]

[Sign:] Thrashing/paddling
Number of times reported: [1]

[Sign:] Udder, Abn
Number of times reported: [1]

[Sign:] Ulcer(s), Stomach
Number of times reported: [1]

[Sign:] Unpalatable, Won't Swa
Number of times reported: [1]
[Sign:] Volvulus, Intestine
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]
[Sign:] Weight Increase
Number of times reported: [1]

[Drug:] Pyrantel

Oral, Human

[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Pyrantel

Oral, Pig

[Sign:] Death
Number of times reported: [3]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Ineffect, Ascarids
Number of times reported: [1]
[Sign:] Ineffect, Strongyles
Number of times reported: [1]
[Sign:] Ineffect, Worms
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]

[Drug:] Pyrantel

Oral, Rabbit

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Pyrantel

Oral, Unknown

[Sign:] Stool Abn

Number of times reported: [1]

[Drug:] Pyrantel

Oral, Various

[Sign:] Ineffect, Ascarids

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Ineffect, Hooks

Number of times reported: [1]

[Sign:] Ineffect, Worms

Number of times reported: [1]

[Sign:] Inflam, Skin

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Sneezing

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Pyrantel

Parenteral, Dog

[Sign:] Inj Site Swelling

Number of times reported: [5]

[Sign:] Inj Site Abscess

Number of times reported: [4]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Abscess, Skin

Number of times reported: [1]

[Sign:] Biting/chewing

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Inj Site Edema

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Tech Error Administrat

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Pyrantel

Parenteral, Horse

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Drug:] Pyrantel

Topical, Cat

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Ineffect, Ascarids

Number of times reported: [1]

[Sign:] K Lo, Bld

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Pyrantel

Topical, Dog

[Sign:] Alopecia

Number of times reported: [1]

[Drug:] Pyrantel

Topical, Human

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Inflammation, Skin

Number of times reported: [2]

[Sign:] Rash

Number of times reported: [2]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Irritation, Skin

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Pyrantel

Unknown, Cat

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Pyrantel

Unknown, Dog

[Sign:] Depression/lethargy
Number of times reported: [17]

[Sign:] Vomiting
Number of times reported: [16]

[Sign:] Death
Number of times reported: [12]

[Sign:] Diarrhea
Number of times reported: [11]

[Sign:] Ineffect, Worms
Number of times reported: [10]

[Sign:] Anorexia
Number of times reported: [8]

[Sign:] Adipsia
Number of times reported: [4]

[Sign:] Ineffect, Ascarids
Number of times reported: [4]

[Sign:] Weight Loss
Number of times reported: [4]

[Sign:] Gagging
Number of times reported: [3]

[Sign:] Anemia
Number of times reported: [2]

[Sign:] Ataxia
Number of times reported: [2]

[Sign:] Convulsion(s)
Number of times reported: [2]

[Sign:] Defecation
Number of times reported: [2]

[Sign:] Distention, Abdomen
Number of times reported: [2]

[Sign:] Hematochezia
Number of times reported: [2]

[Sign:] Hypersalivation
Number of times reported: [2]

[Sign:] Ineffect
Number of times reported: [2]

[Sign:] Infection

Number of times reported: [2]
[Sign:] Pallor, Mucous Membran
Number of times reported: [2]
[Sign:] Reaction, Unspecified
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Vocalization
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bld, Anus
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Granuloma
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Ineffect, Hooks

Number of times reported: [1]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [1]
[Sign:] Ineffect, Tapes
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]
[Sign:] Insomnia
Number of times reported: [1]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [1]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Skin Disorder
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Teeth, Abn
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Vomiting, Unproductive
Number of times reported: [1]

[Drug:] Pyrantel

Unknown, Horse

[Sign:] Diarrhea, Mild
Number of times reported: [2]
[Sign:] Ineffect
Number of times reported: [2]

[Sign:] Death
Number of times reported: [1]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [1]
[Sign:] Ineffect, Pinworms
Number of times reported: [1]
[Sign:] Ineffect, Worms
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pd-suspension, Abn
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Pyrantel

Unknown, Human

[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Human Exposure, Ingest
Number of times reported: [1]
[Sign:] Human Exposure, Juvenile
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Pyrantel

Unknown, Unknown

[Sign:] Death
Number of times reported: [1]
[Sign:] Ineffect, Worms
Number of times reported: [1]

[Drug:] Pyrilamine

Parenteral, Horse

[Sign:] Inj Site Swelling
Number of times reported: [2]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Drug:] Ractopamine

Defect, Not Applicable

[Sign:] Pd-container(s), Damag
Number of times reported: [5]

[Sign:] Pd-potency, Lo
Number of times reported: [4]

[Sign:] Pd-defect Unknown
Number of times reported: [2]

[Sign:] Pd-seal, Abn
Number of times reported: [2]

[Sign:] Pd-contam, Mold
Number of times reported: [1]

[Sign:] Pd-potency, Hi
Number of times reported: [1]

[Sign:] Pd-product Defect
Number of times reported: [1]

[Sign:] Residue, Meat
Number of times reported: [1]

[Drug:] Ractopamine

Inhalation, Dog

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Drug:] Ractopamine

Inhalation, Human

[Sign:] Epistaxis
Number of times reported: [2]

[Sign:] Nausea
Number of times reported: [2]

[Sign:] Arrhythmia
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Headache
Number of times reported: [1]

[Sign:] Hypoesthesia
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)
Number of times reported: [1]

[Sign:] Sinusitis
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Ractopamine

Not Applicable, Pig

[Sign:] Fertility, Reduced
Number of times reported: [1]

[Drug:] Ractopamine

Oral, Cattle

[Sign:] Death
Number of times reported: [35]

[Sign:] Bloat
Number of times reported: [26]

[Sign:] Anorexia
Number of times reported: [10]

[Sign:] Respiratory Disorder
Number of times reported: [8]

[Sign:] Ineffect, Weight Inc
Number of times reported: [5]

[Sign:] Meat Abn
Number of times reported: [4]

[Sign:] Pneumonia
Number of times reported: [4]

[Sign:] Recumbency
Number of times reported: [4]

[Sign:] Death(euthanized)
Number of times reported: [3]

[Sign:] Gi, Abnormal
Number of times reported: [3]

[Sign:] Lameness
Number of times reported: [3]

[Sign:] Polyphagia
Number of times reported: [3]

[Sign:] Behavior Disorder
Number of times reported: [2]

[Sign:] Diarrhea
Number of times reported: [2]

[Sign:] Estrus Behavior
Number of times reported: [2]

[Sign:] Fever, Body
Number of times reported: [2]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]

[Sign:] Hyperactivity
Number of times reported: [2]

[Sign:] Ineffect, Lean Carcass
Number of times reported: [2]

[Sign:] Leg Disorder
Number of times reported: [2]

[Sign:] Meat, abn Color
Number of times reported: [2]

[Sign:] Off Feed
Number of times reported: [2]

[Sign:] Polypnea
Number of times reported: [2]

[Sign:] Pr-gi, Lesion(s)
Number of times reported: [2]

[Sign:] Stiffness
Number of times reported: [2]

[Sign:] Acidosis
Number of times reported: [1]

[Sign:] Acidosis, Rumen
Number of times reported: [1]

[Sign:] Aggression
Number of times reported: [1]

[Sign:] Bld(hematoma)
Number of times reported: [1]

[Sign:] Bone, Abn
Number of times reported: [1]

[Sign:] Congestion, Lung(s)
Number of times reported: [1]

[Sign:] Death(slaughtered)
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Digestion Disorder
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Edema, Brisket/chest
Number of times reported: [1]

[Sign:] Enteritis
Number of times reported: [1]

[Sign:] Eye Disorder
Number of times reported: [1]

[Sign:] Fertility, Reduced
Number of times reported: [1]

[Sign:] Gastroenteritis
Number of times reported: [1]

[Sign:] Hoof Disorder
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Ineffect, Production (meat)
Number of times reported: [1]

[Sign:] Laminitis
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]

[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [1]

[Sign:] Stiffness, Limb(s)
Number of times reported: [1]

[Sign:] Sweating
Number of times reported: [1]

[Sign:] Swelling, Joint(s)
Number of times reported: [1]

[Sign:] Swelling, Scrotum
Number of times reported: [1]

[Sign:] Tail Disorder
Number of times reported: [1]

[Sign:] Tox
Number of times reported: [1]

[Sign:] Udder, Mastitis
Number of times reported: [1]

[Sign:] Unpalatable
Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Drug:] Ractopamine

Oral, Dog

[Sign:] Depression/lethargy
Number of times reported: [7]

[Sign:] Tachycardia
Number of times reported: [5]

[Sign:] Anorexia
Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]

[Sign:] Congestion, Mucous Mem
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Diarrhea, Severe

Number of times reported: [1]

[Sign:] Distention, Abdomen

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] K Lo, Bld

Number of times reported: [1]

[Sign:] Mucous Membr, Abn Colo

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Obstruction, Intestine

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Ractopamine

Oral, Goat

[Sign:] Urine Abn

Number of times reported: [1]

[Drug:] Ractopamine

Oral, Horse

[Sign:] Death

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Laminitis

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Ractopamine

Oral, Human

[Sign:] Arrhythmia

Number of times reported: [1]

[Sign:] Myositis

Number of times reported: [1]

[Sign:] Pain, Muscle(s)

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Drug:] Ractopamine

Oral, Pig

[Sign:] Death

Number of times reported: [155]

[Sign:] Recumbency

Number of times reported: [99]

[Sign:] Hyperactivity

Number of times reported: [46]

[Sign:] Lameness

Number of times reported: [34]

[Sign:] Reluctant To Move

Number of times reported: [19]

[Sign:] Stiffness

Number of times reported: [19]

[Sign:] Nervousness

Number of times reported: [17]

[Sign:] Trembling

Number of times reported: [15]

[Sign:] Depression/lethargy

Number of times reported: [14]

[Sign:] Behavior Disorder

Number of times reported: [13]

[Sign:] Dyspnea

Number of times reported: [13]

[Sign:] Hoof Disorder

Number of times reported: [13]

[Sign:] Collapse

Number of times reported: [12]

[Sign:] Ineffect, Lean Carcass

Number of times reported: [11]
[Sign:] Ineffect, Weight Inc
Number of times reported: [11]
[Sign:] Distress
Number of times reported: [10]
[Sign:] Death(euthanized)
Number of times reported: [9]
[Sign:] Stiffness, Limb(s)
Number of times reported: [9]
[Sign:] Weakness
Number of times reported: [9]
[Sign:] Anorexia
Number of times reported: [8]
[Sign:] Death(slaughtered)
Number of times reported: [8]
[Sign:] Fertility, Reduced
Number of times reported: [8]
[Sign:] Meat Abn
Number of times reported: [8]
[Sign:] Aggression
Number of times reported: [7]
[Sign:] Congestion, Skin
Number of times reported: [7]
[Sign:] Diarrhea
Number of times reported: [7]
[Sign:] Difficulty Rising
Number of times reported: [7]
[Sign:] Fertility, Lack Of
Number of times reported: [7]
[Sign:] Shaking
Number of times reported: [7]
[Sign:] Joint Disorder
Number of times reported: [6]
[Sign:] Vomiting
Number of times reported: [6]
[Sign:] Apprehension
Number of times reported: [5]
[Sign:] Biting/chewing
Number of times reported: [5]
[Sign:] Bone, Abn
Number of times reported: [5]
[Sign:] Fever, Body

Number of times reported: [5]
[Sign:] Locomotion Disorder
Number of times reported: [5]
[Sign:] Reproduction Disorder
Number of times reported: [5]
[Sign:] Vocalization
Number of times reported: [5]
[Sign:] Ataxia
Number of times reported: [4]
[Sign:] Death(newborn)
Number of times reported: [4]
[Sign:] Death(stillborn)
Number of times reported: [4]
[Sign:] Gi, Abnormal
Number of times reported: [4]
[Sign:] Meat, abn Color
Number of times reported: [4]
[Sign:] Spasm
Number of times reported: [4]
[Sign:] Diarrhea, Bloody
Number of times reported: [3]
[Sign:] Hypertonia
Number of times reported: [3]
[Sign:] Leg Disorder
Number of times reported: [3]
[Sign:] Off Feed
Number of times reported: [3]
[Sign:] Pallor
Number of times reported: [3]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [3]
[Sign:] Polypnea
Number of times reported: [3]
[Sign:] Rupture
Number of times reported: [3]
[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [3]
[Sign:] Swelling, Joint(s)
Number of times reported: [3]
[Sign:] Tail Disorder
Number of times reported: [3]
[Sign:] Twitch

Number of times reported: [3]
[Sign:] Bld
Number of times reported: [2]
[Sign:] Bld, Feet/digit(s)
Number of times reported: [2]
[Sign:] Bld, Gi
Number of times reported: [2]
[Sign:] Bloat
Number of times reported: [2]
[Sign:] Diarrhea, Mild
Number of times reported: [2]
[Sign:] Estrus Cycle Abnormal
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] Ineffect
Number of times reported: [2]
[Sign:] Injury
Number of times reported: [2]
[Sign:] Interaction, Drug(s)
Number of times reported: [2]
[Sign:] Lesion(s), Skin
Number of times reported: [2]
[Sign:] Myositis
Number of times reported: [2]
[Sign:] Nail Disorder
Number of times reported: [2]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Posture Abn
Number of times reported: [2]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [2]
[Sign:] Respiratory Disorder
Number of times reported: [2]
[Sign:] Skin Abnormal
Number of times reported: [2]
[Sign:] Abortion

Number of times reported: [1]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Acidosis
Number of times reported: [1]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Adverse Drug Reaction
Number of times reported: [1]
[Sign:] Anestrus
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Birth, Premature
Number of times reported: [1]
[Sign:] Birth Weight Lo
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Cachexia
Number of times reported: [1]
[Sign:] Colon, Abn
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Dementia
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Discharge, Vulva
Number of times reported: [1]
[Sign:] Dystocia
Number of times reported: [1]
[Sign:] Edema

Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Elimination Abn
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Ineffect, Production (meat)
Number of times reported: [1]
[Sign:] Laminitis
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Poor Performance
Number of times reported: [1]
[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-bone(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Prolapse

Number of times reported: [1]

[Sign:] Pr-pericardial Effusio

Number of times reported: [1]

[Sign:] Pr-urethra, Lesion(s)

Number of times reported: [1]

[Sign:] Reluctant To Climb

Number of times reported: [1]

[Sign:] Sound Abn, Respiratory

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stool Abn

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Tech Error, Mixing

Number of times reported: [1]

[Sign:] Ulcer(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Gi

Number of times reported: [1]

[Sign:] Urination Abn

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Ractopamine

Oral, Sheep

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Distention, Abdomen

Number of times reported: [1]

[Drug:] Ractopamine

Oral, Turkey

[Sign:] Death

Number of times reported: [16]
[Sign:] Hyperactivity
Number of times reported: [4]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Death(slaughtered)
Number of times reported: [2]
[Sign:] Meat Abn
Number of times reported: [2]
[Sign:] Reproduction Disorder
Number of times reported: [2]
[Sign:] Stool Abn
Number of times reported: [2]
[Sign:] Synovitis
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Digestion Disorder
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Injury
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Polydipsia

Number of times reported: [1]

[Drug:] Ractopamine

Oral, Unknown

[Sign:] Ineffect, Lean Carcass

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Drug:] Ractopamine

Oral, Various

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Residue, Urine

Number of times reported: [1]

[Drug:] Ractopamine

Topical, Human

[Sign:] Application Site Pain

Number of times reported: [1]

[Sign:] Application Site Swelling

Number of times reported: [1]

[Sign:] Circulatory Disorder

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Eruption(s)

Number of times reported: [1]

[Sign:] Pain, Limb(s)

Number of times reported: [1]

[Drug:] Ractopamine

Unknown, Human

[Sign:] Pain, Brisket/chest

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Heart Disorder

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Pain, Limb(s)

Number of times reported: [1]

[Sign:] Platelets Abn

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Ractopamine

Unknown, Pig

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Drug:] Ractopamine

Various, Human

[Sign:] Tachycardia

Number of times reported: [3]

[Sign:] Arrhythmia

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Discharge, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Ecg Abn

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Drug:] Ractopamine, Tylosin

Oral, Dog

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Distention, Abdomen

Number of times reported: [1]

[Drug:] Ractopamine, Tylosin

Oral, Pig

[Sign:] Lameness

Number of times reported: [2]

[Sign:] Vocalization

Number of times reported: [2]

[Sign:] Biting/chewing

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(tx Failure)

Number of times reported: [1]

[Sign:] Hoof Disorder

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Locomotion Disorder

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Sign:] Tail Disorder

Number of times reported: [1]

[Drug:] Robenacoxib

Defect, Not Applicable

[Sign:] Pd-underfill, Package

Number of times reported: [3]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Drug:] Robenacoxib

Oral, Cat

[Sign:] Ecg Abn

Number of times reported: [30]

[Sign:] Enlargement, Lymph Nod

Number of times reported: [16]

[Sign:] Pr-kidney(s), Lesion(s)

Number of times reported: [16]

[Sign:] Diarrhea, Mild

Number of times reported: [15]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [12]

[Sign:] Pr-parathyroid, Lesion

Number of times reported: [9]

[Sign:] Vomiting

Number of times reported: [9]

[Sign:] Depression/lethargy

Number of times reported: [5]

[Sign:] Cpk Hi, Bld

Number of times reported: [4]

[Sign:] Skin, Scab(s)

Number of times reported: [4]

[Sign:] Inflam, Skin

Number of times reported: [3]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [3]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Bld, Urine

Number of times reported: [2]

[Sign:] P Hi, Bld

Number of times reported: [2]

[Sign:] Pr-sm Intest, Lesion(s)

Number of times reported: [2]

[Sign:] Pr-thyroid, Lesion(s)

Number of times reported: [2]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]
[Sign:] Ineffect, Analgesia
Number of times reported: [1]
[Sign:] Ineffect, Antiinflam
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [1]
[Sign:] Retina Abn
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Spec Gravity Hi, Urine
Number of times reported: [1]
[Sign:] Staring
Number of times reported: [1]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Romifidine

Defect, Not Applicable

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [1]

[Drug:] Romifidine

Parenteral, Horse

[Sign:] Pain, Abdomen

Number of times reported: [6]

[Sign:] Recumbency

Number of times reported: [4]

[Sign:] Ineffect, Sedation

Number of times reported: [3]

[Sign:] Kicking

Number of times reported: [3]

[Sign:] Sweating

Number of times reported: [3]

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Syncope

Number of times reported: [2]

[Sign:] Urticaria

Number of times reported: [2]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(stillborn)

Number of times reported: [1]

[Sign:] Defecation Abn

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Sign:] Sedation Prolonged

Number of times reported: [1]

[Sign:] Sedation Too Brief

Number of times reported: [1]

[Sign:] Sedation Too Deep

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Urination Abn

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

[Drug:] Romifidine

Parenteral, Human

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Drug:] Romifidine

Unknown, Horse

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Sedation Too Brief

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Drug:] Roxarsone

Defect, Not Applicable

[Sign:] Pd-contamination

Number of times reported: [1]

[Drug:] Roxarsone

Oral, Chicken

[Sign:] Death

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Roxarsone

Oral, Dog

[Sign:] Anorexia

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Roxarsone

Topical, Human

[Sign:] Skin Abnormal

Number of times reported: [2]

[Drug:] Roxarsone

Unknown, Turkey

[Sign:] Death

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Tech Error, Mixing

Number of times reported: [1]

[Drug:] Roxarsone

Various, Human

[Sign:] Death

Number of times reported: [1]

[Sign:] Human Exposure, Ingest

Number of times reported: [1]

[Sign:] Human Exposure, Inhala

Number of times reported: [1]

[Sign:] Immune Disorder

Number of times reported: [1]

[Sign:] Neoplasm

Number of times reported: [1]

[Drug:] Roxarsone, Salinomycin

Oral, Horse

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Ca Hi, Bld

Number of times reported: [1]

[Drug:] Saline, Hypertonic

Parenteral, Cattle

[Sign:] Death

Number of times reported: [1]

[Drug:] Salinomycin

Missing, Chicken

[Sign:] Death
Number of times reported: [2]

[Sign:] Paralysis
Number of times reported: [1]

[Drug:] Salinomycin

Oral, Cattle

[Sign:] Death
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Drug:] Salinomycin

Oral, Chicken

[Sign:] Death
Number of times reported: [2]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Paralysis
Number of times reported: [1]

[Sign:] Tech Error, Mixing
Number of times reported: [1]

[Drug:] Salinomycin

Oral, Horse

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Selamectin

Defect, Not Applicable

[Sign:] Pd-underfill, Tube(s)
Number of times reported: [2,355]

[Sign:] Pd-tube(s), Leaking
Number of times reported: [1,191]

[Sign:] Pd-tube(s), Abn
Number of times reported: [670]

[Sign:] Pd-underfill, Package

Number of times reported: [565]
[Sign:] Pd-cap(s), Abn
Number of times reported: [332]
[Sign:] Pd-tube(s), Damaged
Number of times reported: [157]
[Sign:] Pd-seal, Abn
Number of times reported: [133]
[Sign:] Pd-odor, Abn
Number of times reported: [129]
[Sign:] Pd-solution, Abn
Number of times reported: [111]
[Sign:] Pd-container(s), Abn
Number of times reported: [82]
[Sign:] Pd-product Defect
Number of times reported: [60]
[Sign:] Pd-color, Abn
Number of times reported: [44]
[Sign:] Pd-label(s), Abn
Number of times reported: [44]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [34]
[Sign:] Pd-defect Unknown
Number of times reported: [33]
[Sign:] Pd-container(s), Damag
Number of times reported: [30]
[Sign:] Pd-applicator, Abn
Number of times reported: [29]
[Sign:] Pd-vial(s), Abn
Number of times reported: [22]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [16]
[Sign:] Pd-dispenser, Abn
Number of times reported: [15]
[Sign:] Pd-missing, Cap
Number of times reported: [15]
[Sign:] Ineffect, Fleas
Number of times reported: [13]
[Sign:] Pd-unknown
Number of times reported: [12]
[Sign:] No Signs
Number of times reported: [9]
[Sign:] Pd-missing, Label(s)

Number of times reported: [7]

[Sign:] Human Exposure, Hand(s)

Number of times reported: [6]

[Sign:] Ineffect

Number of times reported: [6]

[Sign:] Accidental Exposure

Number of times reported: [5]

[Sign:] Pd-suspension, Abn

Number of times reported: [4]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [4]

[Sign:] Human Exposure, Topica

Number of times reported: [3]

[Sign:] Ineffect, Ticks

Number of times reported: [2]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [2]

[Sign:] Application Site Hair, Abn

Number of times reported: [1]

[Sign:] Odor

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-contam, Insects

Number of times reported: [1]

[Sign:] Pd-contam, Mold

Number of times reported: [1]

[Drug:] Selamectin

Inhalation, Cat

[Sign:] Aggression

Number of times reported: [1]

[Drug:] Selamectin

Inhalation, Human

[Sign:] Headache

Number of times reported: [5]

[Sign:] Nausea

Number of times reported: [5]

[Sign:] Irritation, Pharynx/th

Number of times reported: [4]

[Sign:] Taste Abnormality

Number of times reported: [4]
[Sign:] Dizziness
Number of times reported: [3]
[Sign:] Pd-tube(s), Leaking
Number of times reported: [3]
[Sign:] Anaphylaxis/toid
Number of times reported: [2]
[Sign:] Congestion, Sinus
Number of times reported: [2]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Distress, Resp
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Epiphora
Number of times reported: [2]
[Sign:] Hypoesthesia
Number of times reported: [2]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [2]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Respiratory Disorder
Number of times reported: [2]
[Sign:] Sinusitis
Number of times reported: [2]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [2]
[Sign:] Wheezing
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion, Nose
Number of times reported: [1]
[Sign:] Discharge, Nose

Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypoesthesia, Feet/dig
Number of times reported: [1]
[Sign:] Hypoesthesia, Limb(s)
Number of times reported: [1]
[Sign:] Irritation
Number of times reported: [1]
[Sign:] Nose Abn
Number of times reported: [1]
[Sign:] Odor
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Head/face
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Palpitations
Number of times reported: [1]
[Sign:] Paraesthesia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Rhinitis
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]

[Drug:] Selamectin

Intranasal, Human

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Pain, Neck
Number of times reported: [1]

[Sign:] Respiratory Disorder
Number of times reported: [1]

[Drug:] Selamectin

Missing, Cat

[Sign:] Ineffect, Ear Mites
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Ineffect, Fleas
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Selamectin

Missing, Dog

[Sign:] Diarrhea
Number of times reported: [2]

[Sign:] Vomiting
Number of times reported: [2]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Application Site Alopecia
Number of times reported: [1]

[Sign:] Application Site Hair, Abn Color
Number of times reported: [1]

[Sign:] Hair, Abn Color
Number of times reported: [1]

[Sign:] Ineffect
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Shaking, Head/face
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Drug:] Selamectin

Missing, Human

[Sign:] Urticaria
Number of times reported: [3]

[Sign:] Anaphylaxis/toid
Number of times reported: [2]

[Sign:] Rash
Number of times reported: [2]

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Application Site Pain
Number of times reported: [1]

[Sign:] Headache
Number of times reported: [1]

[Sign:] Inflam, Skin
Number of times reported: [1]

[Sign:] Pain, Back
Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Sign:] Tongue, Abn

Number of times reported: [1]

[Drug:] Selamectin

Not Applicable, Cat

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Application Site Alopecia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Ineffect, Ascarids

Number of times reported: [1]

[Sign:] Ineffect, Ear Mites

Number of times reported: [1]

[Sign:] Ineffect, Fleas

Number of times reported: [1]

[Sign:] Ineffect, Hooks

Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [1]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Selamectin

Not Applicable, Dog

[Sign:] Ineffect, Fleas

Number of times reported: [2]

[Sign:] Death(newborn)

Number of times reported: [1]

[Sign:] Ineffect, Ear Mites

Number of times reported: [1]

[Sign:] Ineffect, Sarcoptes Mites

Number of times reported: [1]

[Sign:] Ineffect, Ticks

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [1]

[Drug:] Selamectin

Not Applicable, Human

[Sign:] Rash

Number of times reported: [3]

[Sign:] Irritation, Skin

Number of times reported: [2]

[Sign:] Pruritis

Number of times reported: [2]

[Sign:] Bld, Skin

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Pain, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Paresthesia, Mouth/lip

Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Selamectin

Ophthalmic, Cat

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [4]

[Sign:] Blepharospasm

Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Conjunctivitis

Number of times reported: [1]

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Pruritis, Eye(s)

Number of times reported: [1]

[Drug:] Selamectin

Ophthalmic, Dog

[Sign:] Edema, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Drug:] Selamectin

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [22]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [11]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [6]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [5]

[Sign:] Conjunctivitis

Number of times reported: [4]

[Sign:] Eye Disorder

Number of times reported: [3]

[Sign:] Discharge, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Vision Disorder

Number of times reported: [2]

[Sign:] Abrasion, Cornea(s)

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Application Site Pain

Number of times reported: [1]

[Sign:] Blindness, Temp

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Human Exposure, Eye(s)
Number of times reported: [1]
[Sign:] Irritation, Pharynx/th
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] S-irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Sleep Abn
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Syncope
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Selamectin

Oral, Cat

[Sign:] Vomiting
Number of times reported: [52]
[Sign:] Hypersalivation
Number of times reported: [36]
[Sign:] Depression/lethargy
Number of times reported: [32]

[Sign:] Anorexia
Number of times reported: [20]

[Sign:] Fever, Body
Number of times reported: [8]

[Sign:] Hyperactivity
Number of times reported: [8]

[Sign:] Death
Number of times reported: [7]

[Sign:] Application Site Alopecia
Number of times reported: [6]

[Sign:] Diarrhea
Number of times reported: [6]

[Sign:] Hiding
Number of times reported: [5]

[Sign:] Nervousness
Number of times reported: [5]

[Sign:] Ataxia
Number of times reported: [4]

[Sign:] Behavior Disorder
Number of times reported: [4]

[Sign:] Trembling
Number of times reported: [4]

[Sign:] Confusion
Number of times reported: [3]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [3]

[Sign:] Ineffect, Hw Larvae
Number of times reported: [3]

[Sign:] Anemia
Number of times reported: [2]

[Sign:] Application Site Inflamm
Number of times reported: [2]

[Sign:] Application Site Lesion(s)
Number of times reported: [2]

[Sign:] Dehydration
Number of times reported: [2]

[Sign:] Diarrhea, Mild
Number of times reported: [2]

[Sign:] Eosinophils, Bld
Number of times reported: [2]

[Sign:] Hypothermia
Number of times reported: [2]

[Sign:] Ineffect, Fleas
Number of times reported: [2]

[Sign:] Recumbency
Number of times reported: [2]

[Sign:] Tachycardia
Number of times reported: [2]

[Sign:] Twitch
Number of times reported: [2]

[Sign:] Weight Loss
Number of times reported: [2]

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Anisocoria
Number of times reported: [1]

[Sign:] Application Site Abnormal
Number of times reported: [1]

[Sign:] Application Site Erythema
Number of times reported: [1]

[Sign:] Azotemia
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Bld, Skin
Number of times reported: [1]

[Sign:] Blepharospasm
Number of times reported: [1]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Chloride Lo, Bld
Number of times reported: [1]

[Sign:] Co2 Lo, Bld
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Cpk Hi, Bld
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Diarrhea, Severe
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Dysphagia
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Electrolyte Disorder
Number of times reported: [1]

[Sign:] Epiphora
Number of times reported: [1]

[Sign:] Exercise Intolerance
Number of times reported: [1]

[Sign:] Globulin Hi, Bld
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]

[Sign:] Hepatitis
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Hypopnea
Number of times reported: [1]

[Sign:] Ineffect, Ascarids
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th
Number of times reported: [1]

[Sign:] Irritation, Skin
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Loss Of Condition
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld
Number of times reported: [1]

[Sign:] Pacing
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Pancreatitis
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] Polycythemia(relative)
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Posture Abn
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Segs Hi, Bld
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Skin, Scab(s)
Number of times reported: [1]

[Sign:] Sound Abn, Voice
Number of times reported: [1]

[Sign:] Squinting
Number of times reported: [1]

[Sign:] Stiffness, Limb(s)
Number of times reported: [1]

[Sign:] Summary Review
Number of times reported: [1]

[Sign:] Swelling, Tongue
Number of times reported: [1]

[Sign:] Taste Abnormality
Number of times reported: [1]

[Sign:] Tech Error Administrat
Number of times reported: [1]

[Sign:] Triglycerides Hi, Bld
Number of times reported: [1]

[Sign:] Ulcer(s), Tongue
Number of times reported: [1]

[Sign:] Uric Acid Lo, Bld
Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Sign:] Vomiting Roundworms
Number of times reported: [1]

[Sign:] Vomiting, Severe
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Selamectin

Oral, Dog

[Sign:] Vomiting
Number of times reported: [37]

[Sign:] Depression/lethargy
Number of times reported: [23]

[Sign:] Ineffect, Hw Larvae
Number of times reported: [23]

[Sign:] Diarrhea
Number of times reported: [14]

[Sign:] Anorexia
Number of times reported: [12]

[Sign:] Hypersalivation
Number of times reported: [10]

[Sign:] Trembling
Number of times reported: [7]

[Sign:] Convulsion(s)

Number of times reported: [5]
[Sign:] Diarrhea, Mild
Number of times reported: [4]
[Sign:] Pruritis
Number of times reported: [4]
[Sign:] Ataxia
Number of times reported: [3]
[Sign:] Coughing
Number of times reported: [3]
[Sign:] Death
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Hyperactivity
Number of times reported: [3]
[Sign:] Pain, Abdomen
Number of times reported: [3]
[Sign:] Polydipsia
Number of times reported: [3]
[Sign:] Weakness
Number of times reported: [3]
[Sign:] Accidental Exposure
Number of times reported: [2]
[Sign:] Application Site Alopecia
Number of times reported: [2]
[Sign:] Application Site Erythema
Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Hematochezia
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Ineffect, Ticks
Number of times reported: [2]
[Sign:] Pallor
Number of times reported: [2]
[Sign:] Platelets Lo, Bld

Number of times reported: [2]
[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Application Site Hair, Abn Color
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Bile Acids Abn, Bld
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Cns Infarct
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Gagging

Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Hypertonia
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Ineffect, Fleas
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Lipids Hi, Bld
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [1]
[Sign:] Summary Review
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Us Abn

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting, Unproductive

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Drug:] Selamectin

Oral, Human

[Sign:] Nausea

Number of times reported: [8]

[Sign:] Taste Abnormality

Number of times reported: [7]

[Sign:] Diarrhea

Number of times reported: [5]

[Sign:] Tongue, Abn

Number of times reported: [3]

[Sign:] Accidental Exposure

Number of times reported: [2]

[Sign:] Dizziness

Number of times reported: [2]

[Sign:] Human Exposure, Hand(s

Number of times reported: [2]

[Sign:] Hypoesthesia

Number of times reported: [2]

[Sign:] Irritation, Mouth/lip(

Number of times reported: [2]

[Sign:] Paraesthesia

Number of times reported: [2]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [2]

[Sign:] Urticaria

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Discomfort, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Glossitis
Number of times reported: [1]

[Sign:] Human Exposure, Ingest
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Hypopnea
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th
Number of times reported: [1]

[Sign:] Odor
Number of times reported: [1]

[Sign:] Pain, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Pain, Muscle(s)
Number of times reported: [1]

[Sign:] Paresthesia
Number of times reported: [1]

[Sign:] Paresthesia, Mouth/lip
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Somnolence
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Skin
Number of times reported: [1]
[Sign:] Wheezing
Number of times reported: [1]

[Drug:] Selamectin

Parenteral, Cat

[Sign:] Application Site Alopecia
Number of times reported: [5]
[Sign:] Application Site Lesion(s)
Number of times reported: [3]
[Sign:] Alopecia
Number of times reported: [2]
[Sign:] Application Site Pruritis
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Application Site Erythema
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Congestion, Ear(s)
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Ineffect, Fleas
Number of times reported: [1]
[Sign:] Inflammation, Skin

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Irritation, Ear(s)

Number of times reported: [1]

[Sign:] Sleep Abn

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Selamectin

Parenteral, Dog

[Sign:] Ineffect, Hw Larvae

Number of times reported: [4]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Application Site Alopecia

Number of times reported: [1]

[Sign:] Application Site Lesion(s)

Number of times reported: [1]

[Sign:] Bld(hematoma)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Infect

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Tissue, Granulation

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Selamectin

Parenteral, Guinea Pig

[Sign:] Hypoesthesia, Feet/dig

Number of times reported: [1]

[Sign:] Inj Site Necrosis

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Licking, Feet/digit(s)

Number of times reported: [1]

[Sign:] Slough, Feet/digit(s)

Number of times reported: [1]

[Drug:] Selamectin

Parenteral, Human

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Application Site Pain

Number of times reported: [1]

[Sign:] Application Site Pruritis

Number of times reported: [1]

[Sign:] Ecchymosis, Incision Site

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Inj Site Inflamm

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Paraesthesia

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Selamectin

Topical, Alpaca

[Sign:] Paraesthesia

Number of times reported: [1]

[Drug:] Selamectin

Topical, Bobcat

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Reflex(es) Abn

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Selamectin

Topical, Cat

[Sign:] Application Site Alopecia

Number of times reported: [3,156]

[Sign:] Depression/lethargy

Number of times reported: [1,511]

[Sign:] Anorexia

Number of times reported: [1,097]

[Sign:] Vomiting

Number of times reported: [970]

[Sign:] Application Site Lesion(s)

Number of times reported: [795]

[Sign:] Application Site Erythema

Number of times reported: [667]

[Sign:] Ineffect, Fleas

Number of times reported: [516]

[Sign:] Application Site Pruritis

Number of times reported: [505]

[Sign:] Application Site Inflamm

Number of times reported: [498]

[Sign:] Diarrhea

Number of times reported: [455]

[Sign:] Ineffect, Ear Mites

Number of times reported: [435]

[Sign:] Ataxia

Number of times reported: [414]

[Sign:] Fever, Body

Number of times reported: [392]

[Sign:] Pruritis

Number of times reported: [386]
[Sign:] Alopecia
Number of times reported: [349]
[Sign:] Death
Number of times reported: [346]
[Sign:] Skin, Scab(s)
Number of times reported: [306]
[Sign:] Hypersalivation
Number of times reported: [286]
[Sign:] Ineffect, Ascarids
Number of times reported: [285]
[Sign:] Trembling
Number of times reported: [284]
[Sign:] Convulsion(s)
Number of times reported: [225]
[Sign:] Behavior Disorder
Number of times reported: [165]
[Sign:] Weight Loss
Number of times reported: [162]
[Sign:] Hiding
Number of times reported: [152]
[Sign:] Vocalization
Number of times reported: [145]
[Sign:] Hyperactivity
Number of times reported: [144]
[Sign:] Dyspnea
Number of times reported: [141]
[Sign:] Dehydration
Number of times reported: [131]
[Sign:] Death(euthanized)
Number of times reported: [129]
[Sign:] Ineffect, Hw Larvae
Number of times reported: [128]
[Sign:] Irritation, Skin
Number of times reported: [104]
[Sign:] Anemia
Number of times reported: [102]
[Sign:] Inflam, Skin
Number of times reported: [99]
[Sign:] Hyperpnea
Number of times reported: [95]
[Sign:] Twitch

Number of times reported: [88]
[Sign:] Congestion, Skin
Number of times reported: [87]
[Sign:] Application Site Pain
Number of times reported: [85]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [84]
[Sign:] Mydriasis
Number of times reported: [83]
[Sign:] Application Site Abnormal
Number of times reported: [81]
[Sign:] Nervousness
Number of times reported: [78]
[Sign:] Weakness
Number of times reported: [78]
[Sign:] Ineffect, Hooks
Number of times reported: [76]
[Sign:] Recumbency
Number of times reported: [74]
[Sign:] Wbc Hi, Bld
Number of times reported: [66]
[Sign:] Bun Hi, Bld
Number of times reported: [65]
[Sign:] Diarrhea, Bloody
Number of times reported: [65]
[Sign:] Ulcer(s), Skin
Number of times reported: [64]
[Sign:] Skin, Crust(s)
Number of times reported: [59]
[Sign:] Sneezing
Number of times reported: [59]
[Sign:] Lesion(s), Skin
Number of times reported: [57]
[Sign:] Summary Review
Number of times reported: [57]
[Sign:] Hypothermia, Body
Number of times reported: [55]
[Sign:] Polypnea
Number of times reported: [54]
[Sign:] Radiograph(s) Abn
Number of times reported: [54]
[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [53]
[Sign:] Tachycardia
Number of times reported: [53]
[Sign:] Coughing
Number of times reported: [50]
[Sign:] Glucose Hi, Bld
Number of times reported: [50]
[Sign:] Urticaria
Number of times reported: [47]
[Sign:] Dermatitis, Moist
Number of times reported: [46]
[Sign:] Licking
Number of times reported: [44]
[Sign:] Adipsia
Number of times reported: [43]
[Sign:] Polydipsia
Number of times reported: [42]
[Sign:] Aggression
Number of times reported: [41]
[Sign:] Creatinine Hi, Bld
Number of times reported: [41]
[Sign:] Diarrhea, Mild
Number of times reported: [41]
[Sign:] Collapse
Number of times reported: [40]
[Sign:] Pain
Number of times reported: [40]
[Sign:] Lameness
Number of times reported: [39]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [38]
[Sign:] Sore(s)
Number of times reported: [38]
[Sign:] Anaphylaxis/toid
Number of times reported: [37]
[Sign:] Confusion
Number of times reported: [37]
[Sign:] Nystagmus
Number of times reported: [37]
[Sign:] Platelets Lo, Bld
Number of times reported: [37]
[Sign:] Application Site Hair, Abn Color

Number of times reported: [36]
[Sign:] Pallor, Mucous Membran
Number of times reported: [36]
[Sign:] Neurological Disorder
Number of times reported: [35]
[Sign:] Pd-underfill, Tube(s)
Number of times reported: [35]
[Sign:] Wbc Lo, Bld
Number of times reported: [35]
[Sign:] Ineffect, Ascarids Pre
Number of times reported: [34]
[Sign:] Pruritis, Ear(s)
Number of times reported: [34]
[Sign:] Application Site Hair, Abn
Number of times reported: [33]
[Sign:] Hypothermia
Number of times reported: [33]
[Sign:] Head Tilt
Number of times reported: [32]
[Sign:] Stupor
Number of times reported: [31]
[Sign:] Bld, Urine
Number of times reported: [30]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [30]
[Sign:] Pd-odor, Abn
Number of times reported: [29]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [28]
[Sign:] Application Site Swelling
Number of times reported: [27]
[Sign:] Icterus, Body
Number of times reported: [27]
[Sign:] Blindness
Number of times reported: [26]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [26]
[Sign:] Urination Abn
Number of times reported: [26]
[Sign:] Discharge, Nose
Number of times reported: [25]
[Sign:] Edema, Lung(s)/trachea

Number of times reported: [25]
[Sign:] Hair, Abn
Number of times reported: [25]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [25]
[Sign:] Spasm
Number of times reported: [25]
[Sign:] Kidney Failure
Number of times reported: [24]
[Sign:] P Hi, Bld
Number of times reported: [24]
[Sign:] Rash
Number of times reported: [24]
[Sign:] Segs Hi, Bld
Number of times reported: [24]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [24]
[Sign:] Apprehension
Number of times reported: [23]
[Sign:] Bld, Skin
Number of times reported: [23]
[Sign:] Conjunctivitis
Number of times reported: [23]
[Sign:] Anisocoria
Number of times reported: [22]
[Sign:] Constipation
Number of times reported: [22]
[Sign:] Distress, Resp
Number of times reported: [22]
[Sign:] Hyperesthesia
Number of times reported: [22]
[Sign:] Self-mutilation
Number of times reported: [22]
[Sign:] Shaking
Number of times reported: [22]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [21]
[Sign:] Eosinos Hi, Bld
Number of times reported: [21]
[Sign:] Globulin Hi, Bld
Number of times reported: [21]
[Sign:] Hematochezia

Number of times reported: [21]
[Sign:] Ill
Number of times reported: [21]
[Sign:] Reflex(es) Abn
Number of times reported: [21]
[Sign:] Vomiting Roundworms
Number of times reported: [21]
[Sign:] Albumin Lo, Bld
Number of times reported: [20]
[Sign:] Application Site Skin, Dry
Number of times reported: [20]
[Sign:] Circling
Number of times reported: [20]
[Sign:] Glucose Lo, Bld
Number of times reported: [20]
[Sign:] Infection, Skin
Number of times reported: [20]
[Sign:] Scale(s), Skin
Number of times reported: [20]
[Sign:] Staggering
Number of times reported: [20]
[Sign:] Vomiting, Bloody
Number of times reported: [20]
[Sign:] Amylase Hi, Bld
Number of times reported: [19]
[Sign:] Hair, Shedding
Number of times reported: [19]
[Sign:] Pd-tube(s), Abn
Number of times reported: [19]
[Sign:] Polyuria
Number of times reported: [19]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [19]
[Sign:] K Lo, Bld
Number of times reported: [18]
[Sign:] Pain, Abdomen
Number of times reported: [18]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [18]
[Sign:] Somnolence
Number of times reported: [18]
[Sign:] Blepharospasm

Number of times reported: [17]
[Sign:] Discomfort
Number of times reported: [17]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [17]
[Sign:] Locomotion Disorder
Number of times reported: [17]
[Sign:] Unconscious
Number of times reported: [17]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [16]
[Sign:] Shaking, Head/face
Number of times reported: [16]
[Sign:] Swelling, Head/face
Number of times reported: [16]
[Sign:] Biting/chewing
Number of times reported: [15]
[Sign:] Cpk Hi, Bld
Number of times reported: [15]
[Sign:] Discharge, Ear(s)
Number of times reported: [15]
[Sign:] Gagging
Number of times reported: [15]
[Sign:] Icterus
Number of times reported: [15]
[Sign:] K Hi, Bld
Number of times reported: [15]
[Sign:] Kidney Disorder
Number of times reported: [15]
[Sign:] Protein, Urine
Number of times reported: [15]
[Sign:] Reluctant To Move
Number of times reported: [15]
[Sign:] Apnea
Number of times reported: [14]
[Sign:] Application Site, Alopecia
Number of times reported: [14]
[Sign:] Congestion, Lung(s)
Number of times reported: [14]
[Sign:] Dysphagia
Number of times reported: [14]
[Sign:] Froth, Mouth/lip(s)

Number of times reported: [14]
[Sign:] Melena
Number of times reported: [14]
[Sign:] Arrest, Heart
Number of times reported: [13]
[Sign:] Breathing Abn
Number of times reported: [13]
[Sign:] Defecation Abn
Number of times reported: [13]
[Sign:] Hair, Abn Color
Number of times reported: [13]
[Sign:] Interaction, Drug(s)
Number of times reported: [13]
[Sign:] Pustule(s)
Number of times reported: [13]
[Sign:] Respiratory Disorder
Number of times reported: [13]
[Sign:] Skin Abnormal
Number of times reported: [13]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [13]
[Sign:] Bradycardia
Number of times reported: [12]
[Sign:] Deafness
Number of times reported: [12]
[Sign:] Edema, Head/face
Number of times reported: [12]
[Sign:] Effusion, Pleural
Number of times reported: [12]
[Sign:] Epiphora
Number of times reported: [12]
[Sign:] Eye Disorder
Number of times reported: [12]
[Sign:] Incontinence, Urinary
Number of times reported: [12]
[Sign:] Liver Disorder
Number of times reported: [12]
[Sign:] Miosis
Number of times reported: [12]
[Sign:] Otitis
Number of times reported: [12]
[Sign:] Paresis

Number of times reported: [12]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [12]
[Sign:] Segs Lo, Bld
Number of times reported: [12]
[Sign:] Urination
Number of times reported: [12]
[Sign:] Vomiting, Unproductive
Number of times reported: [12]
[Sign:] Application Site Edema
Number of times reported: [11]
[Sign:] Cyanosis
Number of times reported: [11]
[Sign:] Glucose, Urine
Number of times reported: [11]
[Sign:] Infection, Urinary Tra
Number of times reported: [11]
[Sign:] Lymphs Lo, Bld
Number of times reported: [11]
[Sign:] Murmur, Heart
Number of times reported: [11]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [11]
[Sign:] Skin, Necrosis
Number of times reported: [11]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [11]
[Sign:] Wheezing
Number of times reported: [11]
[Sign:] Arrhythmia
Number of times reported: [10]
[Sign:] Congestion, Ear(s)
Number of times reported: [10]
[Sign:] Diabetes Mellitus
Number of times reported: [10]
[Sign:] Diarrhea, Watery
Number of times reported: [10]
[Sign:] Lipase Hi, Bld
Number of times reported: [10]
[Sign:] Pd-tube(s), Leaking
Number of times reported: [10]
[Sign:] Pr-heart, Lesion(s)

Number of times reported: [10]
[Sign:] Proprioceptive Disorder
Number of times reported: [10]
[Sign:] Pupil(s), Areflexia
Number of times reported: [10]
[Sign:] Slough, Skin
Number of times reported: [10]
[Sign:] Staring
Number of times reported: [10]
[Sign:] Cardiomegaly
Number of times reported: [9]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [9]
[Sign:] Cystitis
Number of times reported: [9]
[Sign:] Distress
Number of times reported: [9]
[Sign:] Ear Disorder
Number of times reported: [9]
[Sign:] Ineffect, Strongyles
Number of times reported: [9]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [9]
[Sign:] Nystagmus, Horizontal
Number of times reported: [9]
[Sign:] Pallor
Number of times reported: [9]
[Sign:] Pd-cap(s), Abn
Number of times reported: [9]
[Sign:] Pd-solution, Abn
Number of times reported: [9]
[Sign:] Polycythemia
Number of times reported: [9]
[Sign:] Pr-app Site, Lesion(s)
Number of times reported: [9]
[Sign:] Residue, Application Site
Number of times reported: [9]
[Sign:] Ulcer(s), Tongue
Number of times reported: [9]
[Sign:] Anuria
Number of times reported: [8]
[Sign:] Bld, Mouth/lip(s)

Number of times reported: [8]
[Sign:] Bun Lo, Bld
Number of times reported: [8]
[Sign:] Ca Lo, Bld
Number of times reported: [8]
[Sign:] Coagulation Disorder
Number of times reported: [8]
[Sign:] Head Bobbing
Number of times reported: [8]
[Sign:] Heart Disorder
Number of times reported: [8]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [8]
[Sign:] Irritation
Number of times reported: [8]
[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [8]
[Sign:] Loss Of Condition
Number of times reported: [8]
[Sign:] Moribund
Number of times reported: [8]
[Sign:] Na Hi, Bld
Number of times reported: [8]
[Sign:] Nausea
Number of times reported: [8]
[Sign:] Pneumonia
Number of times reported: [8]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [8]
[Sign:] Shock
Number of times reported: [8]
[Sign:] Sound Abn, Respiratory
Number of times reported: [8]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [8]
[Sign:] Squinting
Number of times reported: [8]
[Sign:] Trembling, Face
Number of times reported: [8]
[Sign:] Bilirubin, Urine
Number of times reported: [7]
[Sign:] Chemistry Abn

Number of times reported: [7]
[Sign:] Death(newborn)
Number of times reported: [7]
[Sign:] Diarrhea, Severe
Number of times reported: [7]
[Sign:] Distention, Abdomen
Number of times reported: [7]
[Sign:] Eruption(s)
Number of times reported: [7]
[Sign:] Gi, Abnormal
Number of times reported: [7]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [7]
[Sign:] Na Lo, Bld
Number of times reported: [7]
[Sign:] Stiffness
Number of times reported: [7]
[Sign:] Stumbling
Number of times reported: [7]
[Sign:] Us Abn
Number of times reported: [7]
[Sign:] Vestibular Disorder
Number of times reported: [7]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [6]
[Sign:] Bld
Number of times reported: [6]
[Sign:] Blindness, Partial
Number of times reported: [6]
[Sign:] Chloride Lo, Bld
Number of times reported: [6]
[Sign:] Cns Disorder
Number of times reported: [6]
[Sign:] Crystals, Urine
Number of times reported: [6]
[Sign:] Hepatomegaly
Number of times reported: [6]
[Sign:] Ineffect, Hooks Preven
Number of times reported: [6]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [6]
[Sign:] Neoplasm

Number of times reported: [6]
[Sign:] Odor
Number of times reported: [6]
[Sign:] Pacing
Number of times reported: [6]
[Sign:] Pain, Joint(s)
Number of times reported: [6]
[Sign:] Paralysis
Number of times reported: [6]
[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [6]
[Sign:] Pressure Lo, Bld
Number of times reported: [6]
[Sign:] Retina Abn
Number of times reported: [6]
[Sign:] Skin Disorder
Number of times reported: [6]
[Sign:] Skin, Dry
Number of times reported: [6]
[Sign:] Tenesmus, Urinary
Number of times reported: [6]
[Sign:] Application Site Mass
Number of times reported: [5]
[Sign:] Ascites
Number of times reported: [5]
[Sign:] Azotemia
Number of times reported: [5]
[Sign:] Bands Hi, Bld
Number of times reported: [5]
[Sign:] Bld(ecchymoses)
Number of times reported: [5]
[Sign:] Bld(petechiae)
Number of times reported: [5]
[Sign:] Ca Hi, Bld
Number of times reported: [5]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [5]
[Sign:] Diarrhea, Mucoid
Number of times reported: [5]
[Sign:] Dry, Skin
Number of times reported: [5]
[Sign:] Dysuria

Number of times reported: [5]
[Sign:] Effusion, Peritoneal
Number of times reported: [5]
[Sign:] Elimination Abn
Number of times reported: [5]
[Sign:] Gastroenteritis
Number of times reported: [5]
[Sign:] Head Pressing
Number of times reported: [5]
[Sign:] Ineffect, Parasite(s)
Number of times reported: [5]
[Sign:] Ineffect, Ticks
Number of times reported: [5]
[Sign:] Ineffect, Worms
Number of times reported: [5]
[Sign:] Irritation, Ear(s)
Number of times reported: [5]
[Sign:] Liver Failure
Number of times reported: [5]
[Sign:] Neck, Ventroflexion
Number of times reported: [5]
[Sign:] Pain, Back
Number of times reported: [5]
[Sign:] Pancreatitis
Number of times reported: [5]
[Sign:] Papule(s)
Number of times reported: [5]
[Sign:] Polyphagia
Number of times reported: [5]
[Sign:] Posture Abn
Number of times reported: [5]
[Sign:] Pressure Hi, Bld
Number of times reported: [5]
[Sign:] Prolapse, Tongue
Number of times reported: [5]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [5]
[Sign:] Pruritis, Feet/digit(s)
Number of times reported: [5]
[Sign:] Pruritis, Tail
Number of times reported: [5]
[Sign:] Reaction, Unspecified

Number of times reported: [5]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [5]
[Sign:] Tenesmus, Rectal
Number of times reported: [5]
[Sign:] Thrashing/paddling
Number of times reported: [5]
[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [5]
[Sign:] Us-liver Abn
Number of times reported: [5]
[Sign:] Balance Disorder
Number of times reported: [4]
[Sign:] Bld(hematoma)
Number of times reported: [4]
[Sign:] Chloride Hi, Bld
Number of times reported: [4]
[Sign:] Creatinine Lo, Bld
Number of times reported: [4]
[Sign:] Culture/titer Data Abn
Number of times reported: [4]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [4]
[Sign:] Dissociation
Number of times reported: [4]
[Sign:] Dysmetria
Number of times reported: [4]
[Sign:] Ecg Abn
Number of times reported: [4]
[Sign:] Edema
Number of times reported: [4]
[Sign:] Hallucination
Number of times reported: [4]
[Sign:] Horner's Syndrome
Number of times reported: [4]
[Sign:] Hypersensitive, Sound
Number of times reported: [4]
[Sign:] Hypopnea
Number of times reported: [4]
[Sign:] Ineffect, Mites
Number of times reported: [4]
[Sign:] Lymphs Hi, Bld

Number of times reported: [4]
[Sign:] Microorganisms, Urine
Number of times reported: [4]
[Sign:] Monos Hi, Bld
Number of times reported: [4]
[Sign:] Nephritis
Number of times reported: [4]
[Sign:] Odor, Mouth
Number of times reported: [4]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [4]
[Sign:] Pd-seal, Abn
Number of times reported: [4]
[Sign:] Pollakiuria
Number of times reported: [4]
[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [4]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [4]
[Sign:] Pr-lung(s), Edema
Number of times reported: [4]
[Sign:] Reticulocytes Lo, Bld
Number of times reported: [4]
[Sign:] Seborrhea
Number of times reported: [4]
[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [4]
[Sign:] Stomatitis
Number of times reported: [4]
[Sign:] Stool Abn
Number of times reported: [4]
[Sign:] Stranguria
Number of times reported: [4]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [4]
[Sign:] Tox
Number of times reported: [4]
[Sign:] Abscess, Skin
Number of times reported: [3]
[Sign:] Albumin Hi, Bld
Number of times reported: [3]
[Sign:] Arthritis

Number of times reported: [3]
[Sign:] Basos Hi, Bld
Number of times reported: [3]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [3]
[Sign:] Bld, Ear(s)
Number of times reported: [3]
[Sign:] Bloat
Number of times reported: [3]
[Sign:] Cachexia
Number of times reported: [3]
[Sign:] Congestion
Number of times reported: [3]
[Sign:] Congestion, Sinus
Number of times reported: [3]
[Sign:] Deafness, Temp
Number of times reported: [3]
[Sign:] Death(stillborn)
Number of times reported: [3]
[Sign:] Defecation
Number of times reported: [3]
[Sign:] Dizziness
Number of times reported: [3]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [3]
[Sign:] Enlargement(s)
Number of times reported: [3]
[Sign:] Enlargement(s), Skin
Number of times reported: [3]
[Sign:] Flatulence
Number of times reported: [3]
[Sign:] Fly Biting
Number of times reported: [3]
[Sign:] Ggt Hi, Bld
Number of times reported: [3]
[Sign:] Globulin Lo, Bld
Number of times reported: [3]
[Sign:] Heart Failure
Number of times reported: [3]
[Sign:] Hepatitis
Number of times reported: [3]
[Sign:] Hypertonia

Number of times reported: [3]
[Sign:] Incontinence, Fecal
Number of times reported: [3]
[Sign:] Ineffect
Number of times reported: [3]
[Sign:] Ineffect, Sarcoptes Mites
Number of times reported: [3]
[Sign:] Infection
Number of times reported: [3]
[Sign:] Infection, Eye(s)
Number of times reported: [3]
[Sign:] Inflam
Number of times reported: [3]
[Sign:] Irritation, Pharynx/th
Number of times reported: [3]
[Sign:] Jerking
Number of times reported: [3]
[Sign:] Mass, Skin
Number of times reported: [3]
[Sign:] Necrosis
Number of times reported: [3]
[Sign:] Oliguria
Number of times reported: [3]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [3]
[Sign:] Paresthesia, Mouth/lip
Number of times reported: [3]
[Sign:] Pd-contamination
Number of times reported: [3]
[Sign:] Pd-product Defect
Number of times reported: [3]
[Sign:] Photophobia
Number of times reported: [3]
[Sign:] Platelets Hi, Bld
Number of times reported: [3]
[Sign:] P Lo, Bld
Number of times reported: [3]
[Sign:] Polycythemia(relative)
Number of times reported: [3]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-pancreas, Lesion(s)

Number of times reported: [3]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [3]
[Sign:] Pruritis, Eye(s)
Number of times reported: [3]
[Sign:] Rbc Abn
Number of times reported: [3]
[Sign:] Reluctant To Climb
Number of times reported: [3]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [3]
[Sign:] Rolling
Number of times reported: [3]
[Sign:] Sinusitis
Number of times reported: [3]
[Sign:] Splenomegaly
Number of times reported: [3]
[Sign:] Stool, Mucoid
Number of times reported: [3]
[Sign:] Swelling, Feet/digit(s)
Number of times reported: [3]
[Sign:] Teeth, Abn
Number of times reported: [3]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [3]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [3]
[Sign:] Ulcer(s), Mucocutaneou
Number of times reported: [3]
[Sign:] Vision Disorder
Number of times reported: [3]
[Sign:] Vomiting, Severe
Number of times reported: [3]
[Sign:] Wbc, Urine
Number of times reported: [3]
[Sign:] Weight Increase
Number of times reported: [3]
[Sign:] Adipose, Inflamm
Number of times reported: [2]
[Sign:] Adverse Drug Reaction
Number of times reported: [2]
[Sign:] Alkaline Urine

Number of times reported: [2]
[Sign:] Anemia, Heinz Body
Number of times reported: [2]
[Sign:] Anemia, Hemolytic
Number of times reported: [2]
[Sign:] Anion Gap Hi, Bld
Number of times reported: [2]
[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [2]
[Sign:] Bilirubin(ind) Hi, Bld
Number of times reported: [2]
[Sign:] Bld, Abdomen
Number of times reported: [2]
[Sign:] Bld, Abn
Number of times reported: [2]
[Sign:] Bld, Anus
Number of times reported: [2]
[Sign:] Bld, Rectum
Number of times reported: [2]
[Sign:] Casts, Urine
Number of times reported: [2]
[Sign:] Co2 Lo, Bld
Number of times reported: [2]
[Sign:] Congestion, Nose
Number of times reported: [2]
[Sign:] Dementia
Number of times reported: [2]
[Sign:] Difficulty Rising
Number of times reported: [2]
[Sign:] Discharge, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Distention, Bladder
Number of times reported: [2]
[Sign:] Ecg, Abn
Number of times reported: [2]
[Sign:] Embolus
Number of times reported: [2]
[Sign:] Eosinos Lo, Bld
Number of times reported: [2]
[Sign:] Epistaxis
Number of times reported: [2]
[Sign:] Exfoliation, Skin

Number of times reported: [2]
[Sign:] Fibrosis
Number of times reported: [2]
[Sign:] Granuloma
Number of times reported: [2]
[Sign:] Hypomotility
Number of times reported: [2]
[Sign:] Ineffect, Nematodes
Number of times reported: [2]
[Sign:] Inj Site Alopecia
Number of times reported: [2]
[Sign:] Insomnia
Number of times reported: [2]
[Sign:] Irritation, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Ketones, Urine
Number of times reported: [2]
[Sign:] Lesion(s), Ringworm
Number of times reported: [2]
[Sign:] Mass
Number of times reported: [2]
[Sign:] Mass, Abdomen
Number of times reported: [2]
[Sign:] Microorganisms, Urine
Number of times reported: [2]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [2]
[Sign:] Nail Disorder
Number of times reported: [2]
[Sign:] Neoplasm, Lymph Node(s)
Number of times reported: [2]
[Sign:] No Signs
Number of times reported: [2]
[Sign:] Opacity, Cornea(s)
Number of times reported: [2]
[Sign:] Pain, Limb(s)
Number of times reported: [2]
[Sign:] Pd-tube(s), Damaged
Number of times reported: [2]
[Sign:] Pharyngitis
Number of times reported: [2]
[Sign:] Pr-brain, Lesion(s)

Number of times reported: [2]
[Sign:] Pr-heartworm Disease
Number of times reported: [2]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [2]
[Sign:] Protrusion, Eye(s)
Number of times reported: [2]
[Sign:] Pr-pleural Effusion
Number of times reported: [2]
[Sign:] Pt Prolonged, Bld
Number of times reported: [2]
[Sign:] Regurgitation, Food
Number of times reported: [2]
[Sign:] Sedation
Number of times reported: [2]
[Sign:] Spec Gravity Hi, Urine
Number of times reported: [2]
[Sign:] Stiffness, Front Limb(
Number of times reported: [2]
[Sign:] Strabismus
Number of times reported: [2]
[Sign:] Syncope
Number of times reported: [2]
[Sign:] Tail Disorder
Number of times reported: [2]
[Sign:] Tech Error Administrat
Number of times reported: [2]
[Sign:] Torticollis
Number of times reported: [2]
[Sign:] Tympanic Mem, Ruptured
Number of times reported: [2]
[Sign:] Urine Abn
Number of times reported: [2]
[Sign:] Uveitis
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Accidental Exposure

Number of times reported: [1]
[Sign:] Acidosis
Number of times reported: [1]
[Sign:] Acid Urine
Number of times reported: [1]
[Sign:] A/g Ratio Lo, Bld
Number of times reported: [1]
[Sign:] Anemia, Aplastic
Number of times reported: [1]
[Sign:] Anemia, Regen
Number of times reported: [1]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Anorexia(not Nursing)
Number of times reported: [1]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]
[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Birth Defect(s), Head/
Number of times reported: [1]
[Sign:] Birth Defect(s), Limb(
Number of times reported: [1]
[Sign:] Birth Defect(s), Torso
Number of times reported: [1]
[Sign:] Birth Deffect(s), Feet
Number of times reported: [1]
[Sign:] Birth, Multiple
Number of times reported: [1]
[Sign:] Bladder, Paralysis
Number of times reported: [1]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bld, Thorax
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Brain, Neoplasm
Number of times reported: [1]
[Sign:] Breathing, Difficult

Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Calculi, Bladder
Number of times reported: [1]
[Sign:] Cataract(s)
Number of times reported: [1]
[Sign:] Chasing Tail
Number of times reported: [1]
[Sign:] Choking
Number of times reported: [1]
[Sign:] Circulatory Disorder
Number of times reported: [1]
[Sign:] Cns Infarct
Number of times reported: [1]
[Sign:] Colitis
Number of times reported: [1]
[Sign:] Congestion, Pharynx
Number of times reported: [1]
[Sign:] Csf Abn
Number of times reported: [1]
[Sign:] Deafness, Partial
Number of times reported: [1]
[Sign:] Diarrhea, Projectile
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid
Number of times reported: [1]
[Sign:] Edema, Cornea(s)
Number of times reported: [1]
[Sign:] Edema, Larynx
Number of times reported: [1]
[Sign:] Edema, Ventral
Number of times reported: [1]
[Sign:] Effusion
Number of times reported: [1]
[Sign:] Effusion, Pericardial
Number of times reported: [1]
[Sign:] Electrolyte Disorder
Number of times reported: [1]
[Sign:] Emphysema, Sq
Number of times reported: [1]
[Sign:] Encephalopathy

Number of times reported: [1]
[Sign:] Enlargement(s), Neck
Number of times reported: [1]
[Sign:] Estrus Behavior
Number of times reported: [1]
[Sign:] Fertility, Lack Of
Number of times reported: [1]
[Sign:] Fertility, Reduced
Number of times reported: [1]
[Sign:] Froth
Number of times reported: [1]
[Sign:] Gingiva, Abn
Number of times reported: [1]
[Sign:] Gingivitis
Number of times reported: [1]
[Sign:] Hco3 Lo, Bld
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Hyperkeratosis
Number of times reported: [1]
[Sign:] Hypermotility
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]
[Sign:] Hyposmia
Number of times reported: [1]
[Sign:] Hypothermia, Ear(s)
Number of times reported: [1]
[Sign:] Icterus, Serum
Number of times reported: [1]
[Sign:] Immune Disorder
Number of times reported: [1]
[Sign:] Incontinence
Number of times reported: [1]
[Sign:] Ineffect, Lice
Number of times reported: [1]
[Sign:] Ineffect, Milk Prod
Number of times reported: [1]
[Sign:] Ineffect, Tapes
Number of times reported: [1]
[Sign:] Ineffect, Weight Loss

Number of times reported: [1]
[Sign:] Infection, Feet/digit(
Number of times reported: [1]
[Sign:] Inj Site, Alopecia
Number of times reported: [1]
[Sign:] Inj Site Pruritis
Number of times reported: [1]
[Sign:] Injury
Number of times reported: [1]
[Sign:] Iris, Inflamm
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Joint Disorder
Number of times reported: [1]
[Sign:] Keratoconjunctivitis S
Number of times reported: [1]
[Sign:] K Lo, Blood
Number of times reported: [1]
[Sign:] Laryngitis
Number of times reported: [1]
[Sign:] Leg Disorder
Number of times reported: [1]
[Sign:] Monos Lo, Bld
Number of times reported: [1]
[Sign:] Mri Scan Abn
Number of times reported: [1]
[Sign:] Myositis
Number of times reported: [1]
[Sign:] Na:k Lo, Bld
Number of times reported: [1]
[Sign:] Neoplasm, Kidney(s)
Number of times reported: [1]
[Sign:] Neoplasm, Liver
Number of times reported: [1]
[Sign:] Neoplasm, Lung(s)
Number of times reported: [1]
[Sign:] Neoplasm, Spleen
Number of times reported: [1]
[Sign:] Neuropathy
Number of times reported: [1]
[Sign:] Nose Abn

Number of times reported: [1]
[Sign:] Nystagmus, Positional
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Obstruction, Larynx
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]
[Sign:] Pain, Head/face
Number of times reported: [1]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Pain, Muscle(s)
Number of times reported: [1]
[Sign:] Pain, Neck
Number of times reported: [1]
[Sign:] Pain, Spinal
Number of times reported: [1]
[Sign:] Pancreas Disorder
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Pancytopenia
Number of times reported: [1]
[Sign:] Paraesthesia, Eye(s)/I
Number of times reported: [1]
[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-color, Abn
Number of times reported: [1]
[Sign:] Pd-container(s), Damag
Number of times reported: [1]
[Sign:] Pd-dispenser, Abn
Number of times reported: [1]
[Sign:] Pd-missing, Cap

Number of times reported: [1]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [1]
[Sign:] Peritonitis
Number of times reported: [1]
[Sign:] Phallitis
Number of times reported: [1]
[Sign:] Phlebitis
Number of times reported: [1]
[Sign:] Photosensitization
Number of times reported: [1]
[Sign:] Platelets Abn
Number of times reported: [1]
[Sign:] Pneumonia, Aspiration
Number of times reported: [1]
[Sign:] Polycythemia(absolute)
Number of times reported: [1]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-nerve(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-pleura, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stillborn, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-thymus, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-urethra, Lesion(s)

Number of times reported: [1]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Rbc, Aniso
Number of times reported: [1]
[Sign:] Rbc, Micro
Number of times reported: [1]
[Sign:] Rbc, Polychrom
Number of times reported: [1]
[Sign:] Regurgitation
Number of times reported: [1]
[Sign:] Repetitive Movements
Number of times reported: [1]
[Sign:] Rupture
Number of times reported: [1]
[Sign:] Saliva, Abn
Number of times reported: [1]
[Sign:] Sediment, Urine
Number of times reported: [1]
[Sign:] Septicemia
Number of times reported: [1]
[Sign:] Sleep Abn
Number of times reported: [1]
[Sign:] Spinal Cord, Neoplasm
Number of times reported: [1]
[Sign:] Steatitis
Number of times reported: [1]
[Sign:] Stiffness, Limb(s)
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Adm Site
Number of times reported: [1]
[Sign:] Swelling, Ear(s)
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Neck
Number of times reported: [1]
[Sign:] Swelling, Tongue

Number of times reported: [1]
[Sign:] Taste Abnormality
Number of times reported: [1]
[Sign:] Tears, Abn
Number of times reported: [1]
[Sign:] Tech Error
Number of times reported: [1]
[Sign:] Tetany
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Ear(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Feet/digit(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Pharynx/thro
Number of times reported: [1]
[Sign:] Unknown
Number of times reported: [1]
[Sign:] Uremia
Number of times reported: [1]
[Sign:] Voice Disorder
Number of times reported: [1]
[Sign:] Vomiting, Projectile
Number of times reported: [1]

[Drug:] Selamectin

Topical, Dog

[Sign:] Ineffect, Hw Larvae
Number of times reported: [5,902]
[Sign:] Vomiting
Number of times reported: [1,788]
[Sign:] Depression/lethargy
Number of times reported: [1,759]
[Sign:] Ineffect, Fleas
Number of times reported: [1,672]
[Sign:] Diarrhea
Number of times reported: [1,056]
[Sign:] Pruritis
Number of times reported: [1,023]
[Sign:] Anorexia
Number of times reported: [1,015]

[Sign:] Convulsion(s)
Number of times reported: [642]

[Sign:] Trembling
Number of times reported: [442]

[Sign:] Application Site Alopecia
Number of times reported: [393]

[Sign:] Ineffect, Ticks
Number of times reported: [378]

[Sign:] Ataxia
Number of times reported: [355]

[Sign:] Ineffect, Ear Mites
Number of times reported: [301]

[Sign:] Alopecia
Number of times reported: [294]

[Sign:] Hypersalivation
Number of times reported: [276]

[Sign:] Urticaria
Number of times reported: [243]

[Sign:] Death
Number of times reported: [236]

[Sign:] Application Site Lesion(s)
Number of times reported: [232]

[Sign:] Diarrhea, Bloody
Number of times reported: [214]

[Sign:] Hyperactivity
Number of times reported: [213]

[Sign:] Congestion, Skin
Number of times reported: [196]

[Sign:] Fever, Body
Number of times reported: [182]

[Sign:] Ineffect, Sarcoptes Mites
Number of times reported: [174]

[Sign:] Application Site Pruritis
Number of times reported: [173]

[Sign:] Polypnea
Number of times reported: [166]

[Sign:] Inflam, Skin
Number of times reported: [164]

[Sign:] Application Site Erythema
Number of times reported: [153]

[Sign:] Application Site Inflam
Number of times reported: [147]

[Sign:] Behavior Disorder
Number of times reported: [136]

[Sign:] Nervousness
Number of times reported: [136]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [130]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [114]

[Sign:] Anaphylaxis/toid
Number of times reported: [110]

[Sign:] Coughing
Number of times reported: [106]

[Sign:] Anemia
Number of times reported: [101]

[Sign:] Vocalization
Number of times reported: [101]

[Sign:] Weight Loss
Number of times reported: [101]

[Sign:] Rash
Number of times reported: [100]

[Sign:] Weakness
Number of times reported: [98]

[Sign:] Dyspnea
Number of times reported: [97]

[Sign:] Death(euthanized)
Number of times reported: [94]

[Sign:] Hyperpnea
Number of times reported: [93]

[Sign:] Wbc Hi, Bld
Number of times reported: [92]

[Sign:] Skin, Scab(s)
Number of times reported: [89]

[Sign:] Lesion(s), Skin
Number of times reported: [87]

[Sign:] Platelets Lo, Bld
Number of times reported: [84]

[Sign:] Apprehension
Number of times reported: [83]

[Sign:] Diarrhea, Mild
Number of times reported: [83]

[Sign:] Application Site Pain
Number of times reported: [82]

[Sign:] Confusion
Number of times reported: [82]

[Sign:] Dermatitis, Moist
Number of times reported: [81]

[Sign:] Polydipsia
Number of times reported: [77]

[Sign:] Shaking
Number of times reported: [75]

[Sign:] Application Site Hair, Abn Color
Number of times reported: [71]

[Sign:] Infection, Skin
Number of times reported: [69]

[Sign:] Bun Hi, Bld
Number of times reported: [68]

[Sign:] Ineffect, Mites
Number of times reported: [66]

[Sign:] Ineffect, Hooks
Number of times reported: [65]

[Sign:] Pacing
Number of times reported: [64]

[Sign:] Edema, Head/face
Number of times reported: [61]

[Sign:] Summary Review
Number of times reported: [59]

[Sign:] Hiding
Number of times reported: [56]

[Sign:] Pain
Number of times reported: [55]

[Sign:] Collapse
Number of times reported: [54]

[Sign:] Application Site Hair, Abn
Number of times reported: [52]

[Sign:] Dehydration
Number of times reported: [50]

[Sign:] Radiograph(s) Abn
Number of times reported: [50]

[Sign:] Swelling, Head/face
Number of times reported: [50]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [49]

[Sign:] Scale(s), Skin
Number of times reported: [48]

[Sign:] Pd-underfill, Tube(s)
Number of times reported: [47]

[Sign:] Tachycardia
Number of times reported: [47]

[Sign:] Application Site Abnormal
Number of times reported: [46]

[Sign:] Lameness
Number of times reported: [46]

[Sign:] Skin, Crust(s)
Number of times reported: [46]

[Sign:] Incontinence, Urinary
Number of times reported: [45]

[Sign:] Polyuria
Number of times reported: [45]

[Sign:] Aggression
Number of times reported: [44]

[Sign:] Melena
Number of times reported: [42]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [42]

[Sign:] Bld, Urine
Number of times reported: [40]

[Sign:] Recumbency
Number of times reported: [40]

[Sign:] Twitch
Number of times reported: [40]

[Sign:] Vomiting, Bloody
Number of times reported: [40]

[Sign:] Hematochezia
Number of times reported: [39]

[Sign:] Creatinine Hi, Bld
Number of times reported: [38]

[Sign:] Glucose Lo, Bld
Number of times reported: [38]

[Sign:] Hair, Abn
Number of times reported: [38]

[Sign:] Pallor, Mucous Membran
Number of times reported: [38]

[Sign:] Albumin Lo, Bld
Number of times reported: [37]

[Sign:] Hair, Shedding
Number of times reported: [36]

[Sign:] Pruritis, Ear(s)
Number of times reported: [36]

[Sign:] Hyperpigmentation, Ski
Number of times reported: [34]

[Sign:] Irritation, Skin
Number of times reported: [34]

[Sign:] Mydriasis
Number of times reported: [34]

[Sign:] Circling
Number of times reported: [33]

[Sign:] Application Site Swelling
Number of times reported: [32]

[Sign:] Hair, Abn Color
Number of times reported: [32]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [32]

[Sign:] Pain, Abdomen
Number of times reported: [31]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [30]

[Sign:] Segs Hi, Bld
Number of times reported: [30]

[Sign:] Stupor
Number of times reported: [30]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [29]

[Sign:] Residue, Application Site
Number of times reported: [29]

[Sign:] Skin, Dry
Number of times reported: [29]

[Sign:] Discomfort
Number of times reported: [28]

[Sign:] Otitis
Number of times reported: [28]

[Sign:] Interaction, Drug(s)
Number of times reported: [27]

[Sign:] Pd-odor, Abn
Number of times reported: [27]

[Sign:] Application Site Mass
Number of times reported: [26]

[Sign:] Seborrhea
Number of times reported: [26]

[Sign:] Adipsia
Number of times reported: [25]

[Sign:] Difficulty Rising
Number of times reported: [25]

[Sign:] Gagging
Number of times reported: [25]

[Sign:] Licking
Number of times reported: [24]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [24]

[Sign:] P Hi, Bld
Number of times reported: [23]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [23]

[Sign:] Wbc Lo, Bld
Number of times reported: [23]

[Sign:] Biting/chewing
Number of times reported: [22]

[Sign:] Locomotion Disorder
Number of times reported: [22]

[Sign:] Papule(s)
Number of times reported: [22]

[Sign:] Pruritis, Feet/digit(s)
Number of times reported: [22]

[Sign:] Reluctant To Move
Number of times reported: [22]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [22]

[Sign:] Urination Abn
Number of times reported: [22]

[Sign:] Licking, Feet/digit(s)
Number of times reported: [21]

[Sign:] Murmur, Heart
Number of times reported: [21]

[Sign:] Neurological Disorder
Number of times reported: [21]

[Sign:] Odor
Number of times reported: [21]

[Sign:] Pustule(s)
Number of times reported: [21]

[Sign:] Sneezing
Number of times reported: [21]

[Sign:] Sore(s)
Number of times reported: [21]

[Sign:] Vomiting, Unproductive
Number of times reported: [21]

[Sign:] Eosinos Hi, Bld
Number of times reported: [20]

[Sign:] Epistaxis
Number of times reported: [20]

[Sign:] Ineffect, Ascarids
Number of times reported: [20]

[Sign:] Ineffect, Whips
Number of times reported: [20]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [20]

[Sign:] Rolling
Number of times reported: [20]

[Sign:] Shaking, Head/face
Number of times reported: [20]

[Sign:] Spasm
Number of times reported: [20]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [19]

[Sign:] Hypothermia, Body
Number of times reported: [19]

[Sign:] Ill
Number of times reported: [19]

[Sign:] Ineffect, Hw Antigen
Number of times reported: [19]

[Sign:] Nausea
Number of times reported: [19]

[Sign:] Nystagmus
Number of times reported: [19]

[Sign:] Staggering
Number of times reported: [19]

[Sign:] Amylase Hi, Bld
Number of times reported: [18]

[Sign:] Bld(petechiae)
Number of times reported: [18]

[Sign:] Cardiomegaly
Number of times reported: [18]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [18]

[Sign:] Diarrhea, Watery
Number of times reported: [18]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [18]

[Sign:] Discharge, Nose
Number of times reported: [18]

[Sign:] Ggt Hi, Bld
Number of times reported: [18]

[Sign:] Head Tilt
Number of times reported: [18]

[Sign:] Pd-tube(s), Abn
Number of times reported: [18]

[Sign:] Proprioceptive Disorde
Number of times reported: [18]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [18]

[Sign:] Conjunctivitis
Number of times reported: [17]

[Sign:] Flatulence
Number of times reported: [17]

[Sign:] Icterus, Body
Number of times reported: [17]

[Sign:] Pd-tube(s), Leaking
Number of times reported: [17]

[Sign:] Stiffness
Number of times reported: [17]

[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [17]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [16]

[Sign:] Glucose Hi, Bld
Number of times reported: [16]

[Sign:] Kidney Failure
Number of times reported: [16]

[Sign:] Lipase Hi, Bld
Number of times reported: [16]

[Sign:] Diarrhea, Mucoid
Number of times reported: [15]

[Sign:] Distention, Abdomen
Number of times reported: [15]

[Sign:] Globulin Hi, Bld
Number of times reported: [15]

[Sign:] Hypothermia
Number of times reported: [15]

[Sign:] Pancreatitis
Number of times reported: [15]

[Sign:] Paresis
Number of times reported: [15]

[Sign:] Pr-heartworm Disease
Number of times reported: [15]

[Sign:] Reflex(es) Abn
Number of times reported: [15]

[Sign:] Ca Lo, Bld
Number of times reported: [14]

[Sign:] Congestion, Lung(s)
Number of times reported: [14]

[Sign:] Deafness
Number of times reported: [14]

[Sign:] Lymphs Lo, Bld
Number of times reported: [14]

[Sign:] Monos Hi, Bld
Number of times reported: [14]

[Sign:] Somnolence
Number of times reported: [14]

[Sign:] Stool Abn
Number of times reported: [14]

[Sign:] Application Site Skin, Dry
Number of times reported: [13]

[Sign:] Bld(ecchymoses)
Number of times reported: [13]

[Sign:] Blindness
Number of times reported: [13]

[Sign:] Borborygmi
Number of times reported: [13]

[Sign:] Breathing Abn
Number of times reported: [13]

[Sign:] Constipation
Number of times reported: [13]

[Sign:] Exercise Intolerance
Number of times reported: [13]

[Sign:] Ulcer(s), Skin
Number of times reported: [13]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [12]

[Sign:] Eye Disorder
Number of times reported: [12]

[Sign:] Ineffect, Hooks Preven
Number of times reported: [12]

[Sign:] Pain, Joint(s)
Number of times reported: [12]

[Sign:] Pain, Neck
Number of times reported: [12]

[Sign:] Protein, Urine
Number of times reported: [12]

[Sign:] Swelling, Ear(s)
Number of times reported: [12]

[Sign:] Bradycardia
Number of times reported: [11]

[Sign:] Ca Hi, Bld
Number of times reported: [11]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [11]

[Sign:] K Lo, Bld
Number of times reported: [11]

[Sign:] Na Lo, Bld
Number of times reported: [11]

[Sign:] Neoplasm
Number of times reported: [11]

[Sign:] Pica
Number of times reported: [11]

[Sign:] Trembling, Face
Number of times reported: [11]

[Sign:] Wheezing
Number of times reported: [11]

[Sign:] Colitis
Number of times reported: [10]

[Sign:] Death(stillborn)
Number of times reported: [10]

[Sign:] Gi, Abnormal
Number of times reported: [10]

[Sign:] Ineffect, Ectoparasite
Number of times reported: [10]

[Sign:] Pallor
Number of times reported: [10]

[Sign:] Skin Abnormal
Number of times reported: [10]

[Sign:] Skin Disorder
Number of times reported: [10]

[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [10]

[Sign:] Unconscious
Number of times reported: [10]

[Sign:] Vestibular Disorder
Number of times reported: [10]

[Sign:] Wbc, Urine
Number of times reported: [10]

[Sign:] Ascites
Number of times reported: [9]

[Sign:] Bile Acids Hi, Bld
Number of times reported: [9]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [9]

[Sign:] Cpk Hi, Bld
Number of times reported: [9]

[Sign:] Defecation Abn
Number of times reported: [9]

[Sign:] Diarrhea, Severe
Number of times reported: [9]

[Sign:] Dry, Skin
Number of times reported: [9]

[Sign:] Ear Disorder
Number of times reported: [9]

[Sign:] Eruption(s)
Number of times reported: [9]

[Sign:] Hepatomegaly
Number of times reported: [9]

[Sign:] Infection, Urinary Tra
Number of times reported: [9]

[Sign:] Lymphs Hi, Bld
Number of times reported: [9]

[Sign:] Mass, Skin
Number of times reported: [9]

[Sign:] Pd-solution, Abn
Number of times reported: [9]

[Sign:] Polycythemia
Number of times reported: [9]

[Sign:] Pr-lung(s), Edema
Number of times reported: [9]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [9]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [9]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [9]

[Sign:] Pruritis, Tail
Number of times reported: [9]

[Sign:] Splenomegaly
Number of times reported: [9]

[Sign:] Syncope
Number of times reported: [9]

[Sign:] Weight Increase
Number of times reported: [9]

[Sign:] Application Site Edema
Number of times reported: [8]

[Sign:] Arrhythmia
Number of times reported: [8]

[Sign:] Bilirubin, Urine
Number of times reported: [8]

[Sign:] Coagulation Disorder
Number of times reported: [8]

[Sign:] Dysmetria
Number of times reported: [8]

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [8]

[Sign:] Enlargement(s), Skin
Number of times reported: [8]

[Sign:] Epiphora
Number of times reported: [8]

[Sign:] Hyperesthesia
Number of times reported: [8]

[Sign:] Icterus
Number of times reported: [8]

[Sign:] Liver Disorder
Number of times reported: [8]

[Sign:] Odor, Mouth
Number of times reported: [8]

[Sign:] Pain, Back
Number of times reported: [8]

[Sign:] Pain, Hind Limb(s)
Number of times reported: [8]

[Sign:] Sound Abn, Respiratory
Number of times reported: [8]

[Sign:] Staring
Number of times reported: [8]

[Sign:] Stool, Muroid
Number of times reported: [8]

[Sign:] Abortion
Number of times reported: [7]

[Sign:] Bld, Skin
Number of times reported: [7]

[Sign:] Cns Disorder
Number of times reported: [7]

[Sign:] Congestion, Ear(s)
Number of times reported: [7]

[Sign:] Defecation
Number of times reported: [7]

[Sign:] Hallucination
Number of times reported: [7]

[Sign:] Immune Disorder
Number of times reported: [7]

[Sign:] Irritation
Number of times reported: [7]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [7]

[Sign:] Pruritis, Eye(s)
Number of times reported: [7]

[Sign:] Shock
Number of times reported: [7]

[Sign:] Skin, Necrosis
Number of times reported: [7]

[Sign:] Swelling, Feet/digit(s)
Number of times reported: [7]

[Sign:] Thrashing/paddling
Number of times reported: [7]

[Sign:] Urination
Number of times reported: [7]

[Sign:] Us Abn
Number of times reported: [7]

[Sign:] Azotemia
Number of times reported: [6]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [6]

[Sign:] Crystals, Urine
Number of times reported: [6]

[Sign:] Cyanosis
Number of times reported: [6]

[Sign:] Distress
Number of times reported: [6]

[Sign:] Enlargement(s)
Number of times reported: [6]

[Sign:] Hyperkeratosis
Number of times reported: [6]

[Sign:] Hypertonia
Number of times reported: [6]

[Sign:] Incontinence, Fecal
Number of times reported: [6]

[Sign:] Ineffect, Hw Adults
Number of times reported: [6]

[Sign:] Irritation, Perineum
Number of times reported: [6]

[Sign:] K Hi, Bld
Number of times reported: [6]

[Sign:] Leukoderma
Number of times reported: [6]

[Sign:] Miosis
Number of times reported: [6]

[Sign:] Platelets Hi, Bld
Number of times reported: [6]

[Sign:] Posture Abn
Number of times reported: [6]

[Sign:] Pr-app Site, Lesion(s)
Number of times reported: [6]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [6]

[Sign:] Rbc, Nucleated
Number of times reported: [6]

[Sign:] Self-mutilation
Number of times reported: [6]

[Sign:] Stumbling
Number of times reported: [6]

[Sign:] Vision Disorder
Number of times reported: [6]

[Sign:] Abn Color, Urine
Number of times reported: [5]

[Sign:] Anemia, Sphero
Number of times reported: [5]

[Sign:] Apnea
Number of times reported: [5]

[Sign:] Atrophy, Muscle(s)
Number of times reported: [5]

[Sign:] Bld
Number of times reported: [5]

[Sign:] Bld, Rectum
Number of times reported: [5]

[Sign:] Bloat
Number of times reported: [5]

[Sign:] Bun Lo, Bld
Number of times reported: [5]

[Sign:] Chemistry Abn
Number of times reported: [5]

[Sign:] Chloride Lo, Bld
Number of times reported: [5]

[Sign:] Coombs Test Pos
Number of times reported: [5]

[Sign:] Death(newborn)
Number of times reported: [5]

[Sign:] Distress, Resp
Number of times reported: [5]

[Sign:] Edema, Neck
Number of times reported: [5]

[Sign:] Globulin Lo, Bld
Number of times reported: [5]

[Sign:] Head Bobbing
Number of times reported: [5]

[Sign:] Heart Disorder
Number of times reported: [5]

[Sign:] Infection
Number of times reported: [5]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [5]

[Sign:] Joint Disorder
Number of times reported: [5]

[Sign:] Liver Failure
Number of times reported: [5]

[Sign:] Myositis
Number of times reported: [5]

[Sign:] Na Hi, Bld
Number of times reported: [5]

[Sign:] Nystagmus, Horizontal
Number of times reported: [5]

[Sign:] Pain, Muscle(s)
Number of times reported: [5]

[Sign:] Paralysis
Number of times reported: [5]

[Sign:] P Lo, Bld
Number of times reported: [5]

[Sign:] Pneumonia
Number of times reported: [5]

[Sign:] Polyphagia
Number of times reported: [5]

[Sign:] Pressure Hi, Bld
Number of times reported: [5]

[Sign:] Protrusion, Eye(s)
Number of times reported: [5]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [5]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [5]

[Sign:] Segs Lo, Bld
Number of times reported: [5]

[Sign:] Stiffness, Neck
Number of times reported: [5]

[Sign:] Triglycerides Hi, Bld
Number of times reported: [5]

[Sign:] Anemia, Regen
Number of times reported: [4]

[Sign:] Arthritis
Number of times reported: [4]

[Sign:] Bands Hi, Bld
Number of times reported: [4]

[Sign:] Bld, Eye(s)
Number of times reported: [4]

[Sign:] Blepharospasm
Number of times reported: [4]

[Sign:] Blindness, Partial
Number of times reported: [4]

[Sign:] Blindness, Temp
Number of times reported: [4]

[Sign:] Bronchitis
Number of times reported: [4]

[Sign:] Calculi, Bladder
Number of times reported: [4]

[Sign:] Cataract(s)
Number of times reported: [4]

[Sign:] Discharge, Ear(s)
Number of times reported: [4]

[Sign:] Dissociation
Number of times reported: [4]

[Sign:] Edema
Number of times reported: [4]

[Sign:] Fly Biting
Number of times reported: [4]

[Sign:] Gastroenteritis
Number of times reported: [4]

[Sign:] Heart Failure
Number of times reported: [4]

[Sign:] Ineffect
Number of times reported: [4]

[Sign:] Ineffect, Ascarids Pre
Number of times reported: [4]

[Sign:] Ineffect, Loss Of Effe
Number of times reported: [4]

[Sign:] Ineffect, Parasite(s)
Number of times reported: [4]

[Sign:] Ineffect, Whips Preven
Number of times reported: [4]

[Sign:] Inflam
Number of times reported: [4]

[Sign:] Irritation, Ear(s)
Number of times reported: [4]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [4]

[Sign:] Mass
Number of times reported: [4]

[Sign:] Nose Abn
Number of times reported: [4]

[Sign:] Paralysis, All Limbs
Number of times reported: [4]

[Sign:] Paresis, Fore Limb(s)
Number of times reported: [4]

[Sign:] Pd-underfill, Vial(s)
Number of times reported: [4]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [4]

[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [4]

[Sign:] Pupil(s), Areflexia
Number of times reported: [4]

[Sign:] Reaction, Unspecified
Number of times reported: [4]

[Sign:] Sedation
Number of times reported: [4]

[Sign:] Slough, Skin
Number of times reported: [4]

[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [4]

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [4]

[Sign:] Swelling, Neck
Number of times reported: [4]

[Sign:] Teeth, Abn
Number of times reported: [4]

[Sign:] Thrombus
Number of times reported: [4]

[Sign:] Abscess, Skin
Number of times reported: [3]

[Sign:] Albumin Hi, Bld
Number of times reported: [3]

[Sign:] Alkaline Urine
Number of times reported: [3]

[Sign:] Arrest, Heart
Number of times reported: [3]

[Sign:] Bld, Abdomen
Number of times reported: [3]

[Sign:] Bld, Anus
Number of times reported: [3]

[Sign:] Bld, Ear(s)
Number of times reported: [3]

[Sign:] Bld, Sclera
Number of times reported: [3]

[Sign:] Co2 Hi, Bld
Number of times reported: [3]

[Sign:] Congestion
Number of times reported: [3]

[Sign:] Csf Abn
Number of times reported: [3]

[Sign:] Destructiveness
Number of times reported: [3]

[Sign:] Discomfort, Mouth/lip(s)
Number of times reported: [3]

[Sign:] Dysphagia
Number of times reported: [3]

[Sign:] Dysuria
Number of times reported: [3]

[Sign:] Effusion, Pleural
Number of times reported: [3]

[Sign:] Elimination Abn
Number of times reported: [3]

[Sign:] Gastritis
Number of times reported: [3]

[Sign:] Head Pressing
Number of times reported: [3]

[Sign:] Hepatitis
Number of times reported: [3]

[Sign:] Hyphema
Number of times reported: [3]

[Sign:] Hypopnea
Number of times reported: [3]

[Sign:] Ineffect, Hw Microfila
Number of times reported: [3]

[Sign:] Jerking
Number of times reported: [3]

[Sign:] Loss Of Condition
Number of times reported: [3]

[Sign:] Mass, Abdomen
Number of times reported: [3]

[Sign:] Microorganisms, Urine
Number of times reported: [3]

[Sign:] Mri Scan Abn
Number of times reported: [3]

[Sign:] No Signs
Number of times reported: [3]

[Sign:] Opacity, Cornea(s)
Number of times reported: [3]

[Sign:] Pain, Head/face
Number of times reported: [3]

[Sign:] Pain, Mouth/lip(s)
Number of times reported: [3]

[Sign:] Pain, Spinal
Number of times reported: [3]

[Sign:] Paralysis, Facial Nerv
Number of times reported: [3]

[Sign:] Pd-color, Abn
Number of times reported: [3]

[Sign:] Pd-product Defect
Number of times reported: [3]

[Sign:] Pollakiuria
Number of times reported: [3]

[Sign:] Polycythemia(relative)
Number of times reported: [3]

[Sign:] Pressure Lo, Bld
Number of times reported: [3]

[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [3]

[Sign:] Rbc Abn
Number of times reported: [3]

[Sign:] Regurgitation
Number of times reported: [3]

[Sign:] Respiratory Disorder
Number of times reported: [3]

[Sign:] Stiffness, Limb(s)
Number of times reported: [3]

[Sign:] Swelling, Joint(s)
Number of times reported: [3]

[Sign:] Taste Abnormality
Number of times reported: [3]

[Sign:] Tenesmus
Number of times reported: [3]

[Sign:] Tenesmus, Rectal
Number of times reported: [3]

[Sign:] Ulcer(s), Ear(s)
Number of times reported: [3]

[Sign:] Urine Abn
Number of times reported: [3]

[Sign:] Uveitis
Number of times reported: [3]

[Sign:] Vasculitis
Number of times reported: [3]

[Sign:] Vomiting, Severe
Number of times reported: [3]

[Sign:] Abrasion, Cornea(s)
Number of times reported: [2]

[Sign:] Anemia, Hemolytic
Number of times reported: [2]

[Sign:] Anorexia (not Nursing)
Number of times reported: [2]

[Sign:] Application Site, Alopecia
Number of times reported: [2]

[Sign:] Balance Disorder
Number of times reported: [2]

[Sign:] Bile Acids Abn, Bld
Number of times reported: [2]

[Sign:] Bld(hematoma)
Number of times reported: [2]

[Sign:] Bone, Abn
Number of times reported: [2]

[Sign:] Cachexia
Number of times reported: [2]

[Sign:] Calculi, Urine
Number of times reported: [2]

[Sign:] Capillary Refill Prolo
Number of times reported: [2]

[Sign:] Cellulitis
Number of times reported: [2]

[Sign:] Cns Infarct
Number of times reported: [2]

[Sign:] Congestion, Nose
Number of times reported: [2]

[Sign:] Congestion, Sinus
Number of times reported: [2]

[Sign:] Creatinine Lo, Bld
Number of times reported: [2]

[Sign:] Deafness, Partial
Number of times reported: [2]

[Sign:] Deafness, Temp
Number of times reported: [2]

[Sign:] Death(tx Failure)
Number of times reported: [2]

[Sign:] Dic
Number of times reported: [2]

[Sign:] Dilatation, Esophagus
Number of times reported: [2]

[Sign:] Dizziness
Number of times reported: [2]

[Sign:] Ecg Abn
Number of times reported: [2]

[Sign:] Edema, Cornea(s)
Number of times reported: [2]

[Sign:] Embolus
Number of times reported: [2]

[Sign:] Enteritis
Number of times reported: [2]

[Sign:] Eosinos Lo, Bld
Number of times reported: [2]

[Sign:] Estrus Cycle Abnormal
Number of times reported: [2]

[Sign:] Fertility, Lack Of
Number of times reported: [2]

[Sign:] Froth, Nose
Number of times reported: [2]

[Sign:] G-hair, Abn Color
Number of times reported: [2]

[Sign:] Gingiva, Abn
Number of times reported: [2]

[Sign:] Glucose, Urine
Number of times reported: [2]

[Sign:] Grinding Teeth
Number of times reported: [2]

[Sign:] Healing Impaired
Number of times reported: [2]

[Sign:] Hypersensitive, Sound
Number of times reported: [2]

[Sign:] Hypoadrenocorticism
Number of times reported: [2]

[Sign:] Icterus, Serum
Number of times reported: [2]

[Sign:] Incontinence
Number of times reported: [2]

[Sign:] Ineffect, Parasite
Number of times reported: [2]

[Sign:] Ineffect, Tapes
Number of times reported: [2]

[Sign:] Infection, Feet/digit(
Number of times reported: [2]

[Sign:] Insomnia
Number of times reported: [2]

[Sign:] Kidney Disorder
Number of times reported: [2]

[Sign:] Microorganisms, Urine
Number of times reported: [2]

[Sign:] Monos Lo, Bld
Number of times reported: [2]

[Sign:] Moribund
Number of times reported: [2]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [2]

[Sign:] Nail Disorder
Number of times reported: [2]

[Sign:] Necrosis
Number of times reported: [2]

[Sign:] Neoplasm, Lymph Node(s)
Number of times reported: [2]

[Sign:] Neoplasm, Skin
Number of times reported: [2]

[Sign:] Nephritis
Number of times reported: [2]

[Sign:] Pawing
Number of times reported: [2]

[Sign:] Pd-cap(s), Abn
Number of times reported: [2]

[Sign:] Pd-potency, Lo
Number of times reported: [2]

[Sign:] Pd-underfill, Package
Number of times reported: [2]

[Sign:] Pneumonia, Aspiration
Number of times reported: [2]

[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [2]

[Sign:] Pr-gi, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-peritoneal Effusion
Number of times reported: [2]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [2]

[Sign:] Reluctant To Climb
Number of times reported: [2]

[Sign:] Reticulocytes Hi, Bld
Number of times reported: [2]

[Sign:] Reticulocytes Lo, Bld
Number of times reported: [2]

[Sign:] Sleep Abn
Number of times reported: [2]

[Sign:] Slough, Ear(s)
Number of times reported: [2]

[Sign:] Sperm Abn
Number of times reported: [2]

[Sign:] Strabismus
Number of times reported: [2]

[Sign:] Swelling, Adm Site
Number of times reported: [2]

[Sign:] Swelling, Limb(s)
Number of times reported: [2]

[Sign:] Swelling, Mult Sites
Number of times reported: [2]

[Sign:] Swelling, Tongue
Number of times reported: [2]

[Sign:] Tail Disorder
Number of times reported: [2]

[Sign:] Tongue, Abn
Number of times reported: [2]

[Sign:] Torticollis
Number of times reported: [2]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [2]

[Sign:] Vaginitis
Number of times reported: [2]

[Sign:] Vomiting Roundworms
Number of times reported: [2]

[Sign:] Wbc Abn
Number of times reported: [2]

[Sign:] Abn Odor, Urine
Number of times reported: [1]

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Ammonia Hi, Bld
Number of times reported: [1]

[Sign:] Anemia, Heinz Body
Number of times reported: [1]

[Sign:] Anestrus
Number of times reported: [1]

[Sign:] Anisocoria
Number of times reported: [1]

[Sign:] Anuria
Number of times reported: [1]

[Sign:] Aplasia, Bone Marrow
Number of times reported: [1]

[Sign:] Basos Hi, Bld
Number of times reported: [1]

[Sign:] Birth Defect(s)
Number of times reported: [1]

[Sign:] Birth Defect(s), Limb(
Number of times reported: [1]

[Sign:] Birth Defect(s), Torso
Number of times reported: [1]

[Sign:] Birth Deffect(s), Feet
Number of times reported: [1]

[Sign:] Bld, Abn
Number of times reported: [1]

[Sign:] Bld, Feet/digit(s)
Number of times reported: [1]

[Sign:] Bld, Gi
Number of times reported: [1]

[Sign:] Bld, Incision Site
Number of times reported: [1]

[Sign:] Breathing, Difficult
Number of times reported: [1]

[Sign:] Calculi, Kidney
Number of times reported: [1]

[Sign:] Casts, Urine
Number of times reported: [1]

[Sign:] Cervical Spine Abn
Number of times reported: [1]

[Sign:] Chasing Tail
Number of times reported: [1]

[Sign:] Chloride Hi, Bld
Number of times reported: [1]

[Sign:] Choking
Number of times reported: [1]

[Sign:] Circulatory Disorder
Number of times reported: [1]

[Sign:] Congestion, Mucous Mem
Number of times reported: [1]

[Sign:] Congestion, Tongue
Number of times reported: [1]

[Sign:] Culture/titer Data Abn
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]

[Sign:] Cystitis
Number of times reported: [1]

[Sign:] Delirium
Number of times reported: [1]

[Sign:] Diabetes Mellitus
Number of times reported: [1]

[Sign:] Diabetes M, Poor Regul
Number of times reported: [1]

[Sign:] Diarrhea, Projectile
Number of times reported: [1]

[Sign:] Digestion Disorder
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid
Number of times reported: [1]

[Sign:] Discharge, Vulva
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Edema, Multiple Sites
Number of times reported: [1]

[Sign:] Edema, Prepuce
Number of times reported: [1]

[Sign:] Effusion
Number of times reported: [1]

[Sign:] Effusion, Pericardial
Number of times reported: [1]

[Sign:] Effusion, Peritoneal
Number of times reported: [1]

[Sign:] Electrolyte Disorder
Number of times reported: [1]

[Sign:] Encephalopathy
Number of times reported: [1]

[Sign:] Eructation
Number of times reported: [1]

[Sign:] Erythema Multiforme
Number of times reported: [1]

[Sign:] Estrus Behavior
Number of times reported: [1]

[Sign:] Fe Lo, Bld
Number of times reported: [1]

[Sign:] Fertility, Reduced
Number of times reported: [1]

[Sign:] Fever, Joint(s)
Number of times reported: [1]

[Sign:] Fibrinogen Lo, Bld
Number of times reported: [1]

[Sign:] Fibrosis
Number of times reported: [1]

[Sign:] Gall Bladder, Abn
Number of times reported: [1]

[Sign:] Gingivitis
Number of times reported: [1]

[Sign:] Granuloma, Lick
Number of times reported: [1]

[Sign:] Hco3 Hi, Bld
Number of times reported: [1]

[Sign:] Hco3 Lo, Bld
Number of times reported: [1]

[Sign:] Hemoglobin, Urine
Number of times reported: [1]

[Sign:] Hyperadrenocorticism
Number of times reported: [1]

[Sign:] Hyposalivation
Number of times reported: [1]

[Sign:] Immunosuppression
Number of times reported: [1]

[Sign:] Ineffect, Demodex Mites
Number of times reported: [1]

[Sign:] Ineffect, Strongyle La
Number of times reported: [1]

[Sign:] Ineffect, Strongyles
Number of times reported: [1]

[Sign:] Ineffect, Worms
Number of times reported: [1]

[Sign:] Infarct
Number of times reported: [1]

[Sign:] Inflammation, Nose
Number of times reported: [1]

[Sign:] Inj Site Mass
Number of times reported: [1]

[Sign:] Inj Site Seroma
Number of times reported: [1]

[Sign:] Intussusception
Number of times reported: [1]

[Sign:] Irritation, Esophagus
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th
Number of times reported: [1]

[Sign:] Labor, Premature
Number of times reported: [1]

[Sign:] Leg Disorder
Number of times reported: [1]

[Sign:] Lesion(s)
Number of times reported: [1]

[Sign:] Macule(s)
Number of times reported: [1]

[Sign:] Mg Hi, Bld
Number of times reported: [1]

[Sign:] Mg Lo, Bld
Number of times reported: [1]

[Sign:] Mucous Membr, Muddy
Number of times reported: [1]

[Sign:] Mucous Membr, Red
Number of times reported: [1]

[Sign:] Neoplasm, Liver
Number of times reported: [1]

[Sign:] Neoplasm, Lung(s)
Number of times reported: [1]

[Sign:] Neoplasm, Mult Sites
Number of times reported: [1]

[Sign:] Neoplasm, Spleen
Number of times reported: [1]

[Sign:] Neuritis
Number of times reported: [1]

[Sign:] Neuritis, Optic
Number of times reported: [1]

[Sign:] Neuropathy
Number of times reported: [1]

[Sign:] Nystagmus, Rotary
Number of times reported: [1]

[Sign:] Oliguria
Number of times reported: [1]

[Sign:] Opisthotonos
Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Pain, Limb(s)
Number of times reported: [1]

[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]

[Sign:] Paraesthesia
Number of times reported: [1]

[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]

[Sign:] Pd-container(s), Abn
Number of times reported: [1]

[Sign:] Pd-defect Unknown
Number of times reported: [1]

[Sign:] Pd-label(s), Abn
Number of times reported: [1]

[Sign:] Pd-missing, Label(s)
Number of times reported: [1]

[Sign:] Pd-potency, Hi
Number of times reported: [1]

[Sign:] Pd-unknown
Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]

[Sign:] Peritonitis
Number of times reported: [1]

[Sign:] Phallitis
Number of times reported: [1]

[Sign:] Pharyngitis
Number of times reported: [1]

[Sign:] Photophobia
Number of times reported: [1]

[Sign:] Platelets Abn
Number of times reported: [1]

[Sign:] Polycythemia(absolute)
Number of times reported: [1]

[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [1]

[Sign:] Pr-bone(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-cerebrum, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-fetus, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-gi, Parasitism
Number of times reported: [1]

[Sign:] Pr-joint(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]

[Sign:] Pr-mult Sites, Lesion(s)
Number of times reported: [1]

[Sign:] Prolapse, Disc
Number of times reported: [1]

[Sign:] Prostatomegaly
Number of times reported: [1]

[Sign:] Pr-testes, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-thymus, Lesion(s)
Number of times reported: [1]

[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]

[Sign:] Rbc, Polychrom
Number of times reported: [1]

[Sign:] Residue, Urine
Number of times reported: [1]

[Sign:] Slough
Number of times reported: [1]

[Sign:] Slough, Feet/digit(s)
Number of times reported: [1]

[Sign:] Squinting
Number of times reported: [1]

[Sign:] Straining
Number of times reported: [1]

[Sign:] Stranguria
Number of times reported: [1]

[Sign:] Sweating
Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]

[Sign:] Swelling, Prepuce
Number of times reported: [1]

[Sign:] Tech Error
Number of times reported: [1]

[Sign:] Tech Error Administrat
Number of times reported: [1]

[Sign:] Tissue, Granulation
Number of times reported: [1]

[Sign:] Tox
Number of times reported: [1]

[Sign:] Tympanic Mem, Ruptured
Number of times reported: [1]

[Sign:] Udder, Agalactia
Number of times reported: [1]

[Sign:] Ulcer(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Feet/digit(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Stomach
Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Sign:] Uremia
Number of times reported: [1]

[Sign:] Us-liver Abn
Number of times reported: [1]

[Sign:] Vena Caval Syndrome
Number of times reported: [1]

[Sign:] Voice Disorder
Number of times reported: [1]

[Sign:] Volvulus, Intestine
Number of times reported: [1]

[Sign:] Volvulus, Stomach
Number of times reported: [1]

[Sign:] Vomiting, Projectile
Number of times reported: [1]

[Sign:] Xerostomia
Number of times reported: [1]

[Drug:] Selamectin

Topical, Ferret

[Sign:] Anorexia
Number of times reported: [10]

[Sign:] Depression/lethargy
Number of times reported: [7]

[Sign:] Diarrhea
Number of times reported: [5]

[Sign:] Weight Loss
Number of times reported: [4]

[Sign:] Death
Number of times reported: [3]

[Sign:] Adipsia
Number of times reported: [2]

[Sign:] Anemia
Number of times reported: [2]

[Sign:] Ataxia
Number of times reported: [2]

[Sign:] Pallor, Mucous Membran
Number of times reported: [2]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Application Site Pain
Number of times reported: [1]
[Sign:] Application Site Swelling
Number of times reported: [1]
[Sign:] Cachexia
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema, Cornea(s)
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Sign:] Splenomegaly

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Weight Increase

Number of times reported: [1]

[Drug:] Selamectin

Topical, Guinea Pig

[Sign:] Death

Number of times reported: [6]

[Sign:] Anorexia

Number of times reported: [4]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [2]

[Sign:] Pruritis

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Anuria

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Constipation

Number of times reported: [1]

[Sign:] Distress

Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Encephalopathy
Number of times reported: [1]

[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Head Pressing
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Hypothermia, Body
Number of times reported: [1]

[Sign:] Lesion(s)
Number of times reported: [1]

[Sign:] Necrosis
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Pneumonia
Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Selamectin

Topical, Human

[Sign:] Pd-tube(s), Leaking

Number of times reported: [218]
[Sign:] Rash
Number of times reported: [157]
[Sign:] Pruritis
Number of times reported: [136]
[Sign:] Urticaria
Number of times reported: [116]
[Sign:] Irritation, Skin
Number of times reported: [55]
[Sign:] Pd-tube(s), Abn
Number of times reported: [53]
[Sign:] Congestion, Skin
Number of times reported: [50]
[Sign:] Summary Review
Number of times reported: [44]
[Sign:] Headache
Number of times reported: [30]
[Sign:] Nausea
Number of times reported: [30]
[Sign:] Hypoesthesia
Number of times reported: [28]
[Sign:] Taste Abnormality
Number of times reported: [28]
[Sign:] Anaphylaxis/toid
Number of times reported: [25]
[Sign:] Diarrhea
Number of times reported: [25]
[Sign:] Dizziness
Number of times reported: [25]
[Sign:] Hyperesthesia
Number of times reported: [24]
[Sign:] Inflamm, Skin
Number of times reported: [24]
[Sign:] Vomiting
Number of times reported: [24]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [21]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [20]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [18]
[Sign:] Pain

Number of times reported: [16]
[Sign:] Pd-cap(s), Abn
Number of times reported: [16]
[Sign:] Pd-seal, Abn
Number of times reported: [15]
[Sign:] Dyspnea
Number of times reported: [14]
[Sign:] Paresthesia
Number of times reported: [14]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [14]
[Sign:] Application Site Pain
Number of times reported: [13]
[Sign:] Skin Abnormal
Number of times reported: [13]
[Sign:] Irritation, Pharynx/th
Number of times reported: [12]
[Sign:] Lesion(s), Skin
Number of times reported: [12]
[Sign:] Paraesthesia
Number of times reported: [12]
[Sign:] Pd-underfill, Tube(s)
Number of times reported: [12]
[Sign:] Pruritis, Eye(s)
Number of times reported: [12]
[Sign:] Application Site Erythema
Number of times reported: [11]
[Sign:] Swelling
Number of times reported: [11]
[Sign:] Human Exposure, Topica
Number of times reported: [10]
[Sign:] Pd-container(s), Abn
Number of times reported: [10]
[Sign:] Accidental Exposure
Number of times reported: [9]
[Sign:] Pd-odor, Abn
Number of times reported: [9]
[Sign:] Swelling, Head/face
Number of times reported: [9]
[Sign:] Application Site Inflamm
Number of times reported: [8]
[Sign:] Application Site Pruritis

Number of times reported: [8]
[Sign:] Depression/lethargy
Number of times reported: [8]
[Sign:] Pain, Abdomen
Number of times reported: [8]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [7]
[Sign:] Coughing
Number of times reported: [7]
[Sign:] Discomfort, Mouth/lip(s)
Number of times reported: [7]
[Sign:] Pd-tube(s), Damaged
Number of times reported: [7]
[Sign:] Skin Disorder
Number of times reported: [7]
[Sign:] Skin, Dry
Number of times reported: [7]
[Sign:] Apprehension
Number of times reported: [6]
[Sign:] Epiphora
Number of times reported: [6]
[Sign:] Human Exposure
Number of times reported: [6]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [6]
[Sign:] Tongue, Abn
Number of times reported: [6]
[Sign:] Vision Disorder
Number of times reported: [6]
[Sign:] Weakness
Number of times reported: [6]
[Sign:] Application Site Swelling
Number of times reported: [5]
[Sign:] Fever, Body
Number of times reported: [5]
[Sign:] Human Exposure, Hand(s)
Number of times reported: [5]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [5]
[Sign:] Leukoderma
Number of times reported: [5]
[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [5]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [5]
[Sign:] Pain, Limb(s)
Number of times reported: [5]
[Sign:] Pd-container(s), Damag
Number of times reported: [5]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [5]
[Sign:] Swelling, Feet/digit(s)
Number of times reported: [5]
[Sign:] Swelling, Tongue
Number of times reported: [5]
[Sign:] Tachycardia
Number of times reported: [5]
[Sign:] Alopecia
Number of times reported: [4]
[Sign:] Discharge, Nose
Number of times reported: [4]
[Sign:] Nail Disorder
Number of times reported: [4]
[Sign:] Nose Abn
Number of times reported: [4]
[Sign:] Pain, Joint(s)
Number of times reported: [4]
[Sign:] Residue, Application Site
Number of times reported: [4]
[Sign:] Sweating
Number of times reported: [4]
[Sign:] Application Site Abnormal
Number of times reported: [3]
[Sign:] Diplopia
Number of times reported: [3]
[Sign:] Dry, Skin
Number of times reported: [3]
[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [3]
[Sign:] Neurological Disorder
Number of times reported: [3]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Palpitations

Number of times reported: [3]
[Sign:] Paresthesia, Mouth/lip
Number of times reported: [3]
[Sign:] Pd-applicator, Abn
Number of times reported: [3]
[Sign:] Pd-color, Abn
Number of times reported: [3]
[Sign:] Pd-dispenser, Abn
Number of times reported: [3]
[Sign:] Respiratory Disorder
Number of times reported: [3]
[Sign:] Scale(s), Skin
Number of times reported: [3]
[Sign:] Somnolence
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Application Site Lesion(s)
Number of times reported: [2]
[Sign:] Application Site Skin, Dry
Number of times reported: [2]
[Sign:] Blindness, Temp
Number of times reported: [2]
[Sign:] Congestion
Number of times reported: [2]
[Sign:] Conjunctivitis
Number of times reported: [2]
[Sign:] Discomfort
Number of times reported: [2]
[Sign:] Ear Disorder
Number of times reported: [2]
[Sign:] Edema
Number of times reported: [2]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Edema, Head/face
Number of times reported: [2]
[Sign:] Epistaxis
Number of times reported: [2]
[Sign:] Eruption(s)
Number of times reported: [2]
[Sign:] Gagging

Number of times reported: [2]
[Sign:] Gi, Abnormal
Number of times reported: [2]
[Sign:] Glossitis
Number of times reported: [2]
[Sign:] Human Exposure, Inhala
Number of times reported: [2]
[Sign:] Human Exposure, Mouth/
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] Inflam
Number of times reported: [2]
[Sign:] Interaction, Drug(s)
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] No Signs
Number of times reported: [2]
[Sign:] Odor
Number of times reported: [2]
[Sign:] Pain, Brisket/chest
Number of times reported: [2]
[Sign:] Pain, Muscle(s)
Number of times reported: [2]
[Sign:] Pd-solution, Abn
Number of times reported: [2]
[Sign:] Pd-underfill, Package
Number of times reported: [2]
[Sign:] Pd-vial(s), Abn
Number of times reported: [2]
[Sign:] Pruritis, Feet/digit(s)
Number of times reported: [2]
[Sign:] Skin, Crust(s)
Number of times reported: [2]
[Sign:] Sore(s)
Number of times reported: [2]
[Sign:] Swelling, Ear(s)
Number of times reported: [2]
[Sign:] Swelling, Neck
Number of times reported: [2]
[Sign:] Ulcer(s), Skin

Number of times reported: [2]
[Sign:] Xerostomia
Number of times reported: [2]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Bld, Sclera
Number of times reported: [1]
[Sign:] Bld, Vagina
Number of times reported: [1]
[Sign:] Choking
Number of times reported: [1]
[Sign:] Congestion, Nose
Number of times reported: [1]
[Sign:] Congestion, Pharynx
Number of times reported: [1]
[Sign:] Congestion, Sinus
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dry Mouth Syndrome
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Edema, Tongue

Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Erythema Multiforme
Number of times reported: [1]
[Sign:] Exfoliation, Skin
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Gastritis
Number of times reported: [1]
[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hot Flash/flush
Number of times reported: [1]
[Sign:] Hot Flush
Number of times reported: [1]
[Sign:] Hyperkeratosis
Number of times reported: [1]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypoesthesia, Feet/dig
Number of times reported: [1]
[Sign:] Hyposalivation
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Infection, Eye(s)
Number of times reported: [1]
[Sign:] Inj Site Abn
Number of times reported: [1]
[Sign:] Iris, Inflam
Number of times reported: [1]
[Sign:] Laryngitis

Number of times reported: [1]
[Sign:] Neuropathy
Number of times reported: [1]
[Sign:] Nystagmus, Horizontal
Number of times reported: [1]
[Sign:] Pain, Head/face
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Pd-contamination
Number of times reported: [1]
[Sign:] Pd-product Defect
Number of times reported: [1]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Sinusitis
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Swelling, Adm Site
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Syncope
Number of times reported: [1]
[Sign:] Tech Error Administrat
Number of times reported: [1]
[Sign:] Trembling, Face
Number of times reported: [1]
[Sign:] Udder, Mastitis

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Urine Abn

Number of times reported: [1]

[Sign:] Uterus, Contractions

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Mou

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Selamectin

Topical, Missing Information

[Sign:] Ineffect, Fleas

Number of times reported: [1]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [1]

[Drug:] Selamectin

Topical, Other

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Ineffect, Fleas

Number of times reported: [1]

[Sign:] Pacing

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Selamectin

Topical, Rabbit

[Sign:] Death

Number of times reported: [10]

[Sign:] Application Site Alopecia

Number of times reported: [6]

[Sign:] Depression/lethargy

Number of times reported: [6]

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Application Site Inflammation

Number of times reported: [3]

[Sign:] Convulsion(s)

Number of times reported: [3]

[Sign:] Fever, Body

Number of times reported: [3]

[Sign:] Pruritis

Number of times reported: [3]

[Sign:] Alopecia

Number of times reported: [2]

[Sign:] Anemia

Number of times reported: [2]

[Sign:] Application Site Abnormal

Number of times reported: [2]

[Sign:] Behavior Disorder

Number of times reported: [2]

[Sign:] Head Tilt

Number of times reported: [2]

[Sign:] Hyperactivity

Number of times reported: [2]

[Sign:] Hyperpigmentation, Skin

Number of times reported: [2]

[Sign:] Hyperpnea

Number of times reported: [2]

[Sign:] Application Site, Alopecia

Number of times reported: [1]

[Sign:] Application Site Erythema

Number of times reported: [1]

[Sign:] Application Site Lesion(s)

Number of times reported: [1]

[Sign:] Birth Defect(s)

Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Cataract(s)
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Pd-tube(s), Abn
Number of times reported: [1]
[Sign:] Pd-underfill, Tube(s)
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Selamectin

Topical, Rat

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dysphagia

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ineffect, Ectoparasite

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Shaking, Head/face

Number of times reported: [1]

[Sign:] Stumbling

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Selamectin

Topical, Unknown

[Sign:] Ineffect, Fleas

Number of times reported: [11]

[Sign:] Application Site Alopecia

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [1]

[Drug:] Selamectin

Topical, Various

[Sign:] Ineffect, Fleas

Number of times reported: [42]

[Sign:] Application Site Alopecia

Number of times reported: [10]

[Sign:] Ineffect, Ear Mites

Number of times reported: [8]

[Sign:] Ineffect, Ticks

Number of times reported: [6]

[Sign:] Pruritis

Number of times reported: [6]

[Sign:] Application Site Lesion(s)

Number of times reported: [3]

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Application Site Erythema

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Application Site Hair, Abn

Number of times reported: [1]

[Sign:] Otitis

Number of times reported: [1]

[Sign:] Shaking, Head/face

Number of times reported: [1]

[Sign:] Skin, Scab(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Skin

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Selamectin

Unknown, Cat

[Sign:] Application Site Alopecia

Number of times reported: [4]
[Sign:] Depression/lethargy
Number of times reported: [4]
[Sign:] Anorexia
Number of times reported: [3]
[Sign:] Behavior Disorder
Number of times reported: [3]
[Sign:] Pruritis
Number of times reported: [3]
[Sign:] Vomiting
Number of times reported: [3]
[Sign:] Alopecia
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Ineffect, Ear Mites
Number of times reported: [2]
[Sign:] Application Site Pruritis
Number of times reported: [1]
[Sign:] Bld, Skin
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Ineffect, Fleas

Number of times reported: [1]

[Sign:] Ineffect, Hw Larvae

Number of times reported: [1]

[Sign:] Inflam, Skin

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Sign:] Otitis

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Unknown

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Selamectin

Unknown, Dog

[Sign:] Ineffect, Fleas

Number of times reported: [7]

[Sign:] Vomiting

Number of times reported: [6]

[Sign:] Anorexia

Number of times reported: [4]

[Sign:] Ataxia

Number of times reported: [4]

[Sign:] Diarrhea

Number of times reported: [4]

[Sign:] Ineffect, Hw Larvae

Number of times reported: [4]

[Sign:] Ineffect, Ear Mites

Number of times reported: [3]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Death(euthanized)
Number of times reported: [2]

[Sign:] Hematochezia
Number of times reported: [2]

[Sign:] Reaction, Unspecified
Number of times reported: [2]

[Sign:] Reflex(es) Abn
Number of times reported: [2]

[Sign:] Skin Disorder
Number of times reported: [2]

[Sign:] Anuria
Number of times reported: [1]

[Sign:] Application Site Alopecia
Number of times reported: [1]

[Sign:] Application Site Erythema
Number of times reported: [1]

[Sign:] Application Site Pain
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Cns Disorder
Number of times reported: [1]

[Sign:] Congestion, Lung(s)
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Constipation
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diarrhea, Watery
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Epiphora
Number of times reported: [1]

[Sign:] Gastritis
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Ineffect, Demodex Mites
Number of times reported: [1]

[Sign:] Ineffect, Ectoparasite
Number of times reported: [1]

[Sign:] Ineffect, Sarcoptes Mites
Number of times reported: [1]

[Sign:] Ineffect, Ticks
Number of times reported: [1]

[Sign:] Inflamm, Skin
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Liver Disorder
Number of times reported: [1]

[Sign:] Paralysis
Number of times reported: [1]

[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] P Lo, Bld
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Stool, Mucoid
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Selamectin

Unknown, Human

[Sign:] Rash
Number of times reported: [62]

[Sign:] Urticaria
Number of times reported: [56]

[Sign:] Pruritis
Number of times reported: [53]

[Sign:] Congestion, Skin
Number of times reported: [21]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [13]

[Sign:] Pd-tube(s), Leaking
Number of times reported: [13]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [13]

[Sign:] Irritation, Skin
Number of times reported: [12]

[Sign:] Dyspnea
Number of times reported: [9]

[Sign:] Inflam, Skin
Number of times reported: [9]

[Sign:] Vomiting
Number of times reported: [9]

[Sign:] Anaphylaxis/toid
Number of times reported: [8]

[Sign:] Nausea
Number of times reported: [8]

[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [8]

[Sign:] Diarrhea
Number of times reported: [7]

[Sign:] Irritation, Pharynx/th
Number of times reported: [7]

[Sign:] Pruritis, Eye(s)
Number of times reported: [7]

[Sign:] Confusion
Number of times reported: [6]

[Sign:] Headache
Number of times reported: [6]

[Sign:] Hypoesthesia
Number of times reported: [6]

[Sign:] Pain

Number of times reported: [6]
[Sign:] Dizziness
Number of times reported: [5]
[Sign:] Human Exposure, Topica
Number of times reported: [5]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [5]
[Sign:] Sneezing
Number of times reported: [5]
[Sign:] Taste Abnormality
Number of times reported: [5]
[Sign:] Accidental Exposure
Number of times reported: [4]
[Sign:] Coughing
Number of times reported: [4]
[Sign:] Discharge, Nose
Number of times reported: [4]
[Sign:] Human Exposure
Number of times reported: [4]
[Sign:] Lesion(s), Skin
Number of times reported: [4]
[Sign:] Vision Disorder
Number of times reported: [4]
[Sign:] Alopecia
Number of times reported: [3]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [3]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Pain, Abdomen
Number of times reported: [3]
[Sign:] Paraesthesia
Number of times reported: [3]
[Sign:] Skin, Dry
Number of times reported: [3]
[Sign:] Swelling, Head/face
Number of times reported: [3]
[Sign:] Voice Disorder
Number of times reported: [3]
[Sign:] Apprehension
Number of times reported: [2]
[Sign:] Ataxia

Number of times reported: [2]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [2]
[Sign:] Joint Disorder
Number of times reported: [2]
[Sign:] Pain, Head/face
Number of times reported: [2]
[Sign:] Pain, Limb(s)
Number of times reported: [2]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Pd-tube(s), Abn
Number of times reported: [2]
[Sign:] Pd-tube(s), Damaged
Number of times reported: [2]
[Sign:] Sinusitis
Number of times reported: [2]
[Sign:] Sound Abn, Voice
Number of times reported: [2]
[Sign:] Swelling
Number of times reported: [2]
[Sign:] Tongue, Abn
Number of times reported: [2]
[Sign:] Anemia, Aplastic
Number of times reported: [1]
[Sign:] Application Site Pain
Number of times reported: [1]
[Sign:] Application Site Swelling
Number of times reported: [1]
[Sign:] Bld, Eye(s)
Number of times reported: [1]
[Sign:] Bld, Vagina
Number of times reported: [1]
[Sign:] Blindness, Temp

Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Discomfort, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Dry, Skin
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Exfoliation, Skin
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Hot Flash
Number of times reported: [1]
[Sign:] Human Exposure, Hand(s)
Number of times reported: [1]
[Sign:] Human Exposure, Inhala
Number of times reported: [1]
[Sign:] Human Exposure, Juvenile
Number of times reported: [1]
[Sign:] Hyperesthesia

Number of times reported: [1]
[Sign:] Hypoesthesia, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Pain, Brisket/chest
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Paresthesia
Number of times reported: [1]
[Sign:] Paresthesia, Mouth/lip
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Scale(s), Skin
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Skin Disorder
Number of times reported: [1]
[Sign:] Slough, Skin
Number of times reported: [1]
[Sign:] Sore(s)
Number of times reported: [1]
[Sign:] Spasm

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Sign:] Stomatitis

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro

Number of times reported: [1]

[Sign:] Swelling, Tongue

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

[Sign:] Xerostomia

Number of times reported: [1]

[Drug:] Selamectin

Unknown, Unknown

[Sign:] Ineffect, Fleas

Number of times reported: [4]

[Sign:] Pd-tube(s), Abn

Number of times reported: [2]

[Sign:] Application Site Swelling

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

[Drug:] Selamectin

Various, Cat

[Sign:] Vomiting

Number of times reported: [15]

[Sign:] Depression/lethargy

Number of times reported: [9]
[Sign:] Hypersalivation
Number of times reported: [9]
[Sign:] Anorexia
Number of times reported: [5]
[Sign:] Fever, Body
Number of times reported: [4]
[Sign:] Adipsia
Number of times reported: [3]
[Sign:] Shaking, Head/face
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Hiding
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Mydriasis
Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Application Site Pain
Number of times reported: [1]
[Sign:] Application Site Pruritis
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Dehydration

Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Ineffect, Fleas
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Lipids Hi, Bld
Number of times reported: [1]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Photophobia
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Selamectin

Various, Dog

[Sign:] Vomiting

Number of times reported: [6]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Anorexia

Number of times reported: [3]

[Sign:] Ineffect, Fleas

Number of times reported: [2]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Glucose Hi, Bld

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Miosis

Number of times reported: [1]

[Sign:] Paresis

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Drug:] Selamectin

Various, Ferret

[Sign:] Diarrhea
Number of times reported: [1]

[Drug:] Selamectin

Various, Horse

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Inj Site Inflam
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Drug:] Selamectin

Various, Human

[Sign:] Taste Abnormality
Number of times reported: [3]

[Sign:] Accidental Exposure
Number of times reported: [2]

[Sign:] Headache
Number of times reported: [2]

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [2]

[Sign:] Vomiting
Number of times reported: [2]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Congestion, Tongue
Number of times reported: [1]

[Sign:] Conjunctivitis
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Exfoliation, Skin

Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Paraesthesia
Number of times reported: [1]
[Sign:] Paresthesia, Mouth/lip
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
[Sign:] Vision Disorder
Number of times reported: [1]

[Drug:] Selamectin

Various, Rabbit

[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Neoplasm
Number of times reported: [1]
[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [1]

[Sign:] Swelling, Tongue
Number of times reported: [1]

[Drug:] Selegiline
Defect, Not Applicable

[Sign:] Pd-tablet(s), Abn
Number of times reported: [163]

[Sign:] Pd-underfill, Package
Number of times reported: [52]

[Sign:] Pd-product Defect
Number of times reported: [16]

[Sign:] Pd-unknown
Number of times reported: [9]

[Sign:] Pd-container(s), Damag
Number of times reported: [8]

[Sign:] Pd-underfill, Vial(s)
Number of times reported: [4]

[Sign:] Pd-container(s), Abn
Number of times reported: [2]

[Sign:] Pd-defect Unknown
Number of times reported: [1]

[Sign:] Pd-label(s), Abn
Number of times reported: [1]

[Sign:] Pd-missing, Label(s)
Number of times reported: [1]

[Sign:] Pd-seal, Abn
Number of times reported: [1]

[Sign:] Unpalatable
Number of times reported: [1]

[Drug:] Selegiline
Missing, Dog

[Sign:] Ineffect, Cds
Number of times reported: [1]

[Sign:] Sedation Prolonged
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Selegiline
Not Applicable, Dog

[Sign:] Death
Number of times reported: [1]

[Drug:] Selegiline

Ophthalmic, Dog

[Sign:] Fly Biting
Number of times reported: [1]

[Sign:] Hypertonia
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Selegiline

Oral, Cat

[Sign:] Vomiting
Number of times reported: [6]

[Sign:] Depression/lethargy
Number of times reported: [4]

[Sign:] Anorexia
Number of times reported: [3]

[Sign:] Behavior Disorder
Number of times reported: [2]

[Sign:] Diarrhea
Number of times reported: [2]

[Sign:] Aggression
Number of times reported: [1]

[Sign:] Albumin Lo, Bld
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Defecation Abn
Number of times reported: [1]

[Sign:] Elimination Abn
Number of times reported: [1]

[Sign:] Globulin Lo, Bld
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Licking
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]

[Sign:] Protein, Urine
Number of times reported: [1]

[Sign:] Segs Hi, Bld
Number of times reported: [1]

[Sign:] Somnolence
Number of times reported: [1]

[Sign:] Tech Error
Number of times reported: [1]

[Sign:] Urination Abn
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Selegiline

Oral, Dog

[Sign:] Vomiting
Number of times reported: [363]

[Sign:] Ineffect, Cds
Number of times reported: [300]

[Sign:] Depression/lethargy
Number of times reported: [266]

[Sign:] Diarrhea
Number of times reported: [264]

[Sign:] Ineffect, Loss Of Effe
Number of times reported: [264]

[Sign:] Anorexia
Number of times reported: [255]

[Sign:] Nervousness

Number of times reported: [224]
[Sign:] Convulsion(s)
Number of times reported: [192]
[Sign:] Polypnea
Number of times reported: [188]
[Sign:] Confusion
Number of times reported: [148]
[Sign:] Hyperactivity
Number of times reported: [148]
[Sign:] Ataxia
Number of times reported: [142]
[Sign:] Polydipsia
Number of times reported: [142]
[Sign:] Ineffect, Cushings
Number of times reported: [136]
[Sign:] Death(euthanized)
Number of times reported: [125]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [123]
[Sign:] Ineffect
Number of times reported: [117]
[Sign:] Polyuria
Number of times reported: [114]
[Sign:] Weight Loss
Number of times reported: [112]
[Sign:] Weakness
Number of times reported: [106]
[Sign:] Pacing
Number of times reported: [89]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [87]
[Sign:] Trembling
Number of times reported: [77]
[Sign:] Bun Hi, Bld
Number of times reported: [75]
[Sign:] Vocalization
Number of times reported: [70]
[Sign:] Apprehension
Number of times reported: [67]
[Sign:] Death
Number of times reported: [63]
[Sign:] Aggression

Number of times reported: [62]
[Sign:] Creatinine Hi, Bld
Number of times reported: [54]
[Sign:] Anemia
Number of times reported: [50]
[Sign:] Pruritis
Number of times reported: [49]
[Sign:] Circling
Number of times reported: [48]
[Sign:] Interaction, Drug(s)
Number of times reported: [48]
[Sign:] Head Tilt
Number of times reported: [41]
[Sign:] Hypersalivation
Number of times reported: [39]
[Sign:] Behavior Disorder
Number of times reported: [38]
[Sign:] Collapse
Number of times reported: [35]
[Sign:] Deafness
Number of times reported: [35]
[Sign:] Alopecia
Number of times reported: [33]
[Sign:] Dyspnea
Number of times reported: [33]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [33]
[Sign:] Wbc Hi, Bld
Number of times reported: [33]
[Sign:] Diarrhea, Bloody
Number of times reported: [31]
[Sign:] Blindness
Number of times reported: [29]
[Sign:] Bld, Urine
Number of times reported: [28]
[Sign:] Stupor
Number of times reported: [28]
[Sign:] Vestibular Disorder
Number of times reported: [27]
[Sign:] Incontinence, Urinary
Number of times reported: [26]
[Sign:] Proprioceptive Disorde

Number of times reported: [26]
[Sign:] K Hi, Bld
Number of times reported: [24]
[Sign:] Polyphagia
Number of times reported: [24]
[Sign:] Tachycardia
Number of times reported: [23]
[Sign:] Recumbency
Number of times reported: [22]
[Sign:] Fever, Body
Number of times reported: [21]
[Sign:] Diarrhea, Mild
Number of times reported: [20]
[Sign:] Distention, Abdomen
Number of times reported: [20]
[Sign:] Infection, Urinary Tra
Number of times reported: [20]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [19]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [19]
[Sign:] Amylase Hi, Bld
Number of times reported: [18]
[Sign:] Infection, Skin
Number of times reported: [18]
[Sign:] Pain, Abdomen
Number of times reported: [18]
[Sign:] Urination
Number of times reported: [18]
[Sign:] Deafness, Partial
Number of times reported: [17]
[Sign:] Epistaxis
Number of times reported: [17]
[Sign:] Glucose Hi, Bld
Number of times reported: [17]
[Sign:] Pancreatitis
Number of times reported: [17]
[Sign:] Platelets Lo, Bld
Number of times reported: [17]
[Sign:] Pressure Hi, Bld
Number of times reported: [17]
[Sign:] Urination Abn

Number of times reported: [17]
[Sign:] Diabetes Mellitus
Number of times reported: [16]
[Sign:] Kidney Failure
Number of times reported: [16]
[Sign:] Nystagmus
Number of times reported: [16]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [16]
[Sign:] Twitch
Number of times reported: [16]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [15]
[Sign:] Ggt Hi, Bld
Number of times reported: [15]
[Sign:] Lipase Hi, Bld
Number of times reported: [15]
[Sign:] Murmur, Heart
Number of times reported: [15]
[Sign:] Staggering
Number of times reported: [15]
[Sign:] Biting/chewing
Number of times reported: [14]
[Sign:] Licking
Number of times reported: [14]
[Sign:] Dissociation
Number of times reported: [13]
[Sign:] Hyperpnea
Number of times reported: [13]
[Sign:] Pallor, Mucous Membran
Number of times reported: [13]
[Sign:] Shaking
Number of times reported: [13]
[Sign:] Congestion, Skin
Number of times reported: [12]
[Sign:] Incontinence, Fecal
Number of times reported: [12]
[Sign:] Insomnia
Number of times reported: [12]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [12]
[Sign:] Somnolence

Number of times reported: [12]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [12]
[Sign:] Weight Increase
Number of times reported: [12]
[Sign:] Inflam, Skin
Number of times reported: [11]
[Sign:] Melena
Number of times reported: [11]
[Sign:] Paresis
Number of times reported: [11]
[Sign:] P Hi, Bld
Number of times reported: [11]
[Sign:] Protein, Urine
Number of times reported: [11]
[Sign:] Staring
Number of times reported: [11]
[Sign:] Coughing
Number of times reported: [10]
[Sign:] Defecation
Number of times reported: [10]
[Sign:] Dehydration
Number of times reported: [10]
[Sign:] Difficulty Rising
Number of times reported: [10]
[Sign:] Sleep Abn
Number of times reported: [10]
[Sign:] Syncope
Number of times reported: [10]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [10]
[Sign:] Locomotion Disorder
Number of times reported: [9]
[Sign:] Radiograph(s) Abn
Number of times reported: [9]
[Sign:] Spasm
Number of times reported: [9]
[Sign:] Albumin Lo, Bld
Number of times reported: [8]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [8]
[Sign:] Anemia, Regen

Number of times reported: [8]
[Sign:] Arrhythmia
Number of times reported: [8]
[Sign:] Ca Hi, Bld
Number of times reported: [8]
[Sign:] Glucose Lo, Bld
Number of times reported: [8]
[Sign:] Hiding
Number of times reported: [8]
[Sign:] Na:k Lo, Bld
Number of times reported: [8]
[Sign:] Reluctant To Move
Number of times reported: [8]
[Sign:] Segs Hi, Bld
Number of times reported: [8]
[Sign:] Shaking, Head/face
Number of times reported: [8]
[Sign:] Trembling, Face
Number of times reported: [8]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [7]
[Sign:] Hematochezia
Number of times reported: [7]
[Sign:] Lesion(s), Skin
Number of times reported: [7]
[Sign:] Na Lo, Bld
Number of times reported: [7]
[Sign:] Sedation
Number of times reported: [7]
[Sign:] Sneezing
Number of times reported: [7]
[Sign:] Stiffness
Number of times reported: [7]
[Sign:] Stumbling
Number of times reported: [7]
[Sign:] Abn Color, Urine
Number of times reported: [6]
[Sign:] Blindness, Partial
Number of times reported: [6]
[Sign:] Chloride Lo, Bld
Number of times reported: [6]
[Sign:] Constipation

Number of times reported: [6]
[Sign:] Cystitis
Number of times reported: [6]
[Sign:] Diarrhea, Muroid
Number of times reported: [6]
[Sign:] Glucose, Urine
Number of times reported: [6]
[Sign:] Heart Disorder
Number of times reported: [6]
[Sign:] Hepatomegaly
Number of times reported: [6]
[Sign:] Hyperesthesia
Number of times reported: [6]
[Sign:] Icterus, Body
Number of times reported: [6]
[Sign:] Neurological Disorder
Number of times reported: [6]
[Sign:] Pallor
Number of times reported: [6]
[Sign:] Posture Abn
Number of times reported: [6]
[Sign:] Rash
Number of times reported: [6]
[Sign:] Repetitive Movements
Number of times reported: [6]
[Sign:] Seborrhea
Number of times reported: [6]
[Sign:] Stool Abn
Number of times reported: [6]
[Sign:] Us Abn
Number of times reported: [6]
[Sign:] Vomiting, Bloody
Number of times reported: [6]
[Sign:] Adipsia
Number of times reported: [5]
[Sign:] Azotemia
Number of times reported: [5]
[Sign:] Bld(petechiae)
Number of times reported: [5]
[Sign:] Bloat
Number of times reported: [5]
[Sign:] Bradycardia

Number of times reported: [5]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [5]
[Sign:] Deafness, Temp
Number of times reported: [5]
[Sign:] Destructiveness
Number of times reported: [5]
[Sign:] Dysphagia
Number of times reported: [5]
[Sign:] Elimination Abn
Number of times reported: [5]
[Sign:] Gagging
Number of times reported: [5]
[Sign:] Globulin Hi, Bld
Number of times reported: [5]
[Sign:] Hair, Abn
Number of times reported: [5]
[Sign:] Keratoconjunctivitis S
Number of times reported: [5]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [5]
[Sign:] Nystagmus, Horizontal
Number of times reported: [5]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [5]
[Sign:] Platelets Hi, Bld
Number of times reported: [5]
[Sign:] Reflex(es) Abn
Number of times reported: [5]
[Sign:] Skin, Crust(s)
Number of times reported: [5]
[Sign:] Skin Disorder
Number of times reported: [5]
[Sign:] Sound Abn, Respiratory
Number of times reported: [5]
[Sign:] Swelling, Head/face
Number of times reported: [5]
[Sign:] Urticaria
Number of times reported: [5]
[Sign:] Vomiting, Unproductive
Number of times reported: [5]
[Sign:] Atrophy, Muscle(s)

Number of times reported: [4]
[Sign:] Balance Disorder
Number of times reported: [4]
[Sign:] Bld(ecchymoses)
Number of times reported: [4]
[Sign:] Borborygmi
Number of times reported: [4]
[Sign:] Bun Lo, Bld
Number of times reported: [4]
[Sign:] Coagulation Disorder
Number of times reported: [4]
[Sign:] Colitis
Number of times reported: [4]
[Sign:] Crystals, Urine
Number of times reported: [4]
[Sign:] Culture/titer Data Abn
Number of times reported: [4]
[Sign:] Diarrhea, Severe
Number of times reported: [4]
[Sign:] Dysmetria
Number of times reported: [4]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [4]
[Sign:] Eye Disorder
Number of times reported: [4]
[Sign:] Flatulence
Number of times reported: [4]
[Sign:] Glaucoma
Number of times reported: [4]
[Sign:] Head Bobbing
Number of times reported: [4]
[Sign:] Incontinence
Number of times reported: [4]
[Sign:] Nausea
Number of times reported: [4]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [4]
[Sign:] Pupil(s), Areflexia
Number of times reported: [4]
[Sign:] Shock
Number of times reported: [4]
[Sign:] Sore(s)

Number of times reported: [4]
[Sign:] Splenomegaly
Number of times reported: [4]
[Sign:] Unconscious
Number of times reported: [4]
[Sign:] Unpalatable
Number of times reported: [4]
[Sign:] Anuria
Number of times reported: [3]
[Sign:] Bands Hi, Bld
Number of times reported: [3]
[Sign:] Bilirubin, Urine
Number of times reported: [3]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Ca Lo, Bld
Number of times reported: [3]
[Sign:] Chemistry Abn
Number of times reported: [3]
[Sign:] Congestion, Lung(s)
Number of times reported: [3]
[Sign:] Cpk Hi, Bld
Number of times reported: [3]
[Sign:] Cyanosis
Number of times reported: [3]
[Sign:] Defecation Abn
Number of times reported: [3]
[Sign:] Dementia
Number of times reported: [3]
[Sign:] Dermatitis, Moist
Number of times reported: [3]
[Sign:] Diabetes M, Poor Regul
Number of times reported: [3]
[Sign:] Diarrhea, Watery
Number of times reported: [3]
[Sign:] Distress
Number of times reported: [3]
[Sign:] Distress, Resp
Number of times reported: [3]
[Sign:] Eosinos Hi, Bld
Number of times reported: [3]
[Sign:] Exfoliation, Skin

Number of times reported: [3]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Hair, Shedding
Number of times reported: [3]
[Sign:] Heart Failure
Number of times reported: [3]
[Sign:] Hepatitis
Number of times reported: [3]
[Sign:] Hyperkeratosis
Number of times reported: [3]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [3]
[Sign:] Jerking
Number of times reported: [3]
[Sign:] Ketones, Urine
Number of times reported: [3]
[Sign:] K Lo, Bld
Number of times reported: [3]
[Sign:] Lameness
Number of times reported: [3]
[Sign:] Microorganisms, Urine
Number of times reported: [3]
[Sign:] Monos Hi, Bld
Number of times reported: [3]
[Sign:] Mydriasis
Number of times reported: [3]
[Sign:] Neoplasm
Number of times reported: [3]
[Sign:] Neoplasm, Liver
Number of times reported: [3]
[Sign:] Nocturia
Number of times reported: [3]
[Sign:] Odor
Number of times reported: [3]
[Sign:] Opisthotonos
Number of times reported: [3]
[Sign:] Pain
Number of times reported: [3]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [3]
[Sign:] Paralysis, Hind Limb(s)

Number of times reported: [3]
[Sign:] Photophobia
Number of times reported: [3]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [3]
[Sign:] Retina Abn
Number of times reported: [3]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [3]
[Sign:] Tenesmus, Rectal
Number of times reported: [3]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [3]
[Sign:] Us-liver Abn
Number of times reported: [3]
[Sign:] Vision Disorder
Number of times reported: [3]
[Sign:] Wbc Lo, Bld
Number of times reported: [3]
[Sign:] Anemia, Hemolytic
Number of times reported: [2]
[Sign:] Anemia, Sphero
Number of times reported: [2]
[Sign:] Anesth Recov Prolonged
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Arrest, Heart
Number of times reported: [2]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [2]
[Sign:] Bld, Eye(s)
Number of times reported: [2]
[Sign:] Bld(hematoma)
Number of times reported: [2]
[Sign:] Bld, Retina
Number of times reported: [2]
[Sign:] Blepharospasm
Number of times reported: [2]
[Sign:] Blindness, Temp

Number of times reported: [2]
[Sign:] Breathing, Difficult
Number of times reported: [2]
[Sign:] Cachexia
Number of times reported: [2]
[Sign:] Capillary Refill Prolo
Number of times reported: [2]
[Sign:] Cardiomegaly
Number of times reported: [2]
[Sign:] Casts, Urine
Number of times reported: [2]
[Sign:] Cns Infarct
Number of times reported: [2]
[Sign:] Congestion, Mucous Mem
Number of times reported: [2]
[Sign:] Congestion, Tongue
Number of times reported: [2]
[Sign:] Diabetes
Number of times reported: [2]
[Sign:] Diarrhea, Projectile
Number of times reported: [2]
[Sign:] Digestion Disorder
Number of times reported: [2]
[Sign:] Dilitation, Esophagus
Number of times reported: [2]
[Sign:] Discharge, Nose
Number of times reported: [2]
[Sign:] Discharge, Vulva
Number of times reported: [2]
[Sign:] Discomfort
Number of times reported: [2]
[Sign:] Ecg, Abn
Number of times reported: [2]
[Sign:] Edema, Head/face
Number of times reported: [2]
[Sign:] Effusion, Pleural
Number of times reported: [2]
[Sign:] Electrolyte Disorder
Number of times reported: [2]
[Sign:] Eruption(s)
Number of times reported: [2]
[Sign:] Estrus Behavior

Number of times reported: [2]
[Sign:] Exercise Intolerance
Number of times reported: [2]
[Sign:] Gall Bladder, Abn
Number of times reported: [2]
[Sign:] Gastroenteritis
Number of times reported: [2]
[Sign:] Gi, Abnormal
Number of times reported: [2]
[Sign:] Globulin Lo, Bld
Number of times reported: [2]
[Sign:] Grinding Teeth
Number of times reported: [2]
[Sign:] Head Pressing
Number of times reported: [2]
[Sign:] Hyperadrenocorticism
Number of times reported: [2]
[Sign:] Hypoadrenocorticism
Number of times reported: [2]
[Sign:] Hypothermia, Body
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [2]
[Sign:] Joint Disorder
Number of times reported: [2]
[Sign:] Kidney Disorder
Number of times reported: [2]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Mass
Number of times reported: [2]
[Sign:] Mass, Abdomen
Number of times reported: [2]
[Sign:] Mass, Skin
Number of times reported: [2]
[Sign:] Myositis
Number of times reported: [2]
[Sign:] Pain, Mouth/lip(s)

Number of times reported: [2]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [2]
[Sign:] Pollakiuria
Number of times reported: [2]
[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-lung(s), Edema
Number of times reported: [2]
[Sign:] Pruritis, Feet/digit(s)
Number of times reported: [2]
[Sign:] Scale(s), Skin
Number of times reported: [2]
[Sign:] Sedation Prolonged
Number of times reported: [2]
[Sign:] Septicemia
Number of times reported: [2]
[Sign:] Spec Gravity Hi, Urine
Number of times reported: [2]
[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [2]
[Sign:] Stool, Mucoid
Number of times reported: [2]
[Sign:] Stranguria
Number of times reported: [2]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Teeth, Abn
Number of times reported: [2]
[Sign:] Torticollis
Number of times reported: [2]
[Sign:] Ulcer(s), Tongue
Number of times reported: [2]
[Sign:] Urine Abn
Number of times reported: [2]
[Sign:] Uveitis
Number of times reported: [2]
[Sign:] Vaginitis
Number of times reported: [2]
[Sign:] Volvulus, Stomach

Number of times reported: [2]
[Sign:] Abn Odor, Urine
Number of times reported: [1]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Albumin Hi, Urine
Number of times reported: [1]
[Sign:] Alkaline Urine
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Basos Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin(ind) Hi, Bld
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld, Abn
Number of times reported: [1]
[Sign:] Bld, Incision Site
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bld, Mult Sites
Number of times reported: [1]
[Sign:] Bld, Penis
Number of times reported: [1]
[Sign:] Bld, Rectum
Number of times reported: [1]
[Sign:] Bld, Sclera
Number of times reported: [1]
[Sign:] Bld, Skin
Number of times reported: [1]
[Sign:] Bld, Vagina
Number of times reported: [1]
[Sign:] Blindness, Night
Number of times reported: [1]
[Sign:] Bone, Abn
Number of times reported: [1]
[Sign:] Calculi, Bladder
Number of times reported: [1]
[Sign:] Cataract(s)

Number of times reported: [1]
[Sign:] Chloride Hi, Bld
Number of times reported: [1]
[Sign:] Cloudy Urine
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Coombs Test Pos
Number of times reported: [1]
[Sign:] Coprophagia
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Dry, Skin
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Ecg Abn
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Effusion, Pericardial
Number of times reported: [1]
[Sign:] Encephalopathy
Number of times reported: [1]
[Sign:] Enlargement(s)
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Enteritis
Number of times reported: [1]
[Sign:] Erection, Abn
Number of times reported: [1]
[Sign:] Eructation
Number of times reported: [1]
[Sign:] Fibrillation, Atrial
Number of times reported: [1]
[Sign:] Fly Biting
Number of times reported: [1]
[Sign:] Gingiva, Abn

Number of times reported: [1]
[Sign:] Gingivitis
Number of times reported: [1]
[Sign:] Granuloma, Lick
Number of times reported: [1]
[Sign:] Hair, Abn Color
Number of times reported: [1]
[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Hemoglobin, Urine
Number of times reported: [1]
[Sign:] Hypermotility
Number of times reported: [1]
[Sign:] Hypertonia
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Immunosuppression
Number of times reported: [1]
[Sign:] Improvement, Unexpect
Number of times reported: [1]
[Sign:] Ineffect, Weight Loss
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Infection, Feet/digit(
Number of times reported: [1]
[Sign:] Inj Site Hair, Abn
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Kicking
Number of times reported: [1]
[Sign:] Laryngospasm
Number of times reported: [1]
[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Leukoderma
Number of times reported: [1]
[Sign:] Lipids Hi, Bld

Number of times reported: [1]
[Sign:] Liver Failure
Number of times reported: [1]
[Sign:] Loss Of Condition
Number of times reported: [1]
[Sign:] Lymphs Hi, Bld
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Moribund
Number of times reported: [1]
[Sign:] Na Hi, Bld
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Neoplasm, Lung(s)
Number of times reported: [1]
[Sign:] Neoplasm, Lymph Node(s)
Number of times reported: [1]
[Sign:] Neoplasm, Skin
Number of times reported: [1]
[Sign:] Nephritis
Number of times reported: [1]
[Sign:] Nose Abn
Number of times reported: [1]
[Sign:] Nystagmus, Rotary
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Obstruction, Trachea
Number of times reported: [1]
[Sign:] Odor, Mouth
Number of times reported: [1]
[Sign:] Opacity, Cornea(s)
Number of times reported: [1]
[Sign:] Pain, Head/face
Number of times reported: [1]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pain, Joint(s)

Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Pain, Neck
Number of times reported: [1]
[Sign:] Pancreas Disorder
Number of times reported: [1]
[Sign:] Papule(s)
Number of times reported: [1]
[Sign:] Paraesthesia, Eye(s)/l
Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]
[Sign:] Paresthesia, Mouth/lip
Number of times reported: [1]
[Sign:] Pd-underfill, Vial(s)
Number of times reported: [1]
[Sign:] Pica
Number of times reported: [1]
[Sign:] Pneumonia, Aspiration
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Priapism
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-nose, Lesion(s)
Number of times reported: [1]
[Sign:] Prolapse, Penis
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Prolapse, Tongue

Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Protrusion, Eye(s)
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Pruritis, Tail
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [1]
[Sign:] Rolling
Number of times reported: [1]
[Sign:] Sedation Too Deep
Number of times reported: [1]
[Sign:] Sediment, Urine
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Skin, Dry
Number of times reported: [1]
[Sign:] Skin, Scab(s)
Number of times reported: [1]
[Sign:] Slough
Number of times reported: [1]
[Sign:] Slough, Feet/digit(s)
Number of times reported: [1]
[Sign:] Sound Abn, Voice
Number of times reported: [1]
[Sign:] Stiffness, Front Limb(
Number of times reported: [1]
[Sign:] Stomatitis
Number of times reported: [1]
[Sign:] Swelling

Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]
[Sign:] Tachycardia, Ventricul
Number of times reported: [1]
[Sign:] Tail Disorder
Number of times reported: [1]
[Sign:] Tech Error Administrat
Number of times reported: [1]
[Sign:] Tetany
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [1]
[Sign:] Ulcer(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Feet/digit(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Skin
Number of times reported: [1]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]
[Sign:] Voice Disorder
Number of times reported: [1]
[Sign:] Volvulus
Number of times reported: [1]
[Sign:] Wbc, Urine
Number of times reported: [1]
[Sign:] Wheezing
Number of times reported: [1]
[Sign:] Xerostomia
Number of times reported: [1]

[Drug:] Selegiline

Oral, Human

[Sign:] Dizziness
Number of times reported: [3]

[Sign:] Apprehension
Number of times reported: [2]

[Sign:] Headache
Number of times reported: [2]

[Sign:] Nausea
Number of times reported: [2]

[Sign:] Pressure Hi, Bld
Number of times reported: [2]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Eye Disorder
Number of times reported: [1]

[Sign:] Hypoesthesia
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Taste Abnormality
Number of times reported: [1]

[Drug:] Selegiline

Parenteral, Dog

[Sign:] Ineffect, Cds
Number of times reported: [1]

[Drug:] Selegiline

Unknown, Dog

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Discharge, Mammary
Number of times reported: [1]

[Sign:] Interaction, Drug(s)
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Neoplasm, Mammary
Number of times reported: [1]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Drug:] Selegiline

Zz, Not Reviewed

[Sign:] Depression/lethargy
Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking
Number of times reported: [3]
[Sign:] Pd-label(s), Abn
Number of times reported: [2]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Pd-color, Abn
Number of times reported: [1]
[Sign:] Pd-container(s), Abn
Number of times reported: [1]
[Sign:] Pd-container(s), Damag
Number of times reported: [1]
[Sign:] Pd-missing, Cap
Number of times reported: [1]
[Sign:] Pd-product Defect
Number of times reported: [1]
[Sign:] Pd-seal, Abn
Number of times reported: [1]
[Sign:] Pd-solution, Abn
Number of times reported: [1]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Missing, Cattle

[Sign:] Death

Number of times reported: [2]

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Effusion

Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-muscle(s), Lesion(s)

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Missing, Human

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Ophthalmic, Human

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Parenteral, Alpaca

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Parenteral, Cattle

[Sign:] Death
Number of times reported: [61]

[Sign:] Anaphylaxis/toid
Number of times reported: [52]

[Sign:] Dyspnea
Number of times reported: [35]

[Sign:] Recumbency
Number of times reported: [22]

[Sign:] Collapse
Number of times reported: [19]

[Sign:] Depression/lethargy
Number of times reported: [17]

[Sign:] Hypersalivation
Number of times reported: [17]

[Sign:] Ataxia
Number of times reported: [16]

[Sign:] Abortion
Number of times reported: [14]

[Sign:] Bloat
Number of times reported: [11]

[Sign:] Birth, Premature
Number of times reported: [10]

[Sign:] Trembling
Number of times reported: [10]

[Sign:] Inj Site Swelling
Number of times reported: [9]

[Sign:] Anorexia
Number of times reported: [8]

[Sign:] Inj Site Abscess
Number of times reported: [7]

[Sign:] Death(newborn)
Number of times reported: [5]

[Sign:] Epistaxis
Number of times reported: [5]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [5]

[Sign:] Placenta, Retained
Number of times reported: [5]

[Sign:] Staggering
Number of times reported: [5]

[Sign:] Diarrhea
Number of times reported: [4]

[Sign:] Hyperpnea
Number of times reported: [4]

[Sign:] Labor, Premature
Number of times reported: [4]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [4]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [3]

[Sign:] Death(stillborn)
Number of times reported: [3]

[Sign:] Distress, Resp
Number of times reported: [3]

[Sign:] Fever, Body
Number of times reported: [3]

[Sign:] Hyperactivity
Number of times reported: [3]

[Sign:] Sweating
Number of times reported: [3]

[Sign:] Weakness
Number of times reported: [3]

[Sign:] Froth, Nose
Number of times reported: [2]

[Sign:] Ineffect
Number of times reported: [2]

[Sign:] Inj Site Inflam
Number of times reported: [2]

[Sign:] Polypnea
Number of times reported: [2]

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Bilirubin, Urine
Number of times reported: [1]

[Sign:] Ca Lo, Bld
Number of times reported: [1]

[Sign:] Cns Disorder
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Cyanosis
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Distress
Number of times reported: [1]

[Sign:] Dystocia
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Edema, Mammary
Number of times reported: [1]

[Sign:] Edema, Vulva
Number of times reported: [1]

[Sign:] Emphysema, Sq
Number of times reported: [1]

[Sign:] Estrus Cycle Abnormal
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]

[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Hypertonia
Number of times reported: [1]

[Sign:] Hypothermia
Number of times reported: [1]

[Sign:] Icterus, Body
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Ineffect, Other Drug(s)
Number of times reported: [1]

[Sign:] Inj Site Slough
Number of times reported: [1]

[Sign:] Irritation
Number of times reported: [1]

[Sign:] Off Feed
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Paralysis, All Limbs
Number of times reported: [1]

[Sign:] Paresis
Number of times reported: [1]

[Sign:] Parturition, Abnormal
Number of times reported: [1]

[Sign:] P Lo, Bld
Number of times reported: [1]

[Sign:] Pneumonia
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Prostration
Number of times reported: [1]

[Sign:] Pr-whole Body, Lesion(
Number of times reported: [1]

[Sign:] Reaction, Unspecified
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Stiffness
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Thrashing/paddling
Number of times reported: [1]

[Sign:] Udder, Hypogalactia
Number of times reported: [1]

[Sign:] Udder, Swelling
Number of times reported: [1]

[Sign:] Urticaria
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Parenteral, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Edema, Head/face

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Parenteral, Goat

[Sign:] Death

Number of times reported: [3]

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [2]

[Sign:] Vocalization

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Balance Disorder

Number of times reported: [1]

[Sign:] Blepharospasm

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Inj Site Inflam
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Jerking
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Thrashing/paddling
Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Parenteral, Horse

[Sign:] Death
Number of times reported: [59]

[Sign:] Anaphylaxis/toid
Number of times reported: [48]

[Sign:] Collapse
Number of times reported: [30]

[Sign:] Pain, Abdomen
Number of times reported: [21]

[Sign:] Ataxia
Number of times reported: [14]

[Sign:] Sweating
Number of times reported: [13]

[Sign:] Inj Site Swelling
Number of times reported: [9]

[Sign:] Dyspnea
Number of times reported: [8]

[Sign:] Depression/lethargy
Number of times reported: [7]

[Sign:] Pallor, Mucous Membran

Number of times reported: [7]
[Sign:] Recumbency
Number of times reported: [7]
[Sign:] Trembling
Number of times reported: [7]
[Sign:] Inj Site Pain
Number of times reported: [6]
[Sign:] Hyperpnea
Number of times reported: [5]
[Sign:] Tachycardia
Number of times reported: [5]
[Sign:] Distress, Resp
Number of times reported: [4]
[Sign:] Inj Site Abn
Number of times reported: [4]
[Sign:] Shaking
Number of times reported: [4]
[Sign:] Shock
Number of times reported: [4]
[Sign:] Weakness
Number of times reported: [4]
[Sign:] Discomfort
Number of times reported: [3]
[Sign:] Inj Site Abscess
Number of times reported: [3]
[Sign:] Staggering
Number of times reported: [3]
[Sign:] Vocalization
Number of times reported: [3]
[Sign:] Bradycardia
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Labor, Premature
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Pallor
Number of times reported: [2]
[Sign:] Pawing

Number of times reported: [2]
[Sign:] Swelling, Neck
Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Defecation
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Inj Site Bld
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]
[Sign:] Inj Site Phlebitis

Number of times reported: [1]
[Sign:] Inj Site Sterile Absce
Number of times reported: [1]
[Sign:] Inj Site Stiffness
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Prostration
Number of times reported: [1]
[Sign:] Pr-pericardial Effusio
Number of times reported: [1]
[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stiffness, Front Limb(
Number of times reported: [1]
[Sign:] Stiffness, Neck
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Urination
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Parenteral, Human

[Sign:] Death

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Pain, Feet/digit(s)

Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Parenteral, Other

[Sign:] Ineffect

Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Parenteral, Pig

[Sign:] Abortion

Number of times reported: [3]

[Sign:] Death

Number of times reported: [2]

[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Parenteral, Sheep

[Sign:] Death

Number of times reported: [20]

[Sign:] Abortion

Number of times reported: [8]

[Sign:] Depression/lethargy

Number of times reported: [7]

[Sign:] Dyspnea

Number of times reported: [6]

[Sign:] Anorexia

Number of times reported: [3]
[Sign:] Bloat
Number of times reported: [3]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Death(newborn)
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Pain, Abdomen
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Bld, Mult Sites
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Inject Site Sepsis
Number of times reported: [1]
[Sign:] Inj Site Alopecia

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Prostration

Number of times reported: [1]

[Sign:] Pr-pleural Effusion

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Unknown, Cattle

[Sign:] Death

Number of times reported: [8]

[Sign:] Anaphylaxis/toid

Number of times reported: [6]

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Recumbency

Number of times reported: [5]

[Sign:] Dyspnea

Number of times reported: [3]

[Sign:] Hypersalivation

Number of times reported: [3]

[Sign:] Abortion

Number of times reported: [2]

[Sign:] Birth, Premature

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Death(newborn)

Number of times reported: [2]

[Sign:] Depression/lethargy
Number of times reported: [2]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]

[Sign:] Inj Site Swelling
Number of times reported: [2]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Stiffness
Number of times reported: [1]

[Sign:] Stiffness, Limb(s)
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]

[Sign:] Udder, Abn
Number of times reported: [1]

[Sign:] Udder, Hypogalactia
Number of times reported: [1]

[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Unknown, Dog

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Unknown, Horse

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Shaking, Head/face

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Unknown, Pig

[Sign:] Death

Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Unknown, Sheep

[Sign:] Death

Number of times reported: [3]

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Various, Cattle

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Drug:] Selenium, Vitamin E

Various, Horse

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Drug:] Semduramicin

Topical, Human

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Drug:] Sevoflurane

Inhalation, Bird

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Arrhythmia
Number of times reported: [1]

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Ecg, Abn
Number of times reported: [1]

[Sign:] Pd-product Defect
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Drug:] Sevoflurane

Inhalation, Cat

[Sign:] Death
Number of times reported: [43]

[Sign:] Apnea
Number of times reported: [29]

[Sign:] Arrest, Heart
Number of times reported: [29]

[Sign:] Anorexia
Number of times reported: [5]

[Sign:] Anesth Recov Prolonged
Number of times reported: [4]

[Sign:] Cyanosis
Number of times reported: [4]

[Sign:] Depression/lethargy
Number of times reported: [4]

[Sign:] Dyspnea
Number of times reported: [4]

[Sign:] Ineffect, Anesthesia
Number of times reported: [4]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [4]

[Sign:] Ataxia
Number of times reported: [3]

[Sign:] Blindness
Number of times reported: [3]

[Sign:] Blindness, Temp
Number of times reported: [3]

[Sign:] Bradycardia

Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [3]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [3]
[Sign:] Hyperpnea
Number of times reported: [3]
[Sign:] Icterus, Body
Number of times reported: [3]
[Sign:] Pressure Lo, Bld
Number of times reported: [3]
[Sign:] Anesth Recov Turbulent
Number of times reported: [2]
[Sign:] Anesth Too Deep
Number of times reported: [2]
[Sign:] Bld, Abn
Number of times reported: [2]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Opisthotonos
Number of times reported: [2]
[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Sound Abn, Respiratory
Number of times reported: [2]
[Sign:] Spasm
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Anesth Duration Brief
Number of times reported: [1]
[Sign:] Anesth Induction Prolonged
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [1]
[Sign:] Blindness, Partial
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Ecg Abn
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Froth, Nose
Number of times reported: [1]
[Sign:] Gingiva, Abn
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Kidney Failure

Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Pr-heartworm Disease
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-pleural Effusion
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Ulcer(s), Tongue
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Sevoflurane

Inhalation, Dog

[Sign:] Death
Number of times reported: [122]

[Sign:] Arrest, Heart
Number of times reported: [103]

[Sign:] Apnea
Number of times reported: [92]

[Sign:] Bradycardia
Number of times reported: [50]

[Sign:] Ineffect, Anesthesia
Number of times reported: [24]

[Sign:] Bld, Abn
Number of times reported: [15]

[Sign:] Hyperpnea
Number of times reported: [15]

[Sign:] Anesth Recov Prolonged
Number of times reported: [14]

[Sign:] Tachycardia
Number of times reported: [13]

[Sign:] Cyanosis
Number of times reported: [12]

[Sign:] Fever, Body
Number of times reported: [11]

[Sign:] Pallor, Mucous Membran
Number of times reported: [10]

[Sign:] Hypersalivation
Number of times reported: [8]

[Sign:] Hypopnea
Number of times reported: [8]

[Sign:] Pressure Lo, Bld
Number of times reported: [8]

[Sign:] Pulse Thready
Number of times reported: [8]

[Sign:] Respiratory Disorder
Number of times reported: [8]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [7]

[Sign:] Dyspnea
Number of times reported: [7]

[Sign:] Mydriasis
Number of times reported: [7]

[Sign:] Polypnea
Number of times reported: [7]

[Sign:] Anaphylaxis/toid
Number of times reported: [6]

[Sign:] Anesth Recov Turbulent
Number of times reported: [6]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [6]

[Sign:] Radiograph(s) Abn
Number of times reported: [6]

[Sign:] Convulsion(s)
Number of times reported: [5]

[Sign:] Death(euthanized)
Number of times reported: [5]

[Sign:] Depression/lethargy
Number of times reported: [5]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [5]

[Sign:] Hypothermia, Body
Number of times reported: [5]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [5]

[Sign:] Distress, Resp
Number of times reported: [4]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [4]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [4]

[Sign:] Recumbency
Number of times reported: [4]

[Sign:] Thrashing/paddling
Number of times reported: [4]

[Sign:] Vomiting
Number of times reported: [4]

[Sign:] Anemia
Number of times reported: [3]

[Sign:] Anesth Too Deep
Number of times reported: [3]

[Sign:] Anorexia
Number of times reported: [3]

[Sign:] Circulatory Disorder
Number of times reported: [3]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [3]

[Sign:] Hyperactivity
Number of times reported: [3]

[Sign:] Hypothermia
Number of times reported: [3]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [3]

[Sign:] Shaking
Number of times reported: [3]

[Sign:] Tachycardia, Ventricul
Number of times reported: [3]

[Sign:] Vocalization
Number of times reported: [3]

[Sign:] Anesth Induc Turbulent
Number of times reported: [2]

[Sign:] Arrhythmia
Number of times reported: [2]

[Sign:] Bld
Number of times reported: [2]

[Sign:] Blindness
Number of times reported: [2]

[Sign:] Bun Hi, Bld
Number of times reported: [2]

[Sign:] Capillary Refill Prolo
Number of times reported: [2]

[Sign:] Confusion
Number of times reported: [2]

[Sign:] Creatinine Hi, Bld
Number of times reported: [2]

[Sign:] Deafness
Number of times reported: [2]

[Sign:] Death(newborn)
Number of times reported: [2]

[Sign:] Ecg Abn
Number of times reported: [2]

[Sign:] Edema, Head/face
Number of times reported: [2]

[Sign:] Fibrillation, Ventricu
Number of times reported: [2]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]

[Sign:] Interaction, Drug(s)
Number of times reported: [2]

[Sign:] Pallor
Number of times reported: [2]

[Sign:] P Hi, Bld
Number of times reported: [2]

[Sign:] Polycythemia
Number of times reported: [2]

[Sign:] Pupil(s), Areflexia
Number of times reported: [2]

[Sign:] Reflex(es) Abn
Number of times reported: [2]

[Sign:] Stiffness, Limb(s)
Number of times reported: [2]

[Sign:] Swelling, Head/face
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Twitch
Number of times reported: [2]

[Sign:] Urticaria
Number of times reported: [2]

[Sign:] Anesth Induction Prolonged
Number of times reported: [1]

[Sign:] Anesth Induction Rapid
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Bld(petechiae)
Number of times reported: [1]

[Sign:] Breathing, Periodic
Number of times reported: [1]

[Sign:] Cns Disorder
Number of times reported: [1]

[Sign:] Co2 Hi, Bld
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Congestion, Lung(s)
Number of times reported: [1]

[Sign:] Death(stillborn)
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Dilitation, Stomach
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Froth
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Hematochezia
Number of times reported: [1]

[Sign:] Jerking
Number of times reported: [1]

[Sign:] K Lo, Bld
Number of times reported: [1]

[Sign:] Laryngitis
Number of times reported: [1]

[Sign:] Mucous Membr, Muddy
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Nystagmus
Number of times reported: [1]

[Sign:] Nystagmus, Horizontal
Number of times reported: [1]

[Sign:] Pain, Back
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]

[Sign:] P Lo, Bld
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema
Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]

[Sign:] Pr-nose, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]

[Sign:] Pt Prolonged, Bld
Number of times reported: [1]

[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]

[Sign:] Stool Abn
Number of times reported: [1]

[Sign:] Thrombus
Number of times reported: [1]

[Sign:] Trembling, Face
Number of times reported: [1]

[Sign:] Us Abn
Number of times reported: [1]

[Sign:] Vision Disorder
Number of times reported: [1]

[Sign:] Volvulus, Stomach
Number of times reported: [1]

[Sign:] Weakness, Newborn
Number of times reported: [1]

[Drug:] Sevoflurane

Inhalation, Duck

[Sign:] Arrest, Heart
Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Drug:] Sevoflurane

Inhalation, Ferret

[Sign:] Death

Number of times reported: [1]

[Drug:] Sevoflurane

Inhalation, Goat

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Arrhythmia

Number of times reported: [1]

[Sign:] Bld, Abn

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Pressure Lo, Bld

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Sound Abn, Respiratory

Number of times reported: [1]

[Drug:] Sevoflurane

Inhalation, Guinea Pig

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Sevoflurane

Inhalation, Horse

[Sign:] Death

Number of times reported: [2]

[Sign:] Pressure Lo, Bld

Number of times reported: [2]

[Sign:] Anesth Duration Brief

Number of times reported: [1]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Arrhythmia

Number of times reported: [1]

[Sign:] Breathing Abn

Number of times reported: [1]

[Sign:] Breathing, Periodic

Number of times reported: [1]

[Sign:] Congestion, Mucous Mem

Number of times reported: [1]

[Sign:] Mucous Membr, Red

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Drug:] Sevoflurane

Inhalation, Human

[Sign:] Dizziness

Number of times reported: [4]

[Sign:] Headache

Number of times reported: [3]

[Sign:] Nausea

Number of times reported: [2]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Hair, Abn

Number of times reported: [1]

[Sign:] Human Exposure

Number of times reported: [1]

[Sign:] Human Exposure, Inhala

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Slough, Skin

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Sevoflurane

Inhalation, Other

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Drug:] Sevoflurane

Inhalation, Parrot

[Sign:] Death

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Drug:] Sevoflurane

Inhalation, Rabbit

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr

Number of times reported: [1]

[Sign:] Distress

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Drug:] Sevoflurane

Inhalation, Various

[Sign:] Apnea

Number of times reported: [3]

[Sign:] Death

Number of times reported: [3]

[Sign:] Arrest, Heart

Number of times reported: [2]

[Sign:] Bradycardia

Number of times reported: [2]

[Sign:] Anisocoria

Number of times reported: [1]

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Moribund

Number of times reported: [1]

[Drug:] Sevoflurane

Missing, Cat

[Sign:] Death

Number of times reported: [2]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Drug:] Sevoflurane

Missing, Various

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Drug:] Sevoflurane

Unknown, Cat

[Sign:] Anesth Recov Turbulent

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]

[Drug:] Sevoflurane

Unknown, Dog

[Sign:] Death
Number of times reported: [8]
[Sign:] Apnea
Number of times reported: [3]
[Sign:] Anesth Duration Brief
Number of times reported: [1]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Ineffect, Anesthesia
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]

[Drug:] Sevoflurane

Unknown, Goat

[Sign:] Death
Number of times reported: [1]

[Drug:] Sevoflurane

Unknown, Mouse

[Sign:] Death

Number of times reported: [1]

[Drug:] Sevoflurane

Unknown, Raptor

[Sign:] Death

Number of times reported: [1]

[Drug:] Sevoflurane

Unknown, Unknown

[Sign:] Head Tilt

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Drug:] Shampoos/soaps

Topical, Cat

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Slough, Skin

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Shampoos/soaps

Topical, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Congestion, Skin
Number of times reported: [2]

[Sign:] Urticaria
Number of times reported: [2]

[Sign:] Bld(ecchymoses)
Number of times reported: [1]

[Sign:] Bld(purpura)
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Infection, Skin
Number of times reported: [1]

[Sign:] Inflam, Skin
Number of times reported: [1]

[Sign:] Macule(s)
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Pd-color, Abn
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Pustule(s)
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Ulcer(s), Skin
Number of times reported: [1]

[Drug:] Shampoos/soaps

Topical, Human

[Sign:] Distress, Resp
Number of times reported: [4]

[Sign:] Urticaria
Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Application Site Erythema

Number of times reported: [1]

[Sign:] Application Site Pruritis

Number of times reported: [1]

[Sign:] Choking

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Silver Sulfadiazine

Topical, Dog

[Sign:] Application Site Abnormal

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Embolus

Number of times reported: [1]

[Drug:] Sodium Chloride

Parenteral, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Biting/chewing

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Drug:] Sometribove

Defect, Not Applicable

[Sign:] Pd-syringe, Abn

Number of times reported: [113]

[Sign:] Pd-suspension, Abn

Number of times reported: [40]

[Sign:] Pd-dispenser, Abn

Number of times reported: [14]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [10]

[Sign:] Pd-cap(s), Abn

Number of times reported: [4]

[Sign:] Pd-underfill, Package

Number of times reported: [2]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

[Sign:] Pd-tube(s), Abn

Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [1]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Drug:] Sometribove

Missing, Cattle

[Sign:] Hoof Disorder

Number of times reported: [3]

[Sign:] Ineffect, Milk Prod

Number of times reported: [3]

[Sign:] Udder, Hypogalactia

Number of times reported: [3]

[Sign:] Fertility, Reduced

Number of times reported: [2]

[Sign:] Ineffect, Production (milk)

Number of times reported: [2]

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Birth, Multiple

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(newborn)

Number of times reported: [1]

[Sign:] Death(stillborn)

Number of times reported: [1]

[Sign:] Infection, Feet/digit(

Number of times reported: [1]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Pd-dispenser, Abn

Number of times reported: [1]

[Sign:] Reproduction Disorder

Number of times reported: [1]

[Sign:] Udder, Mastitis

Number of times reported: [1]

[Sign:] Udder, Milk Abn

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Sometribove

Not Applicable, Human

[Sign:] Inj Site Pain

Number of times reported: [9]

[Sign:] Inj Site Swelling

Number of times reported: [8]

[Sign:] Human Exposure, Inj

Number of times reported: [7]

[Sign:] Human Exposure, Hand(s

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Inj Site Bld

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Stiffness, Hand(s)
Number of times reported: [1]

[Drug:] Sometribove

Oral, Human

[Sign:] Arthritis
Number of times reported: [1]

[Sign:] Chemistry Abn
Number of times reported: [1]

[Sign:] Cpk Hi, Bld
Number of times reported: [1]

[Sign:] Eruption(s)
Number of times reported: [1]

[Sign:] Flatulence
Number of times reported: [1]

[Sign:] Human Exposure, Ingest
Number of times reported: [1]

[Sign:] Joint Disorder
Number of times reported: [1]

[Sign:] Odor, Mouth
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Pain, Muscle(s)
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Drug:] Sometribove

Parenteral, Cattle

[Sign:] Udder, Mastitis
Number of times reported: [402]

[Sign:] Wbc Hi, Milk
Number of times reported: [329]

[Sign:] Inj Site Swelling
Number of times reported: [241]

[Sign:] Fertility, Reduced
Number of times reported: [204]

[Sign:] Udder, Swelling
Number of times reported: [158]

[Sign:] Weight Loss
Number of times reported: [141]

[Sign:] Abortion
Number of times reported: [119]

[Sign:] Birth, Multiple
Number of times reported: [99]

[Sign:] Ineffect, Milk Prod
Number of times reported: [92]

[Sign:] Inj Site Abscess
Number of times reported: [91]

[Sign:] Death
Number of times reported: [87]

[Sign:] Lameness
Number of times reported: [77]

[Sign:] Hoof Disorder
Number of times reported: [73]

[Sign:] Udder, Hypogalactia
Number of times reported: [68]

[Sign:] Swelling, Joint(s)
Number of times reported: [64]

[Sign:] Anorexia
Number of times reported: [43]

[Sign:] Ineffect
Number of times reported: [38]

[Sign:] Udder, Milk Abn
Number of times reported: [36]

[Sign:] Udder, Abn
Number of times reported: [34]

[Sign:] Laminitis
Number of times reported: [31]

[Sign:] Death(slaughtered)
Number of times reported: [26]

[Sign:] Inj Site Abn
Number of times reported: [25]

[Sign:] Swelling, Limb(s)
Number of times reported: [23]

[Sign:] Displaced Abomasum
Number of times reported: [21]

[Sign:] Udder, Hard
Number of times reported: [18]

[Sign:] Udder, Lact Slow Onset
Number of times reported: [18]

[Sign:] Reproduction Disorder
Number of times reported: [16]

[Sign:] Diarrhea
Number of times reported: [15]

[Sign:] Loss Of Condition
Number of times reported: [15]

[Sign:] Stiffness
Number of times reported: [15]

[Sign:] Acidosis, Rumen
Number of times reported: [14]

[Sign:] Inj Site Fibrosis
Number of times reported: [14]

[Sign:] Placenta, Retained
Number of times reported: [14]

[Sign:] Ill
Number of times reported: [13]

[Sign:] Fever, Body
Number of times reported: [12]

[Sign:] Anaphylaxis/toid
Number of times reported: [11]

[Sign:] Birth, Premature
Number of times reported: [11]

[Sign:] Bloat
Number of times reported: [11]

[Sign:] Ineffect, Production (milk)
Number of times reported: [10]

[Sign:] Recumbency
Number of times reported: [10]

[Sign:] Collapse
Number of times reported: [9]

[Sign:] Death(stillborn)
Number of times reported: [9]

[Sign:] Pain, Feet/digit(s)
Number of times reported: [9]

[Sign:] Birth Weight Lo
Number of times reported: [7]

[Sign:] Ovaries, Cystic
Number of times reported: [7]

[Sign:] Udder, Teat(s) Disorde
Number of times reported: [7]

[Sign:] Urticaria
Number of times reported: [7]

[Sign:] Inj Site Inflam
Number of times reported: [6]

[Sign:] Leg Disorder
Number of times reported: [6]

[Sign:] Acidosis
Number of times reported: [5]

[Sign:] Ca Lo, Bld
Number of times reported: [5]

[Sign:] Inj Site Mass
Number of times reported: [5]

[Sign:] Ketosis
Number of times reported: [5]

[Sign:] Pd-potency, Lo
Number of times reported: [5]

[Sign:] Pneumonia
Number of times reported: [5]

[Sign:] Birth Defect(s)
Number of times reported: [4]

[Sign:] Dyspnea
Number of times reported: [4]

[Sign:] Dystocia
Number of times reported: [4]

[Sign:] Estrus Cycle Abnormal
Number of times reported: [4]

[Sign:] Fertility, Lack Of
Number of times reported: [4]

[Sign:] Inj Site Infect
Number of times reported: [4]

[Sign:] Inj Site Pain
Number of times reported: [4]

[Sign:] Inj Site Sterile Absce
Number of times reported: [4]

[Sign:] Metritis
Number of times reported: [4]

[Sign:] Pd-syringe, Abn
Number of times reported: [4]

[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [4]

[Sign:] Swelling
Number of times reported: [4]

[Sign:] Weakness
Number of times reported: [4]

[Sign:] Bld
Number of times reported: [3]

[Sign:] Death(euthanized)
Number of times reported: [3]

[Sign:] Depression/lethargy
Number of times reported: [3]

[Sign:] Hematochezia
Number of times reported: [3]

[Sign:] Lesion(s), Skin
Number of times reported: [3]

[Sign:] Locomotion Disorder
Number of times reported: [3]

[Sign:] Nervousness
Number of times reported: [3]

[Sign:] Skin Disorder
Number of times reported: [3]

[Sign:] Udder, Dysgalactia
Number of times reported: [3]

[Sign:] Wbc Hi, Bld
Number of times reported: [3]

[Sign:] Abscess, Skin
Number of times reported: [2]

[Sign:] Anestrus
Number of times reported: [2]

[Sign:] Dehydration
Number of times reported: [2]

[Sign:] Diarrhea, Mild
Number of times reported: [2]

[Sign:] Edema, Limb(s)
Number of times reported: [2]

[Sign:] Ineffect, Milk Letdown
Number of times reported: [2]

[Sign:] Infection, Feet/digit(
Number of times reported: [2]

[Sign:] Inj Site Edema
Number of times reported: [2]

[Sign:] Ketones, Urine
Number of times reported: [2]

[Sign:] Liver Disorder
Number of times reported: [2]

[Sign:] Overies, Cystic
Number of times reported: [2]

[Sign:] Reaction, Unspecified
Number of times reported: [2]

[Sign:] Reluctant To Move
Number of times reported: [2]

[Sign:] Shaking
Number of times reported: [2]

[Sign:] Sore(s)
Number of times reported: [2]

[Sign:] Udder, Agalactia
Number of times reported: [2]

[Sign:] Udder, Milk Curve Abn
Number of times reported: [2]

[Sign:] Ulcer(s), Feet/digit(s)
Number of times reported: [2]

[Sign:] Ulcer(s), Stomach
Number of times reported: [2]

[Sign:] Weakness, Newborn
Number of times reported: [2]

[Sign:] Weight Increase
Number of times reported: [2]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Arthritis
Number of times reported: [1]

[Sign:] Arthritis, Septic
Number of times reported: [1]

[Sign:] Birth Weight Hi
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Bld, Passing
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Cachexia
Number of times reported: [1]

[Sign:] Circulatory Disorder
Number of times reported: [1]

[Sign:] Constipation
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Death(newborn)
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Diarrhea, Watery
Number of times reported: [1]

[Sign:] Diestrus, Prolonged
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Digestion Disorder
Number of times reported: [1]

[Sign:] Distress
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Edema, Feet/digit(s)
Number of times reported: [1]

[Sign:] Enlargement(s)
Number of times reported: [1]

[Sign:] Epiphora
Number of times reported: [1]

[Sign:] Epistaxis
Number of times reported: [1]

[Sign:] Gi, Abnormal
Number of times reported: [1]

[Sign:] Hair, Abn
Number of times reported: [1]

[Sign:] Heart Disorder
Number of times reported: [1]

[Sign:] Ineffect, Weight Inc
Number of times reported: [1]

[Sign:] Infection
Number of times reported: [1]

[Sign:] Infection, Uterus
Number of times reported: [1]

[Sign:] Inj Site Effusion
Number of times reported: [1]

[Sign:] Inj Site Induration
Number of times reported: [1]

[Sign:] Inj Site Necrosis
Number of times reported: [1]

[Sign:] Joint Disorder
Number of times reported: [1]

[Sign:] K Lo, Bld
Number of times reported: [1]

[Sign:] Labor, Premature
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Melena
Number of times reported: [1]

[Sign:] Neoplasm
Number of times reported: [1]

[Sign:] Neoplasm, Lymph Node(s)
Number of times reported: [1]

[Sign:] Off Feed
Number of times reported: [1]

[Sign:] Pain, Joint(s)
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Pd-color, Abn
Number of times reported: [1]

[Sign:] Pd-suspension, Abn
Number of times reported: [1]

[Sign:] Peritonitis
Number of times reported: [1]

[Sign:] P Hi, Bld
Number of times reported: [1]

[Sign:] Pica
Number of times reported: [1]

[Sign:] Polyphagia
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Poor Performance
Number of times reported: [1]

[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema
Number of times reported: [1]

[Sign:] Pr-udder, Lesion(s)
Number of times reported: [1]

[Sign:] Pulse Thready
Number of times reported: [1]

[Sign:] Pustule(s)
Number of times reported: [1]

[Sign:] Respiratory Disorder
Number of times reported: [1]

[Sign:] Rupture
Number of times reported: [1]

[Sign:] Swelling, Brisket/ches
Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)
Number of times reported: [1]

[Sign:] Swelling, Mammary
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Udder, Cyanosis
Number of times reported: [1]

[Sign:] Udder, Fever
Number of times reported: [1]

[Sign:] Udder, Pain
Number of times reported: [1]

[Sign:] Ulcer(s), Gi
Number of times reported: [1]

[Sign:] Ulcer(s), Skin
Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]

[Drug:] Sometribove

Parenteral, Human

[Sign:] Inj Site Pain
Number of times reported: [31]

[Sign:] Inj Site Swelling
Number of times reported: [27]

[Sign:] Inj Site Inflam
Number of times reported: [14]

[Sign:] Inj Site Bld
Number of times reported: [4]

[Sign:] Anaphylaxis/toid

Number of times reported: [3]
[Sign:] Inj Site Edema
Number of times reported: [3]
[Sign:] Inj Site Infect
Number of times reported: [3]
[Sign:] Bld(purpura)
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Human Exposure, Inj
Number of times reported: [2]
[Sign:] Hypoesthesia
Number of times reported: [2]
[Sign:] Nausea
Number of times reported: [2]
[Sign:] Pain, Abdomen
Number of times reported: [2]
[Sign:] Rash
Number of times reported: [2]
[Sign:] Urticaria
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Human Exposure, Hand(s)
Number of times reported: [1]
[Sign:] Inject Site Sepsis
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Necrosis
Number of times reported: [1]
[Sign:] Inj Site Slough
Number of times reported: [1]
[Sign:] Inj Site Stiffness
Number of times reported: [1]
[Sign:] Irritation

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Paresthesia

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Udder, Swelling

Number of times reported: [1]

[Drug:] Sometribove

Topical, Human

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Drug:] Sometribove

Unknown, Cattle

[Sign:] Ineffect, Milk Prod

Number of times reported: [16]

[Sign:] Inj Site Swelling

Number of times reported: [11]

[Sign:] Udder, Mastitis

Number of times reported: [11]

[Sign:] Wbc Hi, Milk

Number of times reported: [9]

[Sign:] Reproduction Disorder

Number of times reported: [7]

[Sign:] Death

Number of times reported: [5]

[Sign:] Ineffect, Production (milk)

Number of times reported: [5]

[Sign:] Abortion

Number of times reported: [4]
[Sign:] Hoof Disorder
Number of times reported: [4]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Udder, Hypogalactia
Number of times reported: [3]
[Sign:] Udder, Milk Abn
Number of times reported: [3]
[Sign:] Weight Loss
Number of times reported: [3]
[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Birth, Multiple
Number of times reported: [2]
[Sign:] Bone, Abn
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Estrus Cycle Abnormal
Number of times reported: [2]
[Sign:] Ineffect, Antibiotic
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Leg Disorder
Number of times reported: [2]
[Sign:] Udder, Swelling
Number of times reported: [2]
[Sign:] Udder, Teat(s) Disorde
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Displaced Abomasum
Number of times reported: [1]
[Sign:] Effusion, Joint(s)

Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Ovaries, Cystic
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pd-syringe, Abn
Number of times reported: [1]
[Sign:] Placenta, Abnormal
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
[Sign:] Tech Error
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Volvulus

Number of times reported: [1]

[Drug:] Sometribove

Unknown, Human

[Sign:] Accidental Exposure

Number of times reported: [5]

[Sign:] Inj Site Swelling

Number of times reported: [3]

[Sign:] Human Exposure, Hand(s)

Number of times reported: [2]

[Sign:] Human Exposure, Inj

Number of times reported: [2]

[Sign:] Inj Site Inflam

Number of times reported: [2]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Drug:] Sometribove

Various, Cattle

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Hoof Disorder

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Spectinomycin

Defect, Not Applicable

[Sign:] Pd-potency, Lo

Number of times reported: [2]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

[Drug:] Spectinomycin

Oral, Cattle

[Sign:] Death
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Drug:] Spectinomycin

Parenteral, Cattle

[Sign:] Death
Number of times reported: [9]
[Sign:] Ineffect, Antibiotic
Number of times reported: [4]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [4]
[Sign:] Death(tx Failure)
Number of times reported: [3]
[Sign:] Residue, Milk
Number of times reported: [3]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Shock
Number of times reported: [2]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Obstruction, Intestine
Number of times reported: [1]
[Sign:] Prostration
Number of times reported: [1]
[Sign:] Residue, Meat
Number of times reported: [1]

[Drug:] Spectinomycin

Unknown, Cattle

[Sign:] No Signs

Number of times reported: [1]

[Drug:] Spinosad

Defect, Not Applicable

[Sign:] Unpalatable, Won't Eat

Number of times reported: [385]

[Sign:] Unpalatable

Number of times reported: [153]

[Sign:] Unpalatable, Won't Swa

Number of times reported: [126]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [112]

[Sign:] Pd-odor, Abn

Number of times reported: [86]

[Sign:] Pd-product Defect

Number of times reported: [37]

[Sign:] Pd-underfill, Package

Number of times reported: [16]

[Sign:] Pd-container(s), Damag

Number of times reported: [6]

[Sign:] Pd-defect Unknown

Number of times reported: [5]

[Sign:] No Signs

Number of times reported: [3]

[Sign:] Pd-container(s), Abn

Number of times reported: [3]

[Sign:] Pd-label(s), Abn

Number of times reported: [3]

[Sign:] Accidental Exposure

Number of times reported: [2]

[Sign:] Pd-contam, Mold

Number of times reported: [2]

[Sign:] Pd-missing, Label(s)

Number of times reported: [2]

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Odor

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Unknown

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Spinosad

Inhalation, Human

[Sign:] Headache

Number of times reported: [1]

[Sign:] Irritation, Pharynx/th

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain, Brisket/chest

Number of times reported: [1]

[Drug:] Spinosad

Intramammary, Dog

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Spinosad

Intrauterine, Dog

[Sign:] Birth Defect(s), Head/

Number of times reported: [1]

[Sign:] Birth, Premature

Number of times reported: [1]

[Sign:] Bone, Abn

Number of times reported: [1]

[Sign:] Death(newborn)

Number of times reported: [1]

[Sign:] Death(stillborn)

Number of times reported: [1]

[Sign:] Ear Disorder

Number of times reported: [1]

[Sign:] Hair, Abn Color
Number of times reported: [1]
[Sign:] Leukoderma
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]

[Drug:] Spinosad

Missing, Dog

[Sign:] Unpalatable, Won't Eat
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Drug:] Spinosad

Not Applicable, Dog

[Sign:] Unpalatable, Won't Eat
Number of times reported: [3]
[Sign:] Unpalatable, Won't Swa
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [1]

[Drug:] Spinosad

Not Applicable, Human

[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Drug:] Spinosad

Not Applicable, Unknown

[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Sign:] Unpalatable, Won't Swa
Number of times reported: [1]

[Drug:] Spinosad

Ophthalmic, Human

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Drug:] Spinosad

Oral, Cat

[Sign:] Vomiting
Number of times reported: [142]

[Sign:] Depression/lethargy
Number of times reported: [57]

[Sign:] Anorexia
Number of times reported: [21]

[Sign:] Hyperactivity
Number of times reported: [12]

[Sign:] Diarrhea
Number of times reported: [9]

[Sign:] Pruritis
Number of times reported: [9]

[Sign:] Ataxia
Number of times reported: [8]

[Sign:] Vocalization
Number of times reported: [8]

[Sign:] Accidental Exposure
Number of times reported: [7]

[Sign:] Death
Number of times reported: [6]

[Sign:] Death(euthanized)
Number of times reported: [6]

[Sign:] Polypnea
Number of times reported: [6]

[Sign:] Hypersalivation
Number of times reported: [5]

[Sign:] Weight Loss
Number of times reported: [5]

[Sign:] Apprehension
Number of times reported: [4]

[Sign:] Convulsion(s)
Number of times reported: [4]

[Sign:] Coughing
Number of times reported: [4]

[Sign:] Fever, Body
Number of times reported: [4]

[Sign:] Hiding
Number of times reported: [4]

[Sign:] Nervousness
Number of times reported: [4]

[Sign:] Polydipsia
Number of times reported: [4]

[Sign:] Anemia
Number of times reported: [3]

[Sign:] Behavior Disorder
Number of times reported: [3]

[Sign:] Dehydration
Number of times reported: [3]

[Sign:] Ineffect, Fleas
Number of times reported: [3]

[Sign:] Shaking
Number of times reported: [3]

[Sign:] Twitch
Number of times reported: [3]

[Sign:] Vomiting, Bloody
Number of times reported: [3]

[Sign:] Adipsia
Number of times reported: [2]

[Sign:] Aggression
Number of times reported: [2]

[Sign:] Dyspnea
Number of times reported: [2]

[Sign:] Gagging
Number of times reported: [2]

[Sign:] Hematochezia
Number of times reported: [2]

[Sign:] Interaction, Drug(s)
Number of times reported: [2]

[Sign:] Licking
Number of times reported: [2]

[Sign:] Mydriasis
Number of times reported: [2]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [2]

[Sign:] Sneezing
Number of times reported: [2]

[Sign:] Stupor
Number of times reported: [2]

[Sign:] Unpalatable, Won't Eat
Number of times reported: [2]

[Sign:] Vomiting, Unproductive
Number of times reported: [2]

[Sign:] Weakness
Number of times reported: [2]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Amylase Hi, Bld
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anisocoria
Number of times reported: [1]

[Sign:] Biting/chewing
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Sign:] Bun Lo, Bld
Number of times reported: [1]

[Sign:] Co2 Lo, Bld
Number of times reported: [1]

[Sign:] Colitis
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Congestion, Mucous Mem
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Constipation
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Defecation Abn
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Dysuria
Number of times reported: [1]

[Sign:] Elimination Abn
Number of times reported: [1]

[Sign:] Eosinos Hi, Bld
Number of times reported: [1]

[Sign:] Eosinos Lo, Bld
Number of times reported: [1]

[Sign:] Epistaxis
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]

[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Hypothermia
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Icterus, Body
Number of times reported: [1]

[Sign:] Inflam, Skin
Number of times reported: [1]

[Sign:] Kidney Disorder
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Liver Disorder
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] No Signs
Number of times reported: [1]

[Sign:] Otitis
Number of times reported: [1]

[Sign:] Pacing
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Paresis
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] P Lo, Bld
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Protein, Urine
Number of times reported: [1]

[Sign:] Reaction, Unspecified
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Sign:] Respiratory Disorder
Number of times reported: [1]

[Sign:] Sediment, Urine
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Slough, Tongue
Number of times reported: [1]

[Sign:] Somnolence
Number of times reported: [1]

[Sign:] Spasm
Number of times reported: [1]

[Sign:] Spec Gravity Hi, Urine
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Stranguria
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Tenesmus, Urinary
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Unpalatable
Number of times reported: [1]

[Sign:] Unpalatable, Won't Swa
Number of times reported: [1]

[Sign:] Urination
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Sign:] Wbc, Urine
Number of times reported: [1]

[Sign:] Weight Increase
Number of times reported: [1]

[Drug:] Spinosad

Oral, Dog

[Sign:] Vomiting
Number of times reported: [9,036]

[Sign:] Depression/lethargy
Number of times reported: [2,971]

[Sign:] Ineffect, Fleas
Number of times reported: [1,334]

[Sign:] Anorexia
Number of times reported: [1,155]

[Sign:] Pruritis
Number of times reported: [948]

[Sign:] Diarrhea

Number of times reported: [816]
[Sign:] Convulsion(s)
Number of times reported: [802]
[Sign:] Trembling
Number of times reported: [695]
[Sign:] Ataxia
Number of times reported: [673]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [395]
[Sign:] Hypersalivation
Number of times reported: [391]
[Sign:] Interaction, Drug(s)
Number of times reported: [317]
[Sign:] Summary Review, Vomiting
Number of times reported: [240]
[Sign:] Shaking
Number of times reported: [236]
[Sign:] Congestion, Skin
Number of times reported: [227]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [227]
[Sign:] Death
Number of times reported: [222]
[Sign:] Polypnea
Number of times reported: [191]
[Sign:] Vocalization
Number of times reported: [189]
[Sign:] Polydipsia
Number of times reported: [187]
[Sign:] Fever, Body
Number of times reported: [184]
[Sign:] Urticaria
Number of times reported: [182]
[Sign:] Alopecia
Number of times reported: [178]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [176]
[Sign:] Confusion
Number of times reported: [175]
[Sign:] Hyperactivity
Number of times reported: [171]
[Sign:] Nervousness

Number of times reported: [158]
[Sign:] Twitch
Number of times reported: [144]
[Sign:] Mydriasis
Number of times reported: [138]
[Sign:] Diarrhea, Bloody
Number of times reported: [124]
[Sign:] Death(euthanized)
Number of times reported: [118]
[Sign:] Inflamm, Skin
Number of times reported: [114]
[Sign:] Weight Loss
Number of times reported: [101]
[Sign:] Bun Hi, Bld
Number of times reported: [94]
[Sign:] Pain, Abdomen
Number of times reported: [94]
[Sign:] Behavior Disorder
Number of times reported: [93]
[Sign:] Coughing
Number of times reported: [92]
[Sign:] Dyspnea
Number of times reported: [92]
[Sign:] Stupor
Number of times reported: [87]
[Sign:] Anaphylaxis/toxic
Number of times reported: [85]
[Sign:] Dehydration
Number of times reported: [85]
[Sign:] Rash
Number of times reported: [82]
[Sign:] Recumbency
Number of times reported: [80]
[Sign:] Apprehension
Number of times reported: [79]
[Sign:] Wbc Hi, Bld
Number of times reported: [78]
[Sign:] Adipsia
Number of times reported: [76]
[Sign:] Polyuria
Number of times reported: [76]
[Sign:] Collapse

Number of times reported: [70]
[Sign:] Anemia
Number of times reported: [68]
[Sign:] Diarrhea, Mild
Number of times reported: [68]
[Sign:] Weakness
Number of times reported: [65]
[Sign:] Aggression
Number of times reported: [63]
[Sign:] Staggering
Number of times reported: [61]
[Sign:] Infection, Skin
Number of times reported: [60]
[Sign:] Accidental Exposure
Number of times reported: [59]
[Sign:] Creatinine Hi, Bld
Number of times reported: [59]
[Sign:] Platelets Lo, Bld
Number of times reported: [59]
[Sign:] Tachycardia
Number of times reported: [59]
[Sign:] Nausea
Number of times reported: [58]
[Sign:] Pd-odor, Abn
Number of times reported: [57]
[Sign:] Radiograph(s) Abn
Number of times reported: [57]
[Sign:] Swelling, Head/face
Number of times reported: [56]
[Sign:] Lesion(s), Skin
Number of times reported: [50]
[Sign:] Unpalatable
Number of times reported: [50]
[Sign:] Blindness
Number of times reported: [49]
[Sign:] Blindness, Temp
Number of times reported: [48]
[Sign:] Pain
Number of times reported: [48]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [48]
[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [47]
[Sign:] Reluctant To Move
Number of times reported: [47]
[Sign:] Glucose Hi, Bld
Number of times reported: [46]
[Sign:] Neurological Disorder
Number of times reported: [46]
[Sign:] Dermatitis, Moist
Number of times reported: [44]
[Sign:] Incontinence, Urinary
Number of times reported: [44]
[Sign:] Vomiting, Bloody
Number of times reported: [44]
[Sign:] Head Tilt
Number of times reported: [43]
[Sign:] Hiding
Number of times reported: [43]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [42]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [41]
[Sign:] Staring
Number of times reported: [41]
[Sign:] Pacing
Number of times reported: [40]
[Sign:] Pallor, Mucous Membran
Number of times reported: [40]
[Sign:] Vomiting, Unproductive
Number of times reported: [40]
[Sign:] Difficulty Rising
Number of times reported: [38]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [37]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [37]
[Sign:] Polyphagia
Number of times reported: [37]
[Sign:] P Hi, Bld
Number of times reported: [35]
[Sign:] Amylase Hi, Bld
Number of times reported: [34]
[Sign:] Spasm

Number of times reported: [34]
[Sign:] Albumin Lo, Bld
Number of times reported: [33]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [33]
[Sign:] Stumbling
Number of times reported: [33]
[Sign:] Bld, Urine
Number of times reported: [32]
[Sign:] Lipase Hi, Bld
Number of times reported: [32]
[Sign:] Unpalatable, Won't Swa
Number of times reported: [32]
[Sign:] Hyperesthesia
Number of times reported: [31]
[Sign:] Otitis
Number of times reported: [31]
[Sign:] Somnolence
Number of times reported: [31]
[Sign:] Bradycardia
Number of times reported: [30]
[Sign:] Odor
Number of times reported: [30]
[Sign:] Segs Hi, Bld
Number of times reported: [30]
[Sign:] Licking
Number of times reported: [29]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [29]
[Sign:] Chemistry Abn
Number of times reported: [28]
[Sign:] Ggt Hi, Bld
Number of times reported: [28]
[Sign:] Hyperpnea
Number of times reported: [28]
[Sign:] Pancreatitis
Number of times reported: [28]
[Sign:] Stiffness
Number of times reported: [28]
[Sign:] Circling
Number of times reported: [27]
[Sign:] Eye Disorder

Number of times reported: [27]
[Sign:] Wbc Lo, Bld
Number of times reported: [27]
[Sign:] Hematochezia
Number of times reported: [26]
[Sign:] Biting/chewing
Number of times reported: [25]
[Sign:] Gagging
Number of times reported: [25]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [25]
[Sign:] Protein, Urine
Number of times reported: [25]
[Sign:] Globulin Hi, Bld
Number of times reported: [24]
[Sign:] Glucose Lo, Bld
Number of times reported: [24]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [24]
[Sign:] Reflex(es) Abn
Number of times reported: [24]
[Sign:] Unconscious
Number of times reported: [24]
[Sign:] Edema, Head/face
Number of times reported: [23]
[Sign:] Hair, Shedding
Number of times reported: [23]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [23]
[Sign:] Papule(s)
Number of times reported: [23]
[Sign:] Polycythemia(relative)
Number of times reported: [23]
[Sign:] Skin, Dry
Number of times reported: [23]
[Sign:] Kidney Failure
Number of times reported: [22]
[Sign:] Monos Hi, Bld
Number of times reported: [22]
[Sign:] Shaking, Head/face
Number of times reported: [22]
[Sign:] Thyroid Hormone(s) Lo

Number of times reported: [22]
[Sign:] Urination Abn
Number of times reported: [22]
[Sign:] Discomfort
Number of times reported: [21]
[Sign:] Posture Abn
Number of times reported: [21]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [20]
[Sign:] Lameness
Number of times reported: [20]
[Sign:] Polycythemia
Number of times reported: [20]
[Sign:] Proprioceptive Disorde
Number of times reported: [20]
[Sign:] Pustule(s)
Number of times reported: [20]
[Sign:] Squinting
Number of times reported: [20]
[Sign:] Vomiting, Severe
Number of times reported: [20]
[Sign:] Locomotion Disorder
Number of times reported: [19]
[Sign:] Murmur, Heart
Number of times reported: [19]
[Sign:] Neoplasm
Number of times reported: [19]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [19]
[Sign:] Weight Increase
Number of times reported: [19]
[Sign:] Ca Hi, Bld
Number of times reported: [18]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [18]
[Sign:] Hair, Abn
Number of times reported: [18]
[Sign:] K Lo, Bld
Number of times reported: [18]
[Sign:] Platelets Hi, Bld
Number of times reported: [18]
[Sign:] Pr-liver, Lesion(s)

Number of times reported: [18]
[Sign:] Scale(s), Skin
Number of times reported: [18]
[Sign:] Skin, Crust(s)
Number of times reported: [18]
[Sign:] Trembling, Face
Number of times reported: [18]
[Sign:] Urination
Number of times reported: [18]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [17]
[Sign:] Distention, Abdomen
Number of times reported: [17]
[Sign:] Flatulence
Number of times reported: [17]
[Sign:] Nystagmus
Number of times reported: [17]
[Sign:] Seborrhea
Number of times reported: [17]
[Sign:] Hallucination
Number of times reported: [16]
[Sign:] Head Bobbing
Number of times reported: [16]
[Sign:] Ill
Number of times reported: [16]
[Sign:] Ineffect
Number of times reported: [16]
[Sign:] Opisthotonos
Number of times reported: [16]
[Sign:] Skin, Scab(s)
Number of times reported: [16]
[Sign:] Blindness, Partial
Number of times reported: [15]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [15]
[Sign:] Us-liver Abn
Number of times reported: [15]
[Sign:] Albumin Hi, Bld
Number of times reported: [14]
[Sign:] Ca Lo, Bld
Number of times reported: [14]
[Sign:] Congestion, Eye(s)/lid

Number of times reported: [14]
[Sign:] Conjunctivitis
Number of times reported: [14]
[Sign:] Constipation
Number of times reported: [14]
[Sign:] Hepatomegaly
Number of times reported: [14]
[Sign:] Ineffect, Loss Of Effe
Number of times reported: [14]
[Sign:] Skin Abnormal
Number of times reported: [14]
[Sign:] Defecation
Number of times reported: [13]
[Sign:] Eosinos Lo, Bld
Number of times reported: [13]
[Sign:] Eruption(s)
Number of times reported: [13]
[Sign:] Icterus, Body
Number of times reported: [13]
[Sign:] K Hi, Bld
Number of times reported: [13]
[Sign:] Liver Disorder
Number of times reported: [13]
[Sign:] Melena
Number of times reported: [13]
[Sign:] Pain, Back
Number of times reported: [13]
[Sign:] Pruritis, Feet/digit(s)
Number of times reported: [13]
[Sign:] Pupil(s), Areflexia
Number of times reported: [13]
[Sign:] Us Abn
Number of times reported: [13]
[Sign:] Bld(ecchymoses)
Number of times reported: [12]
[Sign:] Breathing Abn
Number of times reported: [12]
[Sign:] Death(newborn)
Number of times reported: [12]
[Sign:] Diabetes Mellitus
Number of times reported: [12]
[Sign:] Discharge, Eye(s)/lid(s)

Number of times reported: [12]
[Sign:] Hypothermia, Body
Number of times reported: [12]
[Sign:] Diarrhea, Watery
Number of times reported: [11]
[Sign:] Discharge, Nose
Number of times reported: [11]
[Sign:] Globulin Lo, Bld
Number of times reported: [11]
[Sign:] Hypothermia
Number of times reported: [11]
[Sign:] Incontinence, Fecal
Number of times reported: [11]
[Sign:] Na Lo, Bld
Number of times reported: [11]
[Sign:] Odor, Mouth
Number of times reported: [11]
[Sign:] Pain, Neck
Number of times reported: [11]
[Sign:] Sedation
Number of times reported: [11]
[Sign:] Sneezing
Number of times reported: [11]
[Sign:] Stiffness, Neck
Number of times reported: [11]
[Sign:] Tech Error Administrat
Number of times reported: [11]
[Sign:] Vestibular Disorder
Number of times reported: [11]
[Sign:] Apnea
Number of times reported: [10]
[Sign:] Ascites
Number of times reported: [10]
[Sign:] Cataract(s)
Number of times reported: [10]
[Sign:] Congestion, Ear(s)
Number of times reported: [10]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [10]
[Sign:] Fly Biting
Number of times reported: [10]
[Sign:] Icterus

Number of times reported: [10]
[Sign:] Lymphs Hi, Bld
Number of times reported: [10]
[Sign:] Lymphs Lo, Bld
Number of times reported: [10]
[Sign:] Paresis
Number of times reported: [10]
[Sign:] P Lo, Bld
Number of times reported: [10]
[Sign:] Vision Disorder
Number of times reported: [10]
[Sign:] Alkaline Urine
Number of times reported: [9]
[Sign:] Bld(petechiae)
Number of times reported: [9]
[Sign:] Chloride Hi, Bld
Number of times reported: [9]
[Sign:] Congestion, Mucous Mem
Number of times reported: [9]
[Sign:] Cpk Hi, Bld
Number of times reported: [9]
[Sign:] Death(stillborn)
Number of times reported: [9]
[Sign:] Defecation Abn
Number of times reported: [9]
[Sign:] Gastroenteritis
Number of times reported: [9]
[Sign:] Heart Failure
Number of times reported: [9]
[Sign:] Hypopnea
Number of times reported: [9]
[Sign:] Infection, Urinary Tra
Number of times reported: [9]
[Sign:] Irritation, Skin
Number of times reported: [9]
[Sign:] Miosis
Number of times reported: [9]
[Sign:] Photophobia
Number of times reported: [9]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [9]
[Sign:] Pruritis, Ear(s)

Number of times reported: [9]
 [Sign:] Reluctant To Climb
 Number of times reported: [9]
 [Sign:] Sore(s)
 Number of times reported: [9]
 [Sign:] Triglycerides Hi, Bld
 Number of times reported: [9]
 [Sign:] Cystitis
 Number of times reported: [8]
 [Sign:] Gi, Abnormal
 Number of times reported: [8]
 [Sign:] Hair, Abn Color
 Number of times reported: [8]
 [Sign:] Hyperadrenocorticism
 Number of times reported: [8]
 [Sign:] Pr-skin, Lesion(s)
 Number of times reported: [8]
 [Sign:] Swelling, Ear(s)
 Number of times reported: [8]
 [Sign:] Urine Abn
 Number of times reported: [8]
 [Sign:] Vesicle(s)/bullae, Ski
 Number of times reported: [8]
 [Sign:] Wbc, Urine
 Number of times reported: [8]
 [Sign:] Arrest, Heart
 Number of times reported: [7]
 [Sign:] Azotemia
 Number of times reported: [7]
 [Sign:] Bld, Skin
 Number of times reported: [7]
 [Sign:] Cardiomegaly
 Number of times reported: [7]
 [Sign:] Deafness
 Number of times reported: [7]
 [Sign:] Distress
 Number of times reported: [7]
 [Sign:] Dizziness
 Number of times reported: [7]
 [Sign:] Edema, Eye(s)/lid(s)
 Number of times reported: [7]
 [Sign:] Head Pressing

Number of times reported: [7]
[Sign:] Keratoconjunctivitis S
Number of times reported: [7]
[Sign:] Liver Failure
Number of times reported: [7]
[Sign:] Mucous Membr, Red
Number of times reported: [7]
[Sign:] Na Hi, Bld
Number of times reported: [7]
[Sign:] Pallor
Number of times reported: [7]
[Sign:] Pica
Number of times reported: [7]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [7]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [7]
[Sign:] Reaction, Unspecified
Number of times reported: [7]
[Sign:] Retina Abn
Number of times reported: [7]
[Sign:] Segs Lo, Bld
Number of times reported: [7]
[Sign:] Self-mutilation
Number of times reported: [7]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [7]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [7]
[Sign:] Ulcer(s), Skin
Number of times reported: [7]
[Sign:] Uveitis
Number of times reported: [7]
[Sign:] Bilirubin, Urine
Number of times reported: [6]
[Sign:] Blepharospasm
Number of times reported: [6]
[Sign:] Borborygmi
Number of times reported: [6]
[Sign:] Capillary Refill Prolo
Number of times reported: [6]
[Sign:] Diarrhea, Mucoid

Number of times reported: [6]
[Sign:] Diarrhea, Severe
Number of times reported: [6]
[Sign:] Dysphagia
Number of times reported: [6]
[Sign:] Elimination Abn
Number of times reported: [6]
[Sign:] Eosinos Hi, Bld
Number of times reported: [6]
[Sign:] Hypersensitive, Sound
Number of times reported: [6]
[Sign:] Mass
Number of times reported: [6]
[Sign:] Monos Lo, Bld
Number of times reported: [6]
[Sign:] Nose Abn
Number of times reported: [6]
[Sign:] Paralysis, All Limbs
Number of times reported: [6]
[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [6]
[Sign:] Pressure Lo, Bld
Number of times reported: [6]
[Sign:] Pr-lung(s), Edema
Number of times reported: [6]
[Sign:] Shock
Number of times reported: [6]
[Sign:] Tenesmus, Rectal
Number of times reported: [6]
[Sign:] Thrashing/paddling
Number of times reported: [6]
[Sign:] Xerostomia
Number of times reported: [6]
[Sign:] Abn Color, Urine
Number of times reported: [5]
[Sign:] Anemia, Sphero
Number of times reported: [5]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [5]
[Sign:] Balance Disorder
Number of times reported: [5]
[Sign:] Bands Hi, Bld

Number of times reported: [5]
[Sign:] Birth Defect(s), Head/
Number of times reported: [5]
[Sign:] Bld, Abn
Number of times reported: [5]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [5]
[Sign:] Cachexia
Number of times reported: [5]
[Sign:] Coagulation Disorder
Number of times reported: [5]
[Sign:] Creatinine Lo, Bld
Number of times reported: [5]
[Sign:] Culture/titer Data Abn
Number of times reported: [5]
[Sign:] Cyanosis
Number of times reported: [5]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [5]
[Sign:] Dysmetria
Number of times reported: [5]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [5]
[Sign:] Epistaxis
Number of times reported: [5]
[Sign:] Gall Bladder, Abn
Number of times reported: [5]
[Sign:] Gingiva, Abn
Number of times reported: [5]
[Sign:] Glucose, Urine
Number of times reported: [5]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [5]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [5]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [5]
[Sign:] Pollakiuria
Number of times reported: [5]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [5]
[Sign:] Pruritis, Eye(s)

Number of times reported: [5]
[Sign:] Rbc, Aniso
Number of times reported: [5]
[Sign:] Rbc, Polychrom
Number of times reported: [5]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [5]
[Sign:] Rolling
Number of times reported: [5]
[Sign:] Skin Disorder
Number of times reported: [5]
[Sign:] Sleep Abn
Number of times reported: [5]
[Sign:] Sound Abn, Respiratory
Number of times reported: [5]
[Sign:] Stiffness, Limb(s)
Number of times reported: [5]
[Sign:] Summary Review
Number of times reported: [5]
[Sign:] Swelling, Joint(s)
Number of times reported: [5]
[Sign:] Syncope
Number of times reported: [5]
[Sign:] Tail Disorder
Number of times reported: [5]
[Sign:] Wheezing
Number of times reported: [5]
[Sign:] Arrhythmia
Number of times reported: [4]
[Sign:] Bld
Number of times reported: [4]
[Sign:] Bld, Eye(s)
Number of times reported: [4]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [4]
[Sign:] Bun Lo, Bld
Number of times reported: [4]
[Sign:] Chloride Lo, Bld
Number of times reported: [4]
[Sign:] Cns Disorder
Number of times reported: [4]
[Sign:] Colitis

Number of times reported: [4]
[Sign:] Congestion
Number of times reported: [4]
[Sign:] Congestion, Lung(s)
Number of times reported: [4]
[Sign:] Dry, Skin
Number of times reported: [4]
[Sign:] Edema
Number of times reported: [4]
[Sign:] Electrolyte Disorder
Number of times reported: [4]
[Sign:] Epiphora
Number of times reported: [4]
[Sign:] Estrus Cycle Abnormal
Number of times reported: [4]
[Sign:] Exercise Intolerance
Number of times reported: [4]
[Sign:] Fertility, Reduced
Number of times reported: [4]
[Sign:] Heart Disorder
Number of times reported: [4]
[Sign:] Horner's Syndrome
Number of times reported: [4]
[Sign:] Hypertonia
Number of times reported: [4]
[Sign:] Immune Disorder
Number of times reported: [4]
[Sign:] Infection
Number of times reported: [4]
[Sign:] Kidney Disorder
Number of times reported: [4]
[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [4]
[Sign:] Mass, Abdomen
Number of times reported: [4]
[Sign:] Mucous Membr, Muddy
Number of times reported: [4]
[Sign:] Na:k Lo, Bld
Number of times reported: [4]
[Sign:] Neoplasm, Liver
Number of times reported: [4]
[Sign:] Neoplasm, Lymph Node(s)

Number of times reported: [4]
[Sign:] Nystagmus, Horizontal
Number of times reported: [4]
[Sign:] Obstruction, Intestine
Number of times reported: [4]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [4]
[Sign:] Pain, Muscle(s)
Number of times reported: [4]
[Sign:] Paralysis
Number of times reported: [4]
[Sign:] Pd-container(s), Abn
Number of times reported: [4]
[Sign:] Pneumonia
Number of times reported: [4]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [4]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [4]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [4]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [4]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [4]
[Sign:] Pulse Thready
Number of times reported: [4]
[Sign:] Rbc, Nucleated
Number of times reported: [4]
[Sign:] Regurgitation
Number of times reported: [4]
[Sign:] Respiratory Disorder
Number of times reported: [4]
[Sign:] Splenomegaly
Number of times reported: [4]
[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [4]
[Sign:] Strabismus
Number of times reported: [4]
[Sign:] Swelling, Tongue
Number of times reported: [4]
[Sign:] Tech Error

Number of times reported: [4]
[Sign:] Torticollis
Number of times reported: [4]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [4]
[Sign:] Volvulus, Stomach
Number of times reported: [4]
[Sign:] Wbc Abn
Number of times reported: [4]
[Sign:] Abortion
Number of times reported: [3]
[Sign:] Acidosis
Number of times reported: [3]
[Sign:] Acth Stim Abn
Number of times reported: [3]
[Sign:] Anemia, Regen
Number of times reported: [3]
[Sign:] Anion Gap Hi, Bld
Number of times reported: [3]
[Sign:] Anisocoria
Number of times reported: [3]
[Sign:] Bld, Rectum
Number of times reported: [3]
[Sign:] Bloat
Number of times reported: [3]
[Sign:] Calculi, Bladder
Number of times reported: [3]
[Sign:] Deafness, Partial
Number of times reported: [3]
[Sign:] Dementia
Number of times reported: [3]
[Sign:] Discharge, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Effusion, Pericardial
Number of times reported: [3]
[Sign:] Effusion, Peritoneal
Number of times reported: [3]
[Sign:] Eructation
Number of times reported: [3]
[Sign:] Gastritis
Number of times reported: [3]
[Sign:] Gingivitis

Number of times reported: [3]
[Sign:] Glaucoma
Number of times reported: [3]
[Sign:] Hco3 Lo, Bld
Number of times reported: [3]
[Sign:] Hepatitis
Number of times reported: [3]
[Sign:] Jerking
Number of times reported: [3]
[Sign:] Loss Of Condition
Number of times reported: [3]
[Sign:] Mass, Skin
Number of times reported: [3]
[Sign:] Mg Hi, Bld
Number of times reported: [3]
[Sign:] Neoplasm, Mammary
Number of times reported: [3]
[Sign:] Neoplasm, Mult Sites
Number of times reported: [3]
[Sign:] Neoplasm, Spleen
Number of times reported: [3]
[Sign:] Nephritis
Number of times reported: [3]
[Sign:] No Signs
Number of times reported: [3]
[Sign:] Pain, Joint(s)
Number of times reported: [3]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Pd-product Defect
Number of times reported: [3]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [3]
[Sign:] Pt Prolonged, Bld
Number of times reported: [3]
[Sign:] Rbc Abn
Number of times reported: [3]
[Sign:] Stool Abn

Number of times reported: [3]
[Sign:] Sweating
Number of times reported: [3]
[Sign:] Teeth, Abn
Number of times reported: [3]
[Sign:] Tongue, Abn
Number of times reported: [3]
[Sign:] Vasculitis
Number of times reported: [3]
[Sign:] A/g Ratio Lo, Bld
Number of times reported: [2]
[Sign:] Albumin Hi, Urine
Number of times reported: [2]
[Sign:] Anestrus
Number of times reported: [2]
[Sign:] Arthritis
Number of times reported: [2]
[Sign:] Bile Acids Abn, Bld
Number of times reported: [2]
[Sign:] Birth Defect(s)
Number of times reported: [2]
[Sign:] Birth Weight Lo
Number of times reported: [2]
[Sign:] Bld, Gi
Number of times reported: [2]
[Sign:] Bld, Sclera
Number of times reported: [2]
[Sign:] Brain, Neoplasm
Number of times reported: [2]
[Sign:] Breathing, Difficult
Number of times reported: [2]
[Sign:] Calculi, Kidney
Number of times reported: [2]
[Sign:] Casts, Urine
Number of times reported: [2]
[Sign:] Choking
Number of times reported: [2]
[Sign:] Crystals, Urine
Number of times reported: [2]
[Sign:] Csf Abn
Number of times reported: [2]
[Sign:] Destructiveness

Number of times reported: [2]
[Sign:] Dilitation, Stomach
Number of times reported: [2]
[Sign:] Discharge, Ear(s)
Number of times reported: [2]
[Sign:] Dissociation
Number of times reported: [2]
[Sign:] Distress, Resp
Number of times reported: [2]
[Sign:] Dysrhythmia, Resp
Number of times reported: [2]
[Sign:] Dystocia
Number of times reported: [2]
[Sign:] Edema, Cornea(s)
Number of times reported: [2]
[Sign:] Edema, Ventral
Number of times reported: [2]
[Sign:] Effusion, Pleural
Number of times reported: [2]
[Sign:] Encephalopathy
Number of times reported: [2]
[Sign:] Enlargement(s)
Number of times reported: [2]
[Sign:] Enteritis
Number of times reported: [2]
[Sign:] Erg Abn
Number of times reported: [2]
[Sign:] Fertility, Lack Of
Number of times reported: [2]
[Sign:] Hco3 Hi, Bld
Number of times reported: [2]
[Sign:] Hyperkeratosis
Number of times reported: [2]
[Sign:] Hypermotility
Number of times reported: [2]
[Sign:] Hypoadrenocorticism
Number of times reported: [2]
[Sign:] Incontinence
Number of times reported: [2]
[Sign:] Infection, Uterus
Number of times reported: [2]
[Sign:] Irritation

Number of times reported: [2]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [2]
[Sign:] Joint Disorder
Number of times reported: [2]
[Sign:] Mg Lo, Bld
Number of times reported: [2]
[Sign:] Microorganisms, Urine
Number of times reported: [2]
[Sign:] Mri Scan Abn
Number of times reported: [2]
[Sign:] Neck, Ventroflexion
Number of times reported: [2]
[Sign:] Necrosis
Number of times reported: [2]
[Sign:] Neoplasm, Lung(s)
Number of times reported: [2]
[Sign:] Opacity, Cornea(s)
Number of times reported: [2]
[Sign:] Pain, Limb(s)
Number of times reported: [2]
[Sign:] Pain, Spinal
Number of times reported: [2]
[Sign:] Paresthesia, Mouth/lip
Number of times reported: [2]
[Sign:] Pd-defect Unknown
Number of times reported: [2]
[Sign:] Peritonitis
Number of times reported: [2]
[Sign:] Photosensitization
Number of times reported: [2]
[Sign:] Platelets Abn
Number of times reported: [2]
[Sign:] Pneumonia, Aspiration
Number of times reported: [2]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [2]
[Sign:] Pressure Hi, Bld
Number of times reported: [2]
[Sign:] Pr-eye(s)/lid(s), Lesi
Number of times reported: [2]
[Sign:] Pr-mult Sites, Edema

Number of times reported: [2]
[Sign:] Protrusion, Eye(s)
Number of times reported: [2]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [2]
[Sign:] Pruritis, Tail
Number of times reported: [2]
[Sign:] Skin, Necrosis
Number of times reported: [2]
[Sign:] Slough, Skin
Number of times reported: [2]
[Sign:] Stool, Mucoid
Number of times reported: [2]
[Sign:] Stranguria
Number of times reported: [2]
[Sign:] Swelling
Number of times reported: [2]
[Sign:] Swelling, Feet/digit(s)
Number of times reported: [2]
[Sign:] Swelling, Neck
Number of times reported: [2]
[Sign:] Swelling, Vagina/vulva
Number of times reported: [2]
[Sign:] Tablet(s), Undigest
Number of times reported: [2]
[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [2]
[Sign:] Ulcer(s), Stomach
Number of times reported: [2]
[Sign:] Ulcer(s), Tongue
Number of times reported: [2]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Acid Urine
Number of times reported: [1]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Arrhythmia, Block
Number of times reported: [1]
[Sign:] Basos Hi, Bld

Number of times reported: [1]
[Sign:] Birth Defect(s), Torso
Number of times reported: [1]
[Sign:] Birth Deffect(s), Feet
Number of times reported: [1]
[Sign:] Birth, Premature
Number of times reported: [1]
[Sign:] Bld, Anus
Number of times reported: [1]
[Sign:] Bld, Ear(s)
Number of times reported: [1]
[Sign:] Bld, Passing
Number of times reported: [1]
[Sign:] Bld, Penis
Number of times reported: [1]
[Sign:] Bld, Vagina
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Bronchitis
Number of times reported: [1]
[Sign:] Cat Scan Abn
Number of times reported: [1]
[Sign:] Cholecystitis
Number of times reported: [1]
[Sign:] Circulatory Disorder
Number of times reported: [1]
[Sign:] Cns Infarct
Number of times reported: [1]
[Sign:] Co2 Hi, Bld
Number of times reported: [1]
[Sign:] Co2 Lo, Bld
Number of times reported: [1]
[Sign:] Colon, Abn
Number of times reported: [1]
[Sign:] Congestion, Sinus
Number of times reported: [1]
[Sign:] Congestion, Tongue
Number of times reported: [1]
[Sign:] Deafness, Temp
Number of times reported: [1]
[Sign:] Diabetes

Number of times reported: [1]
[Sign:] Digestion Disorder
Number of times reported: [1]
[Sign:] Dilitation, Esophagus
Number of times reported: [1]
[Sign:] Discharge, Vulva
Number of times reported: [1]
[Sign:] Distention, Bladder
Number of times reported: [1]
[Sign:] Dry Mouth Syndrome
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Ecg Abn
Number of times reported: [1]
[Sign:] Edema, Feet/digit(s)
Number of times reported: [1]
[Sign:] Edema, Larynx
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Edema, Pharynx
Number of times reported: [1]
[Sign:] Edema, Sclera
Number of times reported: [1]
[Sign:] Effusion, Joint(s)
Number of times reported: [1]
[Sign:] Embolus
Number of times reported: [1]
[Sign:] Erection, Abn
Number of times reported: [1]
[Sign:] Erythema Multiforme
Number of times reported: [1]
[Sign:] Erythema, Scrotum
Number of times reported: [1]
[Sign:] Estrus Behavior
Number of times reported: [1]
[Sign:] Estrus Too Soon

Number of times reported: [1]
[Sign:] Fibrinogen Lo, Bld
Number of times reported: [1]
[Sign:] Fibrosis
Number of times reported: [1]
[Sign:] Granuloma, Lick
Number of times reported: [1]
[Sign:] Grinding Teeth
Number of times reported: [1]
[Sign:] Hemoglobin, Urine
Number of times reported: [1]
[Sign:] Hypoesthesia, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Hyposmia
Number of times reported: [1]
[Sign:] Icterus, Serum
Number of times reported: [1]
[Sign:] Ineffect, Demodex Mites
Number of times reported: [1]
[Sign:] Ineffect, Seizures
Number of times reported: [1]
[Sign:] Infection, Eye(s)
Number of times reported: [1]
[Sign:] Inflam
Number of times reported: [1]
[Sign:] Injury
Number of times reported: [1]
[Sign:] Insomnia
Number of times reported: [1]
[Sign:] Irritation, Ear(s)
Number of times reported: [1]
[Sign:] Irritation, Esophagus
Number of times reported: [1]
[Sign:] Irritation, Perineum
Number of times reported: [1]
[Sign:] Irritation, Pharynx/th
Number of times reported: [1]
[Sign:] Ketones, Urine
Number of times reported: [1]
[Sign:] Ketosis

Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Labor, Premature
Number of times reported: [1]
[Sign:] Ldh Hi, Bld
Number of times reported: [1]
[Sign:] Leg Disorder
Number of times reported: [1]
[Sign:] Leukoderma
Number of times reported: [1]
[Sign:] Lipids Hi, Bld
Number of times reported: [1]
[Sign:] Macule(s)
Number of times reported: [1]
[Sign:] Mammary, Discharge
Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Moribund
Number of times reported: [1]
[Sign:] Neuropathy
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Off Feed
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Pain, Head/face
Number of times reported: [1]
[Sign:] Pancreas Disorder
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Pancytopenia
Number of times reported: [1]
[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]
[Sign:] Paresthesia, Eye(s)/l
Number of times reported: [1]
[Sign:] Parturition, Abnormal

Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-color, Abn
Number of times reported: [1]
[Sign:] Pd-contamination
Number of times reported: [1]
[Sign:] Placenta, Abnormal
Number of times reported: [1]
[Sign:] Polycythemia(absolute)
Number of times reported: [1]
[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-bronchi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-cartilage, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-cerebrum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-medulla, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mesentery, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Icterus
Number of times reported: [1]
[Sign:] Prolapse, Disc
Number of times reported: [1]
[Sign:] Prostatomegaly
Number of times reported: [1]
[Sign:] Prostration
Number of times reported: [1]
[Sign:] Pr-parathyroid, Lesion
Number of times reported: [1]
[Sign:] Pr-pleural Effusion
Number of times reported: [1]
[Sign:] Pr-prostate, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spinal Cord, Lesion
Number of times reported: [1]
[Sign:] Reflux, Stomach

Number of times reported: [1]
[Sign:] Reticulocytes Lo, Bld
Number of times reported: [1]
[Sign:] Saliva, Abn
Number of times reported: [1]
[Sign:] Sediment, Urine
Number of times reported: [1]
[Sign:] Sinusitis
Number of times reported: [1]
[Sign:] Slough
Number of times reported: [1]
[Sign:] Slough, Feet/digit(s)
Number of times reported: [1]
[Sign:] Spec Gravity Hi, Urine
Number of times reported: [1]
[Sign:] Spinal Cord, Neoplasm
Number of times reported: [1]
[Sign:] Stiffness, Front Limb(
Number of times reported: [1]
[Sign:] Stomatitis
Number of times reported: [1]
[Sign:] Stricture, Esophagus
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Testicle
Number of times reported: [1]
[Sign:] Testicle, Abn
Number of times reported: [1]
[Sign:] Tracheitis
Number of times reported: [1]
[Sign:] Trachitis
Number of times reported: [1]
[Sign:] Ulcer(s), Ear(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Gi
Number of times reported: [1]
[Sign:] Ulcer(s), Pharynx/thro
Number of times reported: [1]

[Drug:] Spinosad

Oral, Human

[Sign:] Nausea
Number of times reported: [3]

[Sign:] Pain, Abdomen
Number of times reported: [3]

[Sign:] Vomiting
Number of times reported: [3]

[Sign:] Diarrhea
Number of times reported: [2]

[Sign:] Irritation, Pharynx/th
Number of times reported: [2]

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [2]

[Sign:] Taste Abnormality
Number of times reported: [2]

[Sign:] Dizziness
Number of times reported: [1]

[Sign:] Headache
Number of times reported: [1]

[Sign:] Human Exposure
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Paresthesia, Mouth/lip
Number of times reported: [1]

[Sign:] Reflux, Stomach
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Tongue, Abn
Number of times reported: [1]

[Sign:] Unpalatable
Number of times reported: [1]

[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Spinosad

Parenteral, Dog

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Spinosad

Topical, Dog

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Spinosad

Topical, Human

[Sign:] Rash

Number of times reported: [7]

[Sign:] Congestion, Skin

Number of times reported: [4]

[Sign:] Urticaria

Number of times reported: [4]

[Sign:] Hypoesthesia

Number of times reported: [3]

[Sign:] Inflammation, Skin

Number of times reported: [3]

[Sign:] Pruritis

Number of times reported: [3]

[Sign:] Nausea

Number of times reported: [2]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Balance Disorder

Number of times reported: [1]

[Sign:] Conjunctivitis

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Sign:] Edema, Head/face

Number of times reported: [1]

[Sign:] Hyperesthesia

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Sign:] Pain, Breast/chest

Number of times reported: [1]

[Sign:] Pain, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Paresthesia

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Ear(s)

Number of times reported: [1]

[Sign:] Tongue, Abn

Number of times reported: [1]

[Drug:] Spinosad

Unknown, Dog

[Sign:] Vomiting

Number of times reported: [18]

[Sign:] Convulsion(s)

Number of times reported: [3]

[Sign:] Death

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Death(newborn)

Number of times reported: [1]

[Sign:] Ineffect, Fleas

Number of times reported: [1]

[Sign:] Irritation, Skin

Number of times reported: [1]

[Sign:] Keratoconjunctivitis S

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

[Drug:] Spinosad

Unknown, Human

[Sign:] Rash
Number of times reported: [2]
[Sign:] Congestion, Nose
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Irritation, Pharynx/th
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]

[Drug:] Spinosad, Milbemycin

Defect, Not Applicable

[Sign:] Unpalatable, Won't Eat
Number of times reported: [108]
[Sign:] Unpalatable
Number of times reported: [14]
[Sign:] Pd-odor, Abn
Number of times reported: [4]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [4]
[Sign:] Unpalatable, Won't Swa
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Pd-container(s), Damag
Number of times reported: [1]
[Sign:] Pd-contam, Mold
Number of times reported: [1]

[Drug:] Spinosad, Milbemycin

Missing, Dog

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Spinosad, Milbemycin

Ophthalmic, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Congestion, Ear(s)

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Spinosad, Milbemycin

Oral, Cat

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Pallor

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Spinosad, Milbemycin

Oral, Dog

[Sign:] Vomiting

Number of times reported: [2,248]

[Sign:] Depression/lethargy

Number of times reported: [614]

[Sign:] Anorexia

Number of times reported: [224]

[Sign:] Diarrhea

Number of times reported: [192]
[Sign:] Pruritis
Number of times reported: [163]
[Sign:] Trembling
Number of times reported: [112]
[Sign:] Ataxia
Number of times reported: [104]
[Sign:] Convulsion(s)
Number of times reported: [85]
[Sign:] Hypersalivation
Number of times reported: [65]
[Sign:] Congestion, Skin
Number of times reported: [48]
[Sign:] Anaphylaxis/toid
Number of times reported: [41]
[Sign:] Urticaria
Number of times reported: [37]
[Sign:] Polypnea
Number of times reported: [36]
[Sign:] Vocalization
Number of times reported: [34]
[Sign:] Shaking
Number of times reported: [33]
[Sign:] Death
Number of times reported: [31]
[Sign:] Dyspnea
Number of times reported: [29]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [27]
[Sign:] Diarrhea, Bloody
Number of times reported: [25]
[Sign:] Fever, Body
Number of times reported: [25]
[Sign:] Confusion
Number of times reported: [24]
[Sign:] Inflam, Skin
Number of times reported: [23]
[Sign:] Alopecia
Number of times reported: [22]
[Sign:] Dehydration
Number of times reported: [20]
[Sign:] Hyperactivity

Number of times reported: [19]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [19]
[Sign:] Ineffect, Fleas
Number of times reported: [18]
[Sign:] Adipsia
Number of times reported: [16]
[Sign:] Edema, Head/face
Number of times reported: [16]
[Sign:] Twitch
Number of times reported: [16]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [14]
[Sign:] Pain, Abdomen
Number of times reported: [14]
[Sign:] Staring
Number of times reported: [14]
[Sign:] Coughing
Number of times reported: [13]
[Sign:] Nervousness
Number of times reported: [13]
[Sign:] Weight Loss
Number of times reported: [13]
[Sign:] Interaction, Drug(s)
Number of times reported: [12]
[Sign:] Tachycardia
Number of times reported: [12]
[Sign:] Congestion, Ear(s)
Number of times reported: [11]
[Sign:] Collapse
Number of times reported: [10]
[Sign:] Polydipsia
Number of times reported: [10]
[Sign:] Bun Hi, Bld
Number of times reported: [9]
[Sign:] Lipase Hi, Bld
Number of times reported: [9]
[Sign:] Mydriasis
Number of times reported: [9]
[Sign:] Wbc Hi, Bld
Number of times reported: [9]
[Sign:] Diarrhea, Mild

Number of times reported: [8]
[Sign:] Hiding
Number of times reported: [8]
[Sign:] Ineffect, Ascarids
Number of times reported: [8]
[Sign:] Licking
Number of times reported: [8]
[Sign:] Melena
Number of times reported: [8]
[Sign:] Platelets Lo, Bld
Number of times reported: [8]
[Sign:] Stupor
Number of times reported: [8]
[Sign:] Unpalatable
Number of times reported: [8]
[Sign:] Apprehension
Number of times reported: [7]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [7]
[Sign:] Ineffect, Hooks
Number of times reported: [7]
[Sign:] Polyuria
Number of times reported: [7]
[Sign:] Rash
Number of times reported: [7]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [7]
[Sign:] Death(euthanized)
Number of times reported: [6]
[Sign:] Vomiting, Unproductive
Number of times reported: [6]
[Sign:] Anemia
Number of times reported: [5]
[Sign:] Behavior Disorder
Number of times reported: [5]
[Sign:] Bradycardia
Number of times reported: [5]
[Sign:] Globulin Hi, Bld
Number of times reported: [5]
[Sign:] Hair, Shedding
Number of times reported: [5]
[Sign:] Ineffect, Whips

Number of times reported: [5]
[Sign:] Nystagmus
Number of times reported: [5]
[Sign:] Pacing
Number of times reported: [5]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [5]
[Sign:] Squinting
Number of times reported: [5]
[Sign:] Stiffness
Number of times reported: [5]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [4]
[Sign:] Defecation
Number of times reported: [4]
[Sign:] Head Tilt
Number of times reported: [4]
[Sign:] Hematochezia
Number of times reported: [4]
[Sign:] Hyperpnea
Number of times reported: [4]
[Sign:] Icterus, Body
Number of times reported: [4]
[Sign:] Nausea
Number of times reported: [4]
[Sign:] Swelling, Ear(s)
Number of times reported: [4]
[Sign:] Swelling, Head/face
Number of times reported: [4]
[Sign:] Tech Error Administrat
Number of times reported: [4]
[Sign:] Urination Abn
Number of times reported: [4]
[Sign:] Weakness
Number of times reported: [4]
[Sign:] Aggression
Number of times reported: [3]
[Sign:] Albumin Lo, Bld
Number of times reported: [3]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [3]
[Sign:] Creatinine Hi, Bld

Number of times reported: [3]
[Sign:] Dermatitis, Moist
Number of times reported: [3]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [3]
[Sign:] Discomfort
Number of times reported: [3]
[Sign:] Gi, Abnormal
Number of times reported: [3]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [3]
[Sign:] Neurological Disorder
Number of times reported: [3]
[Sign:] Pain
Number of times reported: [3]
[Sign:] Pallor, Mucous Membran
Number of times reported: [3]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [3]
[Sign:] Pruritis, Ear(s)
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [3]
[Sign:] Skin, Scab(s)
Number of times reported: [3]
[Sign:] Staggering
Number of times reported: [3]
[Sign:] Urination
Number of times reported: [3]
[Sign:] Wbc Lo, Bld
Number of times reported: [3]
[Sign:] Wheezing
Number of times reported: [3]
[Sign:] Amylase Hi, Bld
Number of times reported: [2]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [2]
[Sign:] Bld, Urine
Number of times reported: [2]
[Sign:] Breathing Abn

Number of times reported: [2]
[Sign:] Circling
Number of times reported: [2]
[Sign:] Conjunctivitis
Number of times reported: [2]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [2]
[Sign:] Cystitis
Number of times reported: [2]
[Sign:] Deafness
Number of times reported: [2]
[Sign:] Diarrhea, Mucoid
Number of times reported: [2]
[Sign:] Difficulty Rising
Number of times reported: [2]
[Sign:] Edema, Limb(s)
Number of times reported: [2]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [2]
[Sign:] Eruption(s)
Number of times reported: [2]
[Sign:] Eye Disorder
Number of times reported: [2]
[Sign:] Gagging
Number of times reported: [2]
[Sign:] Ggt Hi, Bld
Number of times reported: [2]
[Sign:] Glucose Lo, Bld
Number of times reported: [2]
[Sign:] Head Bobbing
Number of times reported: [2]
[Sign:] Kidney Failure
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]
[Sign:] Miosis
Number of times reported: [2]
[Sign:] Na Lo, Bld
Number of times reported: [2]
[Sign:] Opisthotonos

Number of times reported: [2]
[Sign:] Pancreatitis
Number of times reported: [2]
[Sign:] P Hi, Bld
Number of times reported: [2]
[Sign:] Pica
Number of times reported: [2]
[Sign:] Posture Abn
Number of times reported: [2]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [2]
[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Shaking, Head/face
Number of times reported: [2]
[Sign:] Skin, Crust(s)
Number of times reported: [2]
[Sign:] Somnolence
Number of times reported: [2]
[Sign:] Sound Abn, Respiratory
Number of times reported: [2]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [2]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [2]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [2]
[Sign:] Vomiting, Bloody
Number of times reported: [2]
[Sign:] Albumin Hi, Bld
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Bld, Eye(s)
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Bld(petechiae)
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Blindness, Partial

Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Diabetes Mellitus
Number of times reported: [1]
[Sign:] Diarrhea, Projectile
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Dry, Skin
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Fertility, Reduced
Number of times reported: [1]
[Sign:] Fly Biting
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Horner's Syndrome
Number of times reported: [1]
[Sign:] Hyperesthesia

Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Incontinence
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Ineffect, Ascarids Pre
Number of times reported: [1]
[Sign:] Ineffect, Hw Larvae
Number of times reported: [1]
[Sign:] Ineffect, Whips Preven
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Liver Failure
Number of times reported: [1]
[Sign:] Mg Lo, Bld
Number of times reported: [1]
[Sign:] Mucous Membr, Muddy
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Na Hi, Bld
Number of times reported: [1]
[Sign:] Odor
Number of times reported: [1]
[Sign:] Pain, Neck
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Paralysis

Number of times reported: [1]
[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-odor, Abn
Number of times reported: [1]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [1]
[Sign:] Photophobia
Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Regurgitation
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Skin, Dry
Number of times reported: [1]
[Sign:] Slough, Skin

Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Sperm Abn
Number of times reported: [1]
[Sign:] Stiffness, Neck
Number of times reported: [1]
[Sign:] Stool, Mucoid
Number of times reported: [1]
[Sign:] Stranguria
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Tech Error
Number of times reported: [1]
[Sign:] Trembling, Face
Number of times reported: [1]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [1]
[Sign:] Ulcer(s), Skin
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]
[Sign:] Us-liver Abn
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Vomiting, Severe
Number of times reported: [1]
[Sign:] Weight Increase
Number of times reported: [1]

[Drug:] Spinosad, Milbemycin

Oral, Human

[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Sound Abn, Voice
Number of times reported: [1]
[Sign:] Vision Disorder
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Spinosad, Milbemycin

Topical, Human

[Sign:] Hyperesthesia
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Taste Abnormality
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Spinosad, Milbemycin

Unknown, Dog

[Sign:] Diarrhea
Number of times reported: [1]

[Drug:] Spinosad, Milbemycin

Unknown, Human

[Sign:] Rash
Number of times reported: [1]

[Drug:] Stanazolol

Oral, Cat

[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]

[Sign:] Bilirubin, Urine

Number of times reported: [1]

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Glucose, Urine

Number of times reported: [1]

[Sign:] Icterus, Body

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Stanozolol

Oral, Dog

[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Edema, Limb(s)

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Hematochezia
Number of times reported: [1]

[Sign:] Interaction, Drug(s)
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Nocturia
Number of times reported: [1]

[Sign:] Paralysis, All Limbs
Number of times reported: [1]

[Sign:] Priapism
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Drug:] Stanozolol

Parenteral, Cat

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Stanozolol

Parenteral, Dog

[Sign:] Depression/lethargy
Number of times reported: [3]

[Sign:] Distress, Resp
Number of times reported: [2]

[Sign:] Polypnea
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Glucose Lo, Bld
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Respiratory Disorder
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Stanozolol

Parenteral, Horse

- [Sign:] Inj Site Swelling
 - Number of times reported: [4]
- [Sign:] Anaphylaxis/toid
 - Number of times reported: [3]
- [Sign:] Collapse
 - Number of times reported: [3]
- [Sign:] Inj Site Abscess
 - Number of times reported: [3]
- [Sign:] Recumbency
 - Number of times reported: [3]
- [Sign:] Nystagmus
 - Number of times reported: [2]
- [Sign:] Ataxia
 - Number of times reported: [1]
- [Sign:] Cellulitis
 - Number of times reported: [1]
- [Sign:] Convulsion(s)
 - Number of times reported: [1]
- [Sign:] Death
 - Number of times reported: [1]
- [Sign:] Death(euthanized)
 - Number of times reported: [1]
- [Sign:] Fever, Body
 - Number of times reported: [1]
- [Sign:] Heart Failure
 - Number of times reported: [1]
- [Sign:] Hypopnea
 - Number of times reported: [1]
- [Sign:] Inj Site Abn
 - Number of times reported: [1]
- [Sign:] Inj Site Alopecia
 - Number of times reported: [1]
- [Sign:] Inj Site Pain
 - Number of times reported: [1]
- [Sign:] Inj Site Seroma
 - Number of times reported: [1]
- [Sign:] Kidney Failure
 - Number of times reported: [1]
- [Sign:] Lameness

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Stanozolol

Parenteral, Human

[Sign:] Bld, Abn

Number of times reported: [1]

[Sign:] Cardiomegaly

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Liver Failure

Number of times reported: [1]

[Drug:] Stanozolol

Unknown, Cat

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Estrus Behavior

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Stanozolol

Unknown, Human

[Sign:] Inj Site Pain
Number of times reported: [1]

[Drug:] Sulfachlorpyridazine

Defect, Not Applicable

[Sign:] Pd-cap(s), Abn
Number of times reported: [1]

[Sign:] Pd-container(s), Abn
Number of times reported: [1]

[Sign:] Pd-container(s), Damag
Number of times reported: [1]

[Sign:] Pd-underfill, Package
Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged
Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]

[Drug:] Sulfachlorpyridazine

Oral, Cattle

[Sign:] Death
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Drug:] Sulfachlorpyridazine

Parenteral, Pig

[Sign:] Death
Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim

Defect, Not Applicable

[Sign:] Pd-container(s), Abn
Number of times reported: [8]

[Sign:] Pd-color, Abn
Number of times reported: [6]

[Sign:] Pd-seal, Abn
Number of times reported: [6]

[Sign:] Pd-container(s), Damag
Number of times reported: [5]

[Sign:] Pd-tube(s), Leaking
Number of times reported: [5]

[Sign:] Pd-solution, Abn
Number of times reported: [4]

[Sign:] Pd-product Defect
Number of times reported: [3]

[Sign:] Pd-tube(s), Abn
Number of times reported: [3]

[Sign:] Pd-cap(s), Abn
Number of times reported: [2]

[Sign:] Pd-missing, Label(s)
Number of times reported: [2]

[Sign:] Pd-dispenser, Abn
Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn
Number of times reported: [1]

[Sign:] Pd-underfill, Package
Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim

Missing, Horse

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim

Oral, Cat

[Sign:] Hypersalivation
Number of times reported: [2]

[Sign:] Vomiting
Number of times reported: [2]

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Gagging
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Peritonitis
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Vomiting, Unproductive
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim
Oral, Cattle

[Sign:] Death
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim
Oral, Chicken

[Sign:] Egg Abn
Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim
Oral, Dog

[Sign:] Depression/lethargy
Number of times reported: [20]

[Sign:] Anorexia
Number of times reported: [16]

[Sign:] Fever, Body
Number of times reported: [10]

[Sign:] Anemia
Number of times reported: [8]

[Sign:] Death

Number of times reported: [8]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [8]
[Sign:] Vomiting
Number of times reported: [8]
[Sign:] Platelets Lo, Bld
Number of times reported: [7]
[Sign:] Bld(petechiae)
Number of times reported: [4]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [4]
[Sign:] Convulsion(s)
Number of times reported: [4]
[Sign:] Keratoconjunctivitis S
Number of times reported: [4]
[Sign:] Swelling, Joint(s)
Number of times reported: [4]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [3]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [3]
[Sign:] Co2 Lo, Bld
Number of times reported: [3]
[Sign:] Cpk Hi, Bld
Number of times reported: [3]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Epistaxis
Number of times reported: [3]
[Sign:] Lameness
Number of times reported: [3]
[Sign:] Pain
Number of times reported: [3]
[Sign:] Wbc Hi, Bld
Number of times reported: [3]
[Sign:] Weakness
Number of times reported: [3]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [2]
[Sign:] Arthritis
Number of times reported: [2]
[Sign:] Ataxia

Number of times reported: [2]
[Sign:] Bld, Urine
Number of times reported: [2]
[Sign:] Blepharospasm
Number of times reported: [2]
[Sign:] Blindness
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Crystals, Urine
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Glucose Lo, Bld
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [2]
[Sign:] Lymphs Lo, Bld
Number of times reported: [2]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [2]
[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Uveitis
Number of times reported: [2]
[Sign:] Wbc Lo, Bld
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Albumin Hi, Bld
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anemia, Hemolytic

Number of times reported: [1]
[Sign:] Anemia, Regen
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Bld, Joint(s)
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Chloride Hi, Bld
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Congestion, Mucous Mem
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Death(euthanized)

Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]
[Sign:] Fibrinogen Hi, Bld
Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Hepatitis
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Monos Lo, Bld
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Na Lo, Bld

Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Polycythemia
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Rbc Abn
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Segs Lo, Bld
Number of times reported: [1]
[Sign:] Skin Disorder
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Lo

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim

Oral, Goat

[Sign:] Death

Number of times reported: [1]

[Sign:] Epistaxis

Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim

Oral, Horse

[Sign:] Diarrhea

Number of times reported: [11]

[Sign:] Death

Number of times reported: [7]

[Sign:] Diarrhea, Severe

Number of times reported: [6]

[Sign:] Pain, Abdomen

Number of times reported: [5]

[Sign:] Colitis

Number of times reported: [4]

[Sign:] Death(euthanized)

Number of times reported: [4]

[Sign:] Anorexia

Number of times reported: [3]

[Sign:] Ineffect, Antibiotic

Number of times reported: [3]

[Sign:] Laminitis

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [2]

[Sign:] Pruritis

Number of times reported: [2]

[Sign:] Urticaria

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Edema, Brisket/chest
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Edema, Ventral
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pruritis, Tail

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

[Sign:] Segs Lo, Bld

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Sweating, Decreased

Number of times reported: [1]

[Sign:] Us-liver Abn

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim

Oral, Human

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Discomfort

Number of times reported: [2]

[Sign:] Irritation, Pharynx/th

Number of times reported: [2]

[Sign:] Exfoliation, Skin

Number of times reported: [1]

[Sign:] Nose Abn

Number of times reported: [1]

[Sign:] Paresthesia

Number of times reported: [1]

[Sign:] Paresthesia, Mouth/lip

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim

Parenteral, Cattle

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim

Parenteral, Dog

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim

Parenteral, Horse

[Sign:] Death

Number of times reported: [20]

[Sign:] Collapse

Number of times reported: [19]

[Sign:] Convulsion(s)

Number of times reported: [7]

[Sign:] Anaphylaxis/toid

Number of times reported: [6]

[Sign:] Sweating

Number of times reported: [5]

[Sign:] Tachycardia

Number of times reported: [5]

[Sign:] Unconscious

Number of times reported: [5]

[Sign:] Pallor

Number of times reported: [4]

[Sign:] Hyperpnea

Number of times reported: [3]

[Sign:] Syncope

Number of times reported: [3]

[Sign:] Trembling

Number of times reported: [3]
[Sign:] Arrhythmia
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [2]
[Sign:] Shock
Number of times reported: [2]
[Sign:] Staggering
Number of times reported: [2]
[Sign:] Thrashing/paddling
Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bld, Eye(s)
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Defecation
Number of times reported: [1]
[Sign:] Destructiveness
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pawing

Number of times reported: [1]

[Sign:] Photophobia

Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Rearing

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Shock, Endotoxemia

Number of times reported: [1]

[Sign:] Stiffness, Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Neck

Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro

Number of times reported: [1]

[Sign:] Trembling, Face

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim

Parenteral, Sheep

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim

Unknown, Dog

[Sign:] Anemia
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Sulfadiazine, Trimethoprim

Unknown, Horse

[Sign:] Collapse
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Unconscious
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Defect, Not Applicable

[Sign:] Pd-bolus, Abn
Number of times reported: [55]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [48]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [34]
[Sign:] Pd-container(s), Damag
Number of times reported: [30]
[Sign:] Pd-seal, Abn
Number of times reported: [24]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [19]
[Sign:] Pd-cap(s), Abn
Number of times reported: [15]
[Sign:] Pd-container(s), Abn
Number of times reported: [8]

[Sign:] Pd-underfill, Vial(s)
Number of times reported: [7]

[Sign:] Pd-label(s), Abn
Number of times reported: [6]

[Sign:] Pd-missing, Label(s)
Number of times reported: [6]

[Sign:] Pd-solution, Abn
Number of times reported: [5]

[Sign:] Pd-color, Abn
Number of times reported: [4]

[Sign:] Pd-missing, Cap
Number of times reported: [4]

[Sign:] Pd-suspension, Abn
Number of times reported: [3]

[Sign:] Pd-contamination
Number of times reported: [2]

[Sign:] Pd-contam, Mold
Number of times reported: [2]

[Sign:] Pd-product Defect
Number of times reported: [2]

[Sign:] Pd-tube(s), Leaking
Number of times reported: [2]

[Sign:] Pd-underfill, Package
Number of times reported: [2]

[Sign:] Pd-unknown
Number of times reported: [2]

[Sign:] Death
Number of times reported: [1]

[Sign:] Estrus Behavior
Number of times reported: [1]

[Sign:] Pd-vial(s), Abn
Number of times reported: [1]

[Sign:] Udder, Swelling
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Intranasal, Cattle

[Sign:] Residue, Milk
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Missing, Dog

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Not Applicable, Not Applicable

[Sign:] Pd-product Defect
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Oral, Cat

[Sign:] Ineffect, Coccidia
Number of times reported: [59]

[Sign:] Depression/lethargy
Number of times reported: [22]

[Sign:] Vomiting
Number of times reported: [17]

[Sign:] Death
Number of times reported: [15]

[Sign:] Diarrhea
Number of times reported: [15]

[Sign:] Fever, Body
Number of times reported: [12]

[Sign:] Anemia
Number of times reported: [8]

[Sign:] Ataxia
Number of times reported: [8]

[Sign:] Convulsion(s)
Number of times reported: [8]

[Sign:] Anorexia
Number of times reported: [7]

[Sign:] Death(euthanized)
Number of times reported: [7]

[Sign:] Wbc Hi, Bld
Number of times reported: [6]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [4]

[Sign:] Dehydration
Number of times reported: [4]

[Sign:] Mydriasis
Number of times reported: [4]

[Sign:] Eosinos Hi, Bld
Number of times reported: [3]

[Sign:] Ineffect, Antibiotic
Number of times reported: [3]

[Sign:] Lymphs Lo, Bld
Number of times reported: [3]

[Sign:] Pallor, Mucous Membran
Number of times reported: [3]

[Sign:] Unconscious
Number of times reported: [3]

[Sign:] Vocalization
Number of times reported: [3]

[Sign:] Wbc Lo, Bld
Number of times reported: [3]

[Sign:] Weakness
Number of times reported: [3]

[Sign:] Weight Loss
Number of times reported: [3]

[Sign:] Aggression
Number of times reported: [2]

[Sign:] Albumin Lo, Bld
Number of times reported: [2]

[Sign:] Anemia, Regen
Number of times reported: [2]

[Sign:] Blindness
Number of times reported: [2]

[Sign:] Bun Hi, Bld
Number of times reported: [2]

[Sign:] Cataract(s)
Number of times reported: [2]

[Sign:] Chloride Lo, Bld
Number of times reported: [2]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [2]

[Sign:] Diarrhea, Mild
Number of times reported: [2]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]

[Sign:] Glucose Hi, Bld
Number of times reported: [2]

[Sign:] Hypothermia
Number of times reported: [2]

[Sign:] Hypothermia, Body
Number of times reported: [2]

[Sign:] Icterus, Body
Number of times reported: [2]

[Sign:] Ineffect
Number of times reported: [2]

[Sign:] Kidney Disorder
Number of times reported: [2]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]

[Sign:] Na Lo, Bld
Number of times reported: [2]

[Sign:] Neurological Disorder
Number of times reported: [2]

[Sign:] Reticulocytes Lo, Bld
Number of times reported: [2]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Ascites
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Blepharospasm
Number of times reported: [1]

[Sign:] Bun Lo, Bld
Number of times reported: [1]

[Sign:] Ca Hi, Bld
Number of times reported: [1]

[Sign:] Circling
Number of times reported: [1]

[Sign:] Congestion, Sinus
Number of times reported: [1]

[Sign:] Crystals, Urine
Number of times reported: [1]

[Sign:] Distention, Abdomen
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Dysuria
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Glucose Lo, Bld
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Hematochezia
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Icterus, Serum
Number of times reported: [1]

[Sign:] Infection
Number of times reported: [1]

[Sign:] Keratoconjunctivitis S
Number of times reported: [1]

[Sign:] K Hi, Bld
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]

[Sign:] K Lo, Bld
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]

[Sign:] Liver Disorder
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Loss Of Condition
Number of times reported: [1]

[Sign:] Miosis
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] No Signs
Number of times reported: [1]

[Sign:] Nystagmus
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Pain, Joint(s)
Number of times reported: [1]

[Sign:] Paresis
Number of times reported: [1]

[Sign:] Pd-potency, Lo
Number of times reported: [1]

[Sign:] P Hi, Bld
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] Polyphagia
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema
Number of times reported: [1]

[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [1]

[Sign:] Pupil(s), Areflexia
Number of times reported: [1]

[Sign:] Reproduction Disorder
Number of times reported: [1]

[Sign:] Segs Hi, Bld
Number of times reported: [1]

[Sign:] Shaking, Head/face
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Sign:] Swelling, Testicle
Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Oral, Cattle

[Sign:] Residue, Meat
Number of times reported: [11]

[Sign:] Death
Number of times reported: [6]

[Sign:] Pd-bolus, Abn
Number of times reported: [5]

[Sign:] Ineffect, Antibiotic
Number of times reported: [3]

[Sign:] Pd-contam, Mold
Number of times reported: [3]

[Sign:] Residue, Milk
Number of times reported: [3]

[Sign:] Death(slaughtered)
Number of times reported: [2]

[Sign:] Ineffect, Coccidia
Number of times reported: [2]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [2]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Death(tx Failure)
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Hypothermia, Body
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]

[Sign:] Melena
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] No Signs
Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Neck

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Sulfadimethoxine

Oral, Chicken

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Feathers, Abnormal

Number of times reported: [1]

[Sign:] Hematochezia

Number of times reported: [1]

[Sign:] Ineffect, Coccidia

Number of times reported: [1]

[Drug:] Sulfadimethoxine

Oral, Dog

[Sign:] Ineffect, Coccidia

Number of times reported: [85]

[Sign:] Vomiting

Number of times reported: [75]

[Sign:] Depression/lethargy

Number of times reported: [59]

[Sign:] Diarrhea

Number of times reported: [39]

[Sign:] Death

Number of times reported: [34]

[Sign:] Anorexia

Number of times reported: [29]

[Sign:] Fever, Body

Number of times reported: [27]
[Sign:] Swelling, Head/face
Number of times reported: [22]
[Sign:] Urticaria
Number of times reported: [20]
[Sign:] Anaphylaxis/toid
Number of times reported: [19]
[Sign:] Anemia
Number of times reported: [19]
[Sign:] Pruritis
Number of times reported: [18]
[Sign:] Convulsion(s)
Number of times reported: [17]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [13]
[Sign:] Ataxia
Number of times reported: [13]
[Sign:] Death(euthanized)
Number of times reported: [13]
[Sign:] Platelets Lo, Bld
Number of times reported: [13]
[Sign:] Weakness
Number of times reported: [12]
[Sign:] Wbc Hi, Bld
Number of times reported: [11]
[Sign:] Edema, Head/face
Number of times reported: [10]
[Sign:] Diarrhea, Bloody
Number of times reported: [9]
[Sign:] Keratoconjunctivitis S
Number of times reported: [9]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [9]
[Sign:] Albumin Lo, Bld
Number of times reported: [8]
[Sign:] Dehydration
Number of times reported: [8]
[Sign:] Glucose Lo, Bld
Number of times reported: [8]
[Sign:] Alopecia
Number of times reported: [7]
[Sign:] Congestion, Skin

Number of times reported: [7]
[Sign:] Coughing
Number of times reported: [7]
[Sign:] Culture/titer Data Abn
Number of times reported: [7]
[Sign:] Rash
Number of times reported: [7]
[Sign:] Wbc Lo, Bld
Number of times reported: [7]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [6]
[Sign:] Bun Hi, Bld
Number of times reported: [6]
[Sign:] Confusion
Number of times reported: [6]
[Sign:] Hypersalivation
Number of times reported: [6]
[Sign:] Pallor, Mucous Membran
Number of times reported: [6]
[Sign:] P Hi, Bld
Number of times reported: [6]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [6]
[Sign:] Pallor
Number of times reported: [5]
[Sign:] Polydipsia
Number of times reported: [5]
[Sign:] Segs Hi, Bld
Number of times reported: [5]
[Sign:] Trembling
Number of times reported: [5]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [4]
[Sign:] Bld(ecchymoses)
Number of times reported: [4]
[Sign:] Diarrhea, Mild
Number of times reported: [4]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [4]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [4]
[Sign:] Head Tilt

Number of times reported: [4]
[Sign:] Polyuria
Number of times reported: [4]
[Sign:] Radiograph(s) Abn
Number of times reported: [4]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [4]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [4]
[Sign:] Vocalization
Number of times reported: [4]
[Sign:] Adipsia
Number of times reported: [3]
[Sign:] Amylase Hi, Bld
Number of times reported: [3]
[Sign:] Behavior Disorder
Number of times reported: [3]
[Sign:] Collapse
Number of times reported: [3]
[Sign:] Creatinine Hi, Bld
Number of times reported: [3]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Globulin Lo, Bld
Number of times reported: [3]
[Sign:] Glucose Hi, Bld
Number of times reported: [3]
[Sign:] Ill
Number of times reported: [3]
[Sign:] Inflam, Skin
Number of times reported: [3]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [3]
[Sign:] K Hi, Bld
Number of times reported: [3]
[Sign:] Lameness
Number of times reported: [3]
[Sign:] Lesion(s), Skin
Number of times reported: [3]
[Sign:] Lipase Hi, Bld
Number of times reported: [3]
[Sign:] Locomotion Disorder

Number of times reported: [3]
[Sign:] Melena
Number of times reported: [3]
[Sign:] Miosis
Number of times reported: [3]
[Sign:] Monos Hi, Bld
Number of times reported: [3]
[Sign:] Pain, Abdomen
Number of times reported: [3]
[Sign:] Polypnea
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Skin, Crust(s)
Number of times reported: [3]
[Sign:] Urination Abn
Number of times reported: [3]
[Sign:] Uveitis
Number of times reported: [3]
[Sign:] Aggression
Number of times reported: [2]
[Sign:] Bld, Sclera
Number of times reported: [2]
[Sign:] Bld, Urine
Number of times reported: [2]
[Sign:] Blepharospasm
Number of times reported: [2]
[Sign:] Circling
Number of times reported: [2]
[Sign:] Congestion, Ear(s)
Number of times reported: [2]
[Sign:] Congestion, Mucous Mem
Number of times reported: [2]
[Sign:] Discharge, Nose
Number of times reported: [2]
[Sign:] Distention, Abdomen
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Edema
Number of times reported: [2]
[Sign:] Edema, Cornea(s)

Number of times reported: [2]
[Sign:] Eye Disorder
Number of times reported: [2]
[Sign:] Gagging
Number of times reported: [2]
[Sign:] Hair, Abn
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Incontinence, Urinary
Number of times reported: [2]
[Sign:] Kidney Failure
Number of times reported: [2]
[Sign:] K Lo, Bld
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Lymphs Lo, Bld
Number of times reported: [2]
[Sign:] Microorganisms, Urine
Number of times reported: [2]
[Sign:] Monos Lo, Bld
Number of times reported: [2]
[Sign:] Murmur, Heart
Number of times reported: [2]
[Sign:] Na Lo, Bld
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Pain, Joint(s)
Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Pneumonia
Number of times reported: [2]
[Sign:] Pollakiuria
Number of times reported: [2]
[Sign:] Pressure Lo, Bld
Number of times reported: [2]
[Sign:] Prolapse, Third Eyelid

Number of times reported: [2]
[Sign:] Protein, Urine
Number of times reported: [2]
[Sign:] Reaction, Unspecified
Number of times reported: [2]
[Sign:] Reluctant To Move
Number of times reported: [2]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [2]
[Sign:] Segs Lo, Bld
Number of times reported: [2]
[Sign:] Skin, Necrosis
Number of times reported: [2]
[Sign:] Slough, Tongue
Number of times reported: [2]
[Sign:] Sneezing
Number of times reported: [2]
[Sign:] Sound Abn, Respiratory
Number of times reported: [2]
[Sign:] Staggering
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Swelling, Neck
Number of times reported: [2]
[Sign:] Tears, Abn
Number of times reported: [2]
[Sign:] Teeth, Abn
Number of times reported: [2]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Acid Urine
Number of times reported: [1]
[Sign:] Anus, Paralysis
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Ascites
Number of times reported: [1]
[Sign:] Basos Hi, Bld

Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Bld, Rectum
Number of times reported: [1]
[Sign:] Bld, Thorax
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Cachexia
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Cholesterol Lo, Bld
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Coprophagia
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Death(newborn)

Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Edema, Vulva
Number of times reported: [1]
[Sign:] Effusion, Pericardial
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Exfoliation, Skin
Number of times reported: [1]
[Sign:] Fly Biting
Number of times reported: [1]
[Sign:] Gastroenteritis
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Globulin Hi, Bld

Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hemoglobin, Urine
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Immune Disorder
Number of times reported: [1]
[Sign:] Ineffect, Antibiotic
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]
[Sign:] Infection, Uterus
Number of times reported: [1]
[Sign:] Inflam
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Irritation, Perineum
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Loss Of Condition

Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]
[Sign:] Mg Lo, Bld
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Nail Disorder
Number of times reported: [1]
[Sign:] Obstruction, Intestine
Number of times reported: [1]
[Sign:] Oliguria
Number of times reported: [1]
[Sign:] Opacity, Cornea(s)
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Pancreas Disorder
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Pancytopenia
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-contam, Mold
Number of times reported: [1]
[Sign:] Pd-odor, Abn
Number of times reported: [1]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [1]
[Sign:] Pneumonia, Aspiration
Number of times reported: [1]
[Sign:] Polycythemia(relative)
Number of times reported: [1]
[Sign:] Polyphagia

Number of times reported: [1]
[Sign:] Pr-cecum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Pustule(s)
Number of times reported: [1]
[Sign:] Self-mutilation
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Skin, Scab(s)
Number of times reported: [1]
[Sign:] Sleep Abn
Number of times reported: [1]
[Sign:] Slough, Skin
Number of times reported: [1]
[Sign:] Somnolence

Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine

Number of times reported: [1]

[Sign:] Squinting

Number of times reported: [1]

[Sign:] Stool Abn

Number of times reported: [1]

[Sign:] Swelling, Ear(s)

Number of times reported: [1]

[Sign:] Swelling, Joint(s)

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Us Abn

Number of times reported: [1]

[Sign:] Vaginitis

Number of times reported: [1]

[Sign:] Vasculitis

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Vomiting, Unproductive

Number of times reported: [1]

[Sign:] Wbc Abn

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

[Drug:] Sulfadimethoxine

Oral, Ferret

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Irritation, Perineum

Number of times reported: [1]

[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Oral, Goat

[Sign:] Death
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Oral, Human

[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Leg Disorder
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Oral, Other

[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Oral, Rabbit

[Sign:] Death
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Oral, Sheep

[Sign:] Residue, Meat
Number of times reported: [2]

[Drug:] Sulfadimethoxine

Oral, Various

[Sign:] Ineffect, Coccidia
Number of times reported: [3]

[Drug:] Sulfadimethoxine

Parenteral, Cat

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]

[Sign:] Sedation
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Parenteral, Cattle

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Residue, Meat
Number of times reported: [1]

[Sign:] Residue, Milk
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Parenteral, Dog

[Sign:] Death
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Enlargement(s)
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Parenteral, Horse

[Sign:] Collapse
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Topical, Human

[Sign:] Pd-vial(s), Leaking
Number of times reported: [2]
[Sign:] Pd-cap(s), Abn
Number of times reported: [1]
[Sign:] Pd-container(s), Damag
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Unknown, Cat

[Sign:] Diarrhea
Number of times reported: [1]

[Drug:] Sulfadimethoxine

Unknown, Cattle

[Sign:] Death

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Residue, Milk

Number of times reported: [1]

[Drug:] Sulfadimethoxine

Unknown, Dog

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ca Hi, Bld

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Eosinos Hi, Bld

Number of times reported: [1]

[Sign:] Glucose Hi, Bld

Number of times reported: [1]

[Sign:] Ineffect, Coccidia

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Sulfadimethoxine

Unknown, Human

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Scale(s), Skin

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Drug:] Sulfadimethoxine

Unknown, Rabbit

[Sign:] Ineffect, Coccidia

Number of times reported: [1]

[Drug:] Sulfamethazine

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking

Number of times reported: [20]

[Sign:] Pd-container(s), Damag

Number of times reported: [11]

[Sign:] Pd-cap(s), Abn

Number of times reported: [9]

[Sign:] Pd-seal, Abn

Number of times reported: [7]

[Sign:] Pd-color, Abn

Number of times reported: [5]

[Sign:] Pd-container(s), Abn

Number of times reported: [5]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [5]

[Sign:] Pd-missing, Label(s)

Number of times reported: [4]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [3]

[Sign:] Pd-solution, Abn

Number of times reported: [3]

[Sign:] Pd-label(s), Abn

Number of times reported: [2]

[Sign:] Pd-underfill, Package

Number of times reported: [2]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [2]

[Sign:] Unpalatable

Number of times reported: [2]

[Sign:] Pd-bolus, Abn

Number of times reported: [1]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [1]

[Drug:] Sulfamethazine

Oral, Cattle

[Sign:] Death

Number of times reported: [3]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Drug:] Sulfamethazine

Oral, Chicken

[Sign:] Death

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Egg Abn

Number of times reported: [1]

[Sign:] Ineffect, Coccidia

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Drug:] Sulfamethazine

Oral, Dog

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Skin, Scab(s)

Number of times reported: [1]

[Drug:] Sulfamethazine

Oral, Goat

[Sign:] Death

Number of times reported: [1]

[Drug:] Sulfamethazine

Oral, Horse

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Drug:] Sulfamethazine, Tylosin

Defect, Not Applicable

[Sign:] Pd-contamination

Number of times reported: [3]

[Sign:] Pd-label(s), Abn

Number of times reported: [2]

[Sign:] Pd-product Defect

Number of times reported: [2]

[Drug:] Sulfamethazine, Tylosin

Oral, Pig

[Sign:] Residue, Meat

Number of times reported: [1]

[Drug:] Sulfamethazine, Tylosin

Unknown, Pig

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Ineffect, Weight Inc

Number of times reported: [1]

[Drug:] Sulfamethoxazole

Oral, Sheep

[Sign:] Death

Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

[Drug:] Sulfamethoxazole, Trimethoprim

Oral, Dog

[Sign:] Platelets Lo, Bld

Number of times reported: [7]

[Sign:] Depression/lethargy

Number of times reported: [6]

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Death

Number of times reported: [4]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [3]

[Sign:] Fever, Body

Number of times reported: [3]

[Sign:] Keratoconjunctivitis S

Number of times reported: [3]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [3]

[Sign:] Anemia
Number of times reported: [2]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [2]

[Sign:] Bld(petechiae)
Number of times reported: [2]

[Sign:] Bld, Urine
Number of times reported: [2]

[Sign:] Icterus
Number of times reported: [2]

[Sign:] Lymphs Lo, Bld
Number of times reported: [2]

[Sign:] Pancytopenia
Number of times reported: [2]

[Sign:] Segs Hi, Bld
Number of times reported: [2]

[Sign:] Segs Lo, Bld
Number of times reported: [2]

[Sign:] Amylase Hi, Bld
Number of times reported: [1]

[Sign:] Anemia, Aplastic
Number of times reported: [1]

[Sign:] Anemia, Hemolytic
Number of times reported: [1]

[Sign:] Arthritis
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Bld(ecchymoses)
Number of times reported: [1]

[Sign:] Bld, Sclera
Number of times reported: [1]

[Sign:] Blindness, Partial
Number of times reported: [1]

[Sign:] Ca Lo, Bld
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Distention, Abdomen
Number of times reported: [1]

[Sign:] Effusion, Joint(s)
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Ggt Hi, Bld
Number of times reported: [1]

[Sign:] Globulin Hi, Bld
Number of times reported: [1]

[Sign:] Hyphema
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]

[Sign:] Melena
Number of times reported: [1]

[Sign:] Monos Hi, Bld
Number of times reported: [1]

[Sign:] Monos Lo, Bld
Number of times reported: [1]

[Sign:] Mucous Membr, Red
Number of times reported: [1]

[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]

[Sign:] Pancreatitis
Number of times reported: [1]

[Sign:] Papule(s)
Number of times reported: [1]

[Sign:] Peritonitis
Number of times reported: [1]

[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Stiffness, Limb(s)
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Wbc Lo, Bld
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Sulfaquinoxaline

Oral, Chicken

[Sign:] Death
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Swelling, Mult Sites
Number of times reported: [1]

[Drug:] Sulfurated Lime Solution

Topical, Human

[Sign:] Dyspnea
Number of times reported: [1]